HEDIS[®] 2024

Documentation and Coding Guidelines



Propostal and Postpartum Caro (PDC)



EFFECTIVENESS OF CARE: PREVENTION AND SCREENING	3
Care for Older Adults (COA)	3
Cervical Cancer Screening (CCS)	5
Childhood Immunization Status (CIS)	7
Chlamydia Screening in Women (CHL)	9
Immunizations for Adolescents (IMA)	10
Lead Screening Children (LSC)	12
Oral Evaluation, Dental Services (OED)	12
Topical Fluoride for Children (TFC)	13
Weight Assessment and Counseling for Nutrition and Physical Ac Children/Adolescents (WCC)	-
EFFECTIVENESS OF CARE: RESPIRATORY CONDITIONS	16
Appropriate Testing for Pharyngitis (CWP)	16
Asthma Medication Ratio (AMR	17
Medication Management for People with Asthma (MMA)	18
Pharmacotherapy Management of COPD Exacerbation (PCE)	18
ACCESS AND AVAILABILITY	19
Adults' Access to Preventive/Ambulatory Health Services (AAP)	19
Children and Adolescents' Access to Primary Care (CAP)	20
Initiation and Engagement of Substance Use Disorder Treatment	(IET) 20

Trenatar and Fostpartum care (Fre)	27
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)	26
EFFECTIVENESS OF CARE: CARDIOVASCULAR CONDITIONS	27
Controlling High Blood Pressure (CBP)	27
Persistence of Beta Blocker Treatment After a Heart Attack (PBH)	28
Cardiac Rehabilitation (CRE)	29
Statin Therapy for Patients with Cardiovascular Disease (SPC)	30
EFFECTIVENESS OF CARE: DIABETES	33
Glycemic Status Assessment for Patients With Diabetes (GSD)	33
Comprehensive Diabetes Care (CDC) Monitoring for Nephropathy	34
Eye Exam for Patients with Diabetes (EED)	35
Blood Pressure Control for Patients with Diabetes (BPD)	37
Kidney Evaluation for Patients With Diabetes (KED)	38
Statin Therapy for Patients with Diabetes (SPD)	39
EFFECTIVENESS OF CARE: MUSCULOSKELETAL CONDITIONS	40
Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arth (ART)	
Osteoporosis Management in Women Who Had a Fracture (OMW)	40
Osteoporosis Screening in Older Women (OSW)	41

EFFECTIVENESS OF CARE: BEHAVIORAL HEALTH	Deprescribing of Benzodiazepines in Older Adults (DBO)92
Antidepressant Medication Management (AMM)	Use of Imaging Studies for Low Back Pain (LBP)93
Follow-Up After Hospitalization for Mental Illness (FUH)	Use of Opioids at High Dosage (HDO)94
Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who are Using Antipsychotic Medications (SSD)	Use of Opioids From Multiple Providers (UOP)96 UTILIZATION97
Diabetes Monitoring for People with Diabetes and Schizophrenia (SMD)53	Well-Child Visits in the First 30 Months of Life (W30)97
Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia (SMC)	Child and Adolescent Well-Care Visits (WCV)98
Adherence to Antipsychotic Medications for Individuals with	Annual Dental Visit (ADV)99
Schizophrenia (SAA)	MEASURES COLLECTED USING ELECTRONIC CLINICAL DATA SYSTEMS99
Follow-Up After Emergency Department Visit for Mental Illness (FUM). 55	Follow-Up Care for Children Prescribed ADHD Medication (ADD-E)99
Follow-Up After Emergency Department Visit for Substance Use (FUA) . 65	Adult Immunization Status (AIS-E)101
Follow-Up After High-Intensity Care for Substance Use Disorder (FUI) 70	Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM-E)102
Pharmacotherapy for Opioid Use Disorder (POD)	Breast Cancer Screening (BCS-E)
FFECTIVENESS OF CARE: CARE COORDINATION	Colorectal Cancer Screening (COL-E)103
Advance Care Planning (ACP)	Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)105
Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC)	Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults (DMS-E)106
EFFECTIVENESS OF CARE: OVERUSE/APPROPRIATENESS	Depression Remission or Response for Adolescents and Adults
Avoidance of Antibiotic Treatment for Acute Bronchitis (AAB)	(DRR-E)
Non-Recommended PSA-Based Screening in Older Men (PSA) 86	Unhealthy Alcohol Use Screening and Follow-Up (ASF-E)108
Appropriate Treatment for Upper Respiratory Infection (URI)	Prenatal Immunization Status (PRS-E)109
Potentially Harmful Drug-Disease Interactions in Older Adults (DDE) 88	Prenatal Depression Screening and Follow-Up (PND-E)110
Risk of Continued Opioid Use (COU)	Postpartum Depression Screening and Follow-Up (PDS-E)111
Use of High-Risk Medication in Older Adults (DAE)	Social Need Screening and Intervention (SNS-E)

HEDIS[®] 2024

Documentation and Coding Guidelines





Reproduced with permission from HEDIS Measurement Year (MY) 2024, Volume 2: Technical Specifications for Health Plans by the National Committee for Quality Assurance (NCQA). HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA). To purchase copies of this publication, contact NCQA Customer Support at 888-275-7585 or visit https://store.ncqa.org/.

EFFECTIVENESS OF CARE: PREVENTION AND SCREENING

Measure	Measure Description	Measure Information/Documentation Required	Coding
Care for Older Adults	Adults 66 years of age	Medication Review:	Functional Status Assessment:
(COA)	and older who had each	A review conducted by a prescribing	CPT : 99483
	of the following during	practitioner or clinical pharmacist in the MY.	CPT-CAT-II: 1170F
	the MY:	The member does not need to be present	HCPCS: G0438, G0439
		for the medication review. Any of the	
	 Medication review. 	following are acceptable:	Pain Assessment:
	 Functional Status Assessment (FSA). 	The presence of a medication list in the medical record with notation of the date	CPT-CAT-II: 1125F, 1126F
	Pain Assessment.	reviewed.	Medication Review (with Medication List):
		Dated notation that member is not	CPT: 90863, 99483, 99605, 99606
		taking any medications.	CPT-CAT-II: 1160F
		Transitional care management services	
		documented during the MY.	Medication List (with Medication Review):
		Criteria is not met if review performed	CPT-CAT-II: 1159F
		by an RN.	HCPCS: G8427
		Functional Status Assessment:	Transitional Care Management:
		At least one functional status assessment	CPT: 99495, 99496
		during the MY and the date it was	
		performed. Functional status assessment	
		must include one of the following:	Note: LOINC and SNOMED codes can be captured through electronic data
		Notation that Activities of Daily Living	submissions. Please contact your Account Executive for more
		(ADLs) were assessed or that at least	information.
		five of the following were assessed:	
		bathing, dressing, eating, transferring	

- (e.g., getting in and out of chairs), using toilet, walking.
- Notation that Instrumental Activities of Daily Living (IADLs) were assessed or at least four of the following were assessed: shopping for groceries, driving or using public transportation, using the telephone, cooking or meal preparation, housework, home repair, laundry, taking medications, handling finances.
- Result of an assessment using a standardized functional status assessment tool.
- Criteria is **not** met by a fall assessment.

Pain Assessment:

At least one pain assessment during the MY and the date it was performed.

- Documentation that the patient was assessed for pain (which may include positive or negative findings for pain).
- Result of assessment using a standardized pain assessment tool.
- Criteria is **not** met by notation of only a pain management plan or only a pain treatment plan.
- Criteria is **not** met by notation of only screening for chest pain or only documentation of chest pain.

Note:

- Telephone, e-visit, or virtual check-in visits are acceptable for FSA and Pain Assessment.
- Exclude services provided in an acute inpatient setting.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

		 In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Common Chart Deficiencies: Medication Review: Medication review completed by RN. FSA: Documentation referencing patient living alone but not specifically that patient can perform ADLs or IADLs. FSA: Documentation of "normal" under review of systems without specifically addressing ADLs/IADLs. FSA: A functional status assessment limited to an acute or single condition, event, or body system. Pain: Patient not assessed for pain at visit. Pain: Diagnosis or medication related to pain or pain management plan but no documentation of pain assessment. 	
Measure	Measure Description	Measure Information/Documentation Required	Coding
Cervical Cancer Screening	Members 24 – 64 years	Documentation using either of the	Cervical Cytology (Pap):
(CCS)	of age in the MY who	following criteria meet:	CPT: 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88164,
. ,	were recommended for	 A note indicating the date when the 	88165, 88166, 88167, 88174, 88175
This is also a measure	routine cervical cancer	cervical cytology was performed and the	HCPCS: G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148,
(CCS-E) collected through	screening using the	findings.	P3000, P3001, Q0091
claims and Electronic	following criteria:	 A note indicating the date when the 	
Clinical Data Systems.	 Ages 24 – 64: A 	hrHPV test was performed and the	High-Risk HPV Testing:
Please discuss options for	cervical cytology	findings.	CPT: 87624, 87625
a direct data feed with		S .	
1 A	(Pap) test within		HCPCS : G0476
your Account Executive.	the last 3 years.	Note: Evidence of hrHPV testing within the	
Direct data feeds can	the last 3 years. • Ages 30 – 64: A	Note: Evidence of hrHPV testing within the last 5 years also captures patients who had	HCPCS: G0476
Direct data feeds can improve provider quality	the last 3 years. • Ages 30 – 64: A cervical high-risk	Note: Evidence of hrHPV testing within the	HCPCS: G0476 Note: LOINC and SNOMED codes can be captured through electronic data
Direct data feeds can improve provider quality performance and reduce	the last 3 years. • Ages 30 – 64: A cervical high-risk human	Note: Evidence of hrHPV testing within the last 5 years also captures patients who had cotesting.	Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more
Direct data feeds can improve provider quality performance and reduce the burden of medical	the last 3 years. • Ages 30 – 64: A cervical high-risk human papillomavirus	Note: Evidence of hrHPV testing within the last 5 years also captures patients who had cotesting. Do NOT Count:	HCPCS: G0476 Note: LOINC and SNOMED codes can be captured through electronic data
Direct data feeds can improve provider quality performance and reduce	the last 3 years. • Ages 30 – 64: A cervical high-risk human	Note: Evidence of hrHPV testing within the last 5 years also captures patients who had cotesting.	Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more

- Ages 30 64: A cervical cytology (Pap test/high-risk human papillomavirus [hrHPV]) co-testing within the last 5 years.
- Lab results that indicate the sample was inadequate or that "no cervical cells were present" is not a valid screening.
- Biopsies are diagnostic and are not valid as a primary cervical cancer screening.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

- In hospice or using hospice services any time in the MY.
- Deceased at any time in the MY.
- Receiving palliative care any time in the
 MY
- Evidence of a hysterectomy with no residual cervix. Must specify "complete," "total," "radical," "abdominal," or "vaginal" hysterectomy.
- "Cervical agenesis" or "acquired absence of the cervix."
- Hysterectomy in combination with documentation that the patient no longer needs Pap testing/cervical cancer screening.

Gender Exclusions:

- Evidence that a patient was born a male.
- Members with Male sex assigned at Birth.
- Documentation patient is "transitioning from male to female" or has undergone sex reassignment surgery from male to female.
- Documentation of "binary," "nonbinary," "transgender," or "transsexual" would **not** be considered an exclusion.

Common Chart Deficiencies:

Unclear if member's cervix is absent.

Measure Childhood Immunization Status (CIS)	Measure Description Members 2 years of age in the MY who are up to	 Hysterectomy is not documented in the chart sufficiently to exclude member from measure. Member-reported data not documented with sufficient information to show the screening was completed with a result in the measure time frame. Pap/HPV test completed but results not documented. Missing clear documentation on transgender patients (not clear that member is appropriate for the screening or if screening ordered/completed). Measure Information/Documentation Required Children 2 years of age who had the following: 	Coding Use applicable vaccination code or diagnosis indicating history of disease.
When coding E&M and vaccine administration services on the same date, you must append modifier 25 to the E&M code effective 1/1/14. This is also a measure (CIS-E) collected through Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can improve provider quality performance and reduce the burden of medical record requests.	date on recommended routine vaccines for diphtheria, tetanus, and acellular pertussis (DTaP); polio (IPV); measles, mumps, and rubella (MMR); Haemophilus influenza type B (HiB); hepatitis B (HepB); chicken pox (VZV); pneumococcal conjugate (PCV); hepatitis A (HepA); rotavirus (RV); and influenza (Flu).	 1 MMR on or between the 1st and 2nd birthdays or history of measles, mumps, and rubella on or before the 2nd birthday. 1 VZV on or between the 1st and 2nd birthdays, history of chicken pox, or anaphylaxis due to the VZV vaccine on or before the 2nd birthday. 1 HepA on or between the 1st and 2nd birthdays, history of hepatitis A, or anaphylaxis due to the vaccine on or before the 2nd birthday. 3 HepB with different date of service on or before the 2nd birthday or history of the illness or anaphylaxis due to the vaccine. One of the 3 can be newborn (DOB to 7 days after birth). 3 IPV with different DOS on or before the 2nd birthday. Do not count if administered prior to 42 days after birth. 3 Hib with different DOS on or before the 2nd birthday or anaphylaxis due to 	Diphtheria and Tetanus Toxoids and Acellular Pertussis vaccine (DTaP): CVX: 20, 50, 106, 107, 110, 120, 146 CPT: 90697, 90698, 90700, 90723 Haemophilus Influenza Type B (HiB): CVX: 17, 46, 47, 48, 49, 50, 51, 120, 146, 148 CPT: 90644, 90647, 90648, 90697, 90698, 90748 Hepatitis A Vaccine (HepA): CVX: 31, 83, 85 CPT: 90633 History of Hepatitis A: ICD10CM: B15.0, B15.9 Hepatitis B Vaccine (HepB): CVX: 08, 44, 45, 51, 110, 146 CPT: 90697, 90723, 90740, 90744, 90747, 90748 HCPCS: G0010 Hepatitis B Newborn Vaccine: ICD10PCS: 3E0234Z

the HiB vaccine. Do not count DOS prior to 42 days after birth.

- 4 PCV with different DOS or anaphylaxis due to the vaccine on or before the 2nd birthday. Do not count DOS prior to 42 days after birth.
- 4 DTaP different DOS on or before the 2nd birthday or anaphylaxis or encephalitis due to any of the vaccines. Do not count DOS prior to 42 days after birth.
- 2 or 3 RV on different DOS or anaphylaxis due to the vaccine on or before the 2nd birthday. Do not count DOS prior to 42 days after birth.
- 2 Flu with different DOS or anaphylaxis due to the vaccine on or before 2nd birthday. Do not count DOS prior to 6 months (180 days) after birth. One of the two vaccinations can be LAIV administered ONLY on the 2nd birthday.

Documentation:

- A note indicating the name of the specific antigen and the date of the immunization.
- A certificate of immunization prepared by an authorized health care provider or agency, including the specific dates and types of immunizations administered.
- Initial HepB given "at birth" or "nursery/hospital" should be documented in the medical record or indicated on the immunization record as appropriate.
- Immunizations documented using a generic header (e.g., polio vaccine) or "IPV/OPV" can be counted as evidence of IPV.

Required Exclusions:

History of Hepatitis B:

ICD10CM: B16.0, B16.1, B16.2, B16.9, B17.0, B18.0, B18.1, B19.10,

B19.11

Inactivated Poliovirus Vaccine (IPV):

CVX: 10, 89, 110, 120, 146

CPT: 90697, 90698, 90713, 90723

Influenza Vaccine:

CVX: 88, 140, 141, 150, 153, 155, 158, 161, 171, 186

CPT: 90655, 90657, 90661, 90673, 90674, 90685, 90686, 90687, 90688,

90689, 90756 **HCPCS**: G0008

LAIV Immunization:

CVX: 111, 149 **CPT:** 90660, 90672

Measles, Mumps, and Rubella Vaccine (MMR):

CVX: 03, 94

CPT: 90707, 90710

History of Measles:

ICD10CM: B05.0, B05.1, B05.2, B05.3, B05.4, B05.81, B05.89, B05.9

History of Mumps:

ICD10CM: B26.0, B26.1, B26.2, B26.3, B26.81, B26.82, B26.83, B26.84, B26.85. B26.89. B26.9

History of Rubella:

ICD10CM: B06.00, B06.01, B06.02, B06.09, B06.81, B06.82, B06.89, B06.9

Pneumococcal Conjugate Vaccine (PCV):

CVX: 109, 133, 152, 215 CPT: 90670, 90671 HCPS: G0009

Rotavirus Vaccine (RV):

CVX: 116, 122 (3 dose)

CPT: 90680 (3 dose), 90681 (2 dose)

		Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Any of the following on or before the child's 2nd birthday: Severe combined immunodeficiency. Immunodeficiency. HIV. Lymphoreticular cancer, multiple myeloma, or leukemia. Intussusception Common Chart Deficiencies: Immunizations administered after the 2nd birthday. PCP charts do not contain immunization records if vaccine(s) received elsewhere, such as those given at health departments or those given in the hospital at birth. Rotavirus documentation does not specify if 2-dose or 3-dose. Flu Mist only meets criteria when administered on the 2nd birthday. A note that "member is up to date" with all immunizations does not constitute compliance due to insufficient data. Parental refusal does not meet compliance.	Varicella Zoster Virus (VZV): CVX: 21, 94 CPT: 90710, 90716 Varicella Zoster: ICD10CM: B01.0, B01.11, B01.12, B01.2, B01.81, B01.89, B01.9, B02.0, B02.1, B02.21, B02.22, B02.23, B02.24, B02.29, B02.30, B02.31, B02.32, B02.33, B02.34, B02.39, B02.7, B02.8, B02.9 Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Chlamydia Screening in Women (CHL)	Women 16 – 24 years of age who were identified as sexually active and who had at least one test for chlamydia during the MY.	Perform chlamydia screening each year on every 16-to 24-year-old female identified as sexually active. Chlamydia screening can be performed through a urine test.	Chlamydia Tests: CPT: 87110, 87270, 87320, 87490, 87491, 87492, 87810, 0353U

		 Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. A pregnancy test in the MY and a prescription for isotretinoin (Retinoid) on the date of the pregnancy test or 6 days after the pregnancy test. A pregnancy test in the MY and an X-ray on the date of the pregnancy test or the 6 days after the pregnancy test. Common Chart Deficiencies: Not collecting/testing urine sample routinely at well-visits. Criteria is not met by notation of parental/patient refusal. Criteria is not met by notation that patient is not sexually active. 	Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Immunizations for Adolescents (IMA) When coding E&M and vaccine administration services on the same date, you must append modifier 25 to the E&M. This is also a measure (IMA-E) collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can	Adolescents 13 years of age in the MY who are up to date on recommended routine vaccines for meningococcal; tetanus, diphtheria toxoids, and acellular pertussis (Tdap); and human papillomavirus (HPV).	 Adolescents 13 years of age who had the following: Meningococcal MCV with DOS on or between the 11th and 13th birthdays or evidence of antigen or anaphylaxis due to the vaccine on or before the 13th birthday. Tdap or TD with DOS on or between the 10th and 13th birthdays or evidence of antigen, anaphylaxis, or encephalitis due to the vaccine on or before the 13th birthday. HPV — any of the following:	Meningococcal Vaccine: CVX: 32, 108, 114, 136, 147, 167, 203 CPT: 90619, 90733, 90734 Tetanus, Diphtheria, & Acellular Pertussis Vaccine (Tdap): CVX: 115 CPT: 90715 HPV Vaccine: CVX: 62, 118, 137, 165 CPT: 90649, 90650, 90651 Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

improve provider quality
performance and reduce
the burden of medical
record requests.

- 2 doses with at least 146 days between the 1st and 2nd dose on or between the 9th and 13th birthdays.
- Anaphylaxis due to the vaccine on or before the 13th birthday.
- o Evidence of antigen.

Documentation:

- A note indicating the name of the specific antigen and the date of the immunization.
- A certificate of immunization prepared by an authorized health care provider or agency including the specific dates and types of immunizations administered.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

- In hospice or using hospice services any time in the MY.
- Deceased at any time in the MY.

Common Chart Deficiencies:

- Immunizations administered outside of the appropriate time frames.
- PCP charts do not contain records when immunizations administered elsewhere (i.e., health departments, school clinics, urgent care facilities).
- HPV doses are not at least 146 days apart when only 2 doses administered.
- A note that "member is up to date" with all immunizations does not constitute compliance due to insufficient data.
- Parental refusal does not meet compliance.
- Td (Tetanus, Diphtheria Toxoids) does **not** meet criteria for Tdap.

		 Meningococcal Recombinant (serogroup B) (MenB) does not meet criteria for the Meningococcal vaccine. 	
Measure	Measure Description	Measure Information/Documentation Required	Coding
Lead Screening Children (LSC)	Children 2 years of age who had one or more capillary or venous lead blood test for lead poisoning at any time by their 2nd birthday.	 Documentation in the medical record must include both of the following on or before the 2nd birthday: A note indicating the date the test was performed. The result or finding. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Common Chart Deficiencies: Lab results not documented in the record. Documentation of a lead assessment versus a lead screening. Lead screening not ordered, not completed, or result not documented. Lead screening after the child's 2nd birthday. Results of screening performed at an outside lab, health department, or WIC office not included in record. 	Lead Tests: CPT: 83655 Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Oral Evaluation, Dental Services (OED)	Members under 21 years of age who received a comprehensive or periodic oral evaluation with a dental provider	Documentation in the medical record must contain evidence of a comprehensive or periodic oral evaluation by a dental provider. Dental providers include dentist, dental hygienist, dental assistant, dental therapist,	CDT: D0120, D0145, D0150 Dental Provider Taxonomy: 122300000X, 1223D0001X, 1223D0004X, 1223E0200X, 1223G0001X, 1223P0106X, 1223P0221X, 1223P0300X, 1223P0700X, 1223S0112X, 1223X0008X, 1223X0400X, 1223X2210X, 122400000X, 124Q00000X, 125J000000X, 125K000000X, 125Q000000X,

	during the measurement year (MY).	endodontist, denturist, oral medicinist, oral/maxillofacial dentist/surgeon. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY.	126800000X, 204E000000X, 261QD00000X, 261QF0400X, 261QR1300X, 261QS0112X
Measure	Measure Description	Measure Information/Documentation Required	Coding
Topical Fluoride for Children (TFC)	Members 1 – 4 years of age who received at least two fluoride varnish applications during the measurement year (MY).	Application of fluoride varnish on two different dates of service in the MY. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY.	CDT: 99188, D1206
Measure	Measure Description	Measure Information/Documentation Required	Coding
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)	Members 3 – 17 years of age who had an outpatient visit with a PCP or OB/GYN and who had evidence of each of the following during the MY: BMI percentile documentation. Counseling for nutrition. Counseling for physical activity.	 BMI Percentile: Documentation must include height, weight, and BMI percentile during the MY. The height, weight, and BMI must be from the same data source. BMI percentile can be documented as a value or plotted on an age-growth chart. Member-reported values (weight, height, BMI) can be captured during a telephone visit, e-visit, or virtual checkin. Counseling for Nutrition: Documentation of counseling for nutrition or 	BMI Percentile: ICD10CM: Z68.51, Z68.52, Z68.53, Z68.54 Nutrition Counseling: CPT: 97802, 97803, 97804 HCPCS: G0270, G0271, G0447, S9449, S9452, S9470 Physical Activity Counseling: HCPCS: G0447, S9451 Encounter for Physical Activity Counseling: Z02.5, Z71.82
		referral for nutrition education during the MY. Examples include:	Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

- Discussion of current nutrition behaviors (e.g., eating habits, dieting behaviors).
- Checklist indicating nutrition was addressed.
- Member received educational materials on nutrition during a face-to-face visit.
- Anticipatory guidance for nutrition.
- · Weight or obesity counseling.
- Referral to the Special Supplemental Nutrition Program for Women, Infants, and Children (WIC).

Counseling for Physical Activity:

Documentation of counseling for physical activity or referral for physical activity during the MY. Examples include:

- Checklist indicating physical activity was addressed.
- Member received educational materials on physical activity during a face-to-face visit.
- Anticipatory guidance for physical activity or weight/obesity counseling.
- Weight or obesity counseling.
- Discussion of current physical activity (e.g., sports activities, exercise routines).
- Exam for sport participation/sports physical.

Notes:

 Services may be rendered during a visit other than a well-child visit; however, services specific to the assessment or treatment of an acute or chronic condition do not count toward the "Counseling for Nutrition" and "Counseling for Physical Activity" indicators. Services may be delivered during a telephone visit, e-visit, or virtual checkin. This includes member-reported data (e.g., height, weight, BMI) documented in the chart.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

- In hospice or using hospice services any time in the MY.
- Deceased at any time in the MY.
- Diagnosis of pregnancy during the MY.

Common Chart Deficiencies:

- Height, weight, and BMI percentile not documented each year.
- BMI documented as a value and not as a percentile.
- BMI percentile documented as a range or threshold.
- BMI documented on an appropriate age-growth chart but without name, DOB, or discernible DOS on the chart.
- BMI documented on weight or stature for age charts.
- Documentation of developmental milestones without notation of anticipatory guidance or education for physical activity.
- Missing counseling/education on physical activity and/or nutrition.
- Notation of "health education" or "anticipatory guidance" without specific mention of nutrition and/or physical activity.
- Counseling on safety (e.g., "wears helmet" or "water safety") without specific mention of physical activity recommendations.

		 Notation solely related to "screen time" without specific mention of physical activity recommendations. Documentation of diet or appetite "regular" or "good" without notation of counseling. Notation of encouragement to follow "healthy lifestyle" without specific mention of physical activity and/or nutrition. Screening forms/checklists that are not completed or do not have specific references to nutrition and/or physical activity. Documentation specific to the assessment or treatment of an acute or chronic condition (e.g., discussion of diet related for a child with diarrhea). Well-child services delivered in sick visit but not coded on claim. 	
EFFECTIVENESS OF CARE: I			Coding
Measure	Measure Description	Measure Information/Documentation Required	Coding
Appropriate Testing for	The percentage of	Outpatient, telephone, observation or ED	Group A Strep Test:
Pharyngitis (CWP)	episodes for members 3	visit, e-visit, or virtual check-in with only a	CPT : 87070, 87071, 87081, 87430, 87650, 87651, 87652, 87880
This is also a magazine	years and older where the member was	diagnosis of pharyngitis and a dispensed	Dhammaitia Diagnasia
This is also a measure (CWP-E) collected through	diagnosed with	antibiotic for that episode of care during the Intake Period (IP), which is 3 days prior and 3	Pharyngitis Diagnosis: ICD10CM: J02.0, J02.8, J02.9, J03.00, J03.01, J03.80, J03.81, J03.90,
claims and Electronic	pharyngitis, dispensed	days after the diagnosis.	J03.91
Clinical Data Systems.	an antibiotic, and	any arter the diagnosis.	33332
Please discuss options for	received a group A	Visits that result in an inpatient stay are	
a direct data feed with	Streptococcus (Strep)	excluded.	Note: LOINC and SNOMED codes can be captured through electronic data
your Account Executive.	test for the episode.		submissions. Please contact your Account Executive for more
Direct data feeds can		Telehealth visits are included in	information.
improve provider quality	This is an episode-based	event/diagnosis criteria.	
performance and reduce	event, so a member may		
the burden of medical	be included multiple	Required Exclusions:	
record requests.	times.	Members who meet any of the following	
		criteria are excluded from the measure:	

		 In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Common Chart Deficiencies: Additional/competing diagnosis requiring antibiotics not documented in visit or coded on claim. 	
Measure	Measure Description	Measure Information/Documentation Required	Coding
Asthma Medication Ratio (AMR)	The percentage of members 5 – 64 years of age who were identified as having persistent	Oral medication-dispensing event: Multiple prescriptions for different medications dispensed on the same day are counted as separate dispensing events. If multiple	Population includes ED, IP, and/or observation visits billed with asthma diagnosis or 4 non-controller asthma medication-dispensing events during the MY and the year prior.
	asthma and had a ratio of controller medications to total asthma medications of	prescriptions for the same medication are dispensed on the same day, sum the day's supply and divide by 30. Use the Drug ID to determine if the prescriptions are the same	Asthma Diagnosis:ICD10CM: J45.21, J45.22, J45.30, J45.31, J45.32, J45.40, J45.41, J45.42, J45.50, J45.51, J45.52, J45.901, J45.902, J45.909, J45.991, J45.998
	50% or greater during the MY.	or different. Inhaler-dispensing event: All inhalers (i.e., canisters) of the same medication dispensed on the same day count as one dispensing event. Medications with different drug IDs dispensed on the same day are counted as different dispensing events. Injection-dispensing events: Each injection	Asthma Controller Medications: Antibody inhibitors: Omalizumab Anti-interleukin-4: Dupilumab Anti-interleukin-5: Benralizumab, Mepolizumab, Reslizumab Inhaled steroid combinations: Budesonide-formoterol, Fluticasone-salmeterol, Fluticasone-vilanterol, Formoterol-mometasone Inhaled corticosteroids: Beclomethasone, Budesonide, Ciclesonide, Flunisolide, Fluticasone, Mometasone Leukotriene modifiers: Montelukast, Zafirlukast, Zileuton
		counts as one dispensing event. Multiple dispensed injections of the same or different medications count as separate dispensing events.	Methylxanthines: Theophylline Asthma Reliever Medications: Short-acting, inhaled beta-2 agonists: Albuterol, Levalbuterol
		Units of medications: When identifying medication units for the numerator, count each individual medication, defined as an amount lasting 30 days or less, as one medication unit. One medication unit equals one inhaler canister, one injection, or a 30-day or less supply of an oral medication.	Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

		 Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Members who had no asthma medications dispensed during the MY. Members who had a diagnosis of any of the following in the member's history through December 31 of the MY: emphysema, COPD, Obstructive Bronchitis, chronic respiratory conditions due to fumes/vapors, Cystic Fibrosis, acute respiratory failure. Deceased at any time in the MY. Common Chart Deficiencies: No documentation of review of medications at every visit. 	
Measure	Measure Description	Measure Information/Documentation Required	Coding
Medication Management for People with Asthma (MMA) Retired by NCQA in MY20 but may still apply in state quality reporting. Consult with your Account Executive.			Requires state-specific measure codes.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Pharmacotherapy Management of COPD Exacerbation (PCE)	Members 40 years of age and older who had an acute inpatient discharge or ED visit on or between January 1 through November 30 of MY and who had	Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY.	HEDIS rates are based on pharmacy claims. Systemic Corticosteroid Medications: Glucocorticoids: Cortisone, Dexamethasone, Hydrocortisone, Methylprednisolone, Prednisolone, Prednisone Bronchodilator Medications:

	evidence of an active prescription or were dispensed the appropriate medications: • A Systemic Corticosteroid within 14 days of the event, or • A Bronchodilator within 30 days of the event. This is an episode-based event, so a member may be included multiple times.		Anticholinergic agents: Aclidinium bromide, Ipratropium, Tiotropium, Umeclidinium Beta 2-agonists: Albuterol, Arformoterol, Formoterol, Indacaterol, Levalbuterol, Metaproterenol, Olodaterol, Salmeterol Bronchodilator combinations: Albuterol-ipratropium, Budesonide-formoterol, Fluticasone-salmeterol, Fluticasone-vilanterol, Fluticasone furoate-umeclidinium-vilanterol, Formoterol-aclidinium, Formoterol-glycopyrrolate, Formoterol-mometasone, Glycopyrrolate-indacaterol, Olodaterol-tiotropium, Umeclidinium-vilanterol
ACCESS AND AVAILABILIT			
Measure	Measure Description	Measure Information/Documentation Required	Coding
Adults' Access to Preventive/Ambulatory Health Services (AAP)	Members 20 years and older who had an ambulatory or preventive care visit during the MY.	One or more ambulatory or preventive care visits during the MY. Telephone and e-visits are acceptable. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY.	Ambulatory Visits: CPT: 92002, 92004, 92012, 92014, 98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 99304, 99305, 99036, 99307, 99308, 99309, 99310, 99315, 99316, 99318, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441, 99442, 99443, 99457, 99458, 99483 HCPCS: G0071, G0402, G0438, G0439, G0463, G2010, G2012, G2250, G2251, G2252, S0620, S0621, T1015 UBREV: 0510, 0511, 0512, 0513, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0524, 0525, 0526, 0527, 0528, 0529, 0982, 0983 Reason for Ambulatory Visit:

Measure	Measure Description	Measure Information/Documentation Required	ICD10CM: Z00.00, Z00.01, Z00.121, Z00.129, Z00.3, Z00.5, Z00.8, Z02.0, Z02.1, Z02.2, Z02.3, Z02.4, Z02.5, Z02.6, Z02.71, Z02.79, Z02.81, Z02.82, Z02.83, Z02.89, Z02.9, Z76.1, Z76.2 Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information. Coding
Children and Adolescents' Access to Primary Care (CAP) Retired by NCQA in MY20 but may still apply in state quality reporting. Consult with your Account Executive.		nequired	Requires state-specific measure codes.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Initiation and Engagement of Substance Use Disorder Treatment (IET)	Adolescent and adult members with a new episode of substance use disorder (SUD) who received Initiation of SUD Treatment or Engagement of SUD Treatment. Two rates are reported: 1. Initiation of SUD Treatment: Members who initiate treatment through an inpatient SUD admission, outpatient visit, intensive outpatient encounter, or partial	 The MY is 1/1 – 12/31. Note: Methadone is not included in the medication lists for the measure. Medication treatment meets criteria for members being treated for alcohol or opioid abuse or dependence. It does not meet the criteria for treatment of other drug abuse or dependence. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. 	Visit Setting Unspecified: (With Outpatient Place of Service (POS) and with Alcohol Abuse and Dependence, Opioid Abuse and Dependence, or Other Drug Abuse and Dependence): (with Partial Hospitalization POS and with Alcohol Abuse and Dependence, Opioid Abuse and Dependence, or Other Drug Abuse and Dependence): (With Behavioral Health (BH) Outpatient Visit and with Alcohol Abuse and Dependence, Opioid Abuse and Dependence, or Other Drug Abuse and Dependence): (with Non-Residential Substance Abuse Treatment Facility POS and with Alcohol Abuse and Dependence, Opioid Abuse and Dependence, or Other Drug Abuse and Dependence): (with Community Mental Health Center POS and with Alcohol Abuse and Dependence, Opioid Abuse and Dependence): (with Telehealth POS and with Alcohol Abuse and Dependence, Opioid Abuse and Dependence, or Other Drug Abuse and Dependence):

hospitalization, telehealth, or medication treatment within 14 days of the diagnosis.

2. Engagement of SUD Treatment:

The percentage of members who initiated treatment and who had two or more additional SUD services or medication treatment within 34 days of the initiation visit.

Each qualifying episode between 11/15 of the year prior to the MY and 11/14 of the MY is included.

CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255

BH Outpatient Visit:

(with Alcohol Abuse and Dependence, Opioid Abuse and Dependence, or Other Drug Abuse and Dependence):

CPT: 98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510

HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, T1015 UBREV: 0510, 0513, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0900, 0902, 0903, 0904, 0911, 0914, 0915, 0916, 0917, 0919, 0982, 0983

Partial Hospitalization or Intensive Outpatient Visit:

(with Alcohol Abuse & Dependence, Opioid Abuse & Dependence, or Other Drug Abuse & Dependence):

HCPCS: G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484, S9485

UBREV: 0905, 0907, 0912, 0913

Substance Use Disorder Services:

(With AOD (Alcohol and Other Drug) Abuse and Dependence, Opioid Abuse and Dependence, or Other Drug Abuse and Dependence):

CPT: 99408, 99409

HCPCS: G0396, G0397, G0443, H0001, H0005, H0007, H0015, H0016,

H0022, H0047, H0050, H2035, H2036, T1006, T1012

UBREV: 0906, 0944, 0945

Substance Abuse Counseling and Surveillance:

ICD10CM: Z71.41, Z71.51

Telephone Visit:

(with Alcohol Abuse and Dependence, Opioid Abuse and Dependence, or Other Drug Abuse and Dependence):

CPT: 98966, 98967, 98968, 99441, 99442, 99443

Online Assessments:

(with Alcohol Abuse and Dependence, Opioid Abuse and Dependence, or Other Drug Abuse and Dependence):

CPT: 98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458

HCPCS: G0071, G2010, G2012, G2250, G2251, G2252

OUD Monthly Office-Based Treatment:

HCPCS: G2086, G2087

OUD Weekly Drug Treatment Service: G2067, G2068, G2069, G2070, G2072, G2073

OUD Weekly Non-Drug Service:

HCPCS: G2071, G2074, G2075, G2076, G2077, G2080

Outpatient POS: 03, 05, 07, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 33, 49, 50, 71, 72

Non-Residential Substance Abuse POS: 57, 58

Telehealth POS: 02, 10

Alcohol Abuse and Dependence:

ICD10CM: F10.10, F10.120, F10.121, F10.129, F10.130, F10.131, F10.132, F10.139, F10.14, F10.150, F10.151, F10.159, F10.180, F10.181, F10.182, F10.188, F10.19, F10.20, F10.220, F10.221, F10.229, F10.230, F10.231, F10.232, F10.239, F10.24, F10.250, F10.251, F10.259, F10.26, F10.27, F10.280, F10.281, F10.282, F10.288, F10.29

Opioid Abuse and Dependence:

ICD10CM: F11.10, F11.120, F11.121, F11.122, F11.129, F11.13, F11.14, F11.150, F11.151, F11.159, F11.181, F11.182, F11.188, F11.19, F11.20, F11.220, F11.221, F11.222, F11.229, F11.23, F11.24, F11.250, F11.251, F11.259, F11.281, F11.282, F11.288, F11.29

Other Drug Abuse and Dependence:

ICD10CM: F12.10, F12.120, F12.121, F12.122, F12.129, F12.13, F12.150, F12.151, F12.159, F12.180, F12.188, F12.19, F12.20, F12.220, F12.221, F12.222, F12.229, F12.23, F12.250, F12.251, F12.259, F12.280, F12.288, F12.29, F13.10, F13.120, F13.121, F13.129, F13.130, F13.131, F13.132, F13.139, F13.14, F13.150, F13.151, F13.159, F13.180, F13.181, F13.182, F13.188, F13.19, F13.20, F13.220, F13.221, F13.229, F13.230, F13.231, F13.232, F13.239, F13.24, F13.250, F13.251, F13.259, F13.26, F13.27, F13.280, F13.281, F13.282, F13.288, F13.29, F14.10, F14.120, F14.121, F14.122, F14.129, F14.13, F14.14, F14.150, F14.151, F14.159, F14.180, F14.181, F14.182, F14.188, F14.19, F14.20, F14.220, F14.221, F14.222, F14.229, F14.23, F14.24, F14.250, F14.251, F14.259, F14.280, F14.281, F14.282, F14.288, F14.29, F15.10, F15.120, F15.121, F15.122, F15.129, F15.13, F15.14, F15.150, F15.151, F15.159, F15.180, F15.181, F15.182, F15.188, F15.19, F15.20, F15.220, F15.221, F15.222, F15.229, F15.23, F15.24, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.29, F16.10, F16.120, F16.121, F16.122, F16.129, F16.14, F16.150, F16.151, F16.159, F16.180, F16.183, F16.188, F16.19, F16.20, F16.220, F16.221, F16.229, F16.24, F16.250, F16.251, F16.259, F16.280, F16.283, F16.288, F16.29, F18.10, F18.120, F18.121, F18.129, F18.14, F18.150, F18.151, F18.159, F18.17, F18.180, F18.188, F18.19, F18.20, F18.220, F18.221, F18.229, F18.24, F18.250, F18.251, F18.259, F18.27, F18.280, F18.288, F18.29, F19.10, F19.120, F19.121, F19.122, F19.129, F19.130, F19.131, F19.132, F19.139, F19.14, F19.150, F19.151, F19.159, F19.16, F19.17, F19.180, F19.181, F19.182, F19.188, F19.19, F19.20, F19.220, F19.221, F19.222, F19.229, F19.230, F19.231, F19.232, F19.239, F19.24, F19.250, F19.251, F19.259, F19.26, F19.27, F19.280, F19.281, F19.282, F19.288, F19.29

Alcohol Use Disorder Treatment Medications List (if diagnosis from Alcohol Abuse and Dependence):

Aldehyde dehydrogenase inhibitor: Disulfiram (oral)

Antagonist: Naltrexone (oral and injectable)
Other: Acamprosate (oral, delayed-release tablet)
Naltrexone Injection: HCPCS: G2073, J2315

Opioid Use Disorder Treatment Medications (if diagnosis from Opioid

Abuse and Dependence):

Antagonist: Naltrexone (oral and injectable)

Partial Agonist: Buprenorphine (sublingual tablet, injection, implant), Buprenorphine/naloxone (sublingual tablet, buccal film, sublingual film)

1		1	Naltrexone Injection: HCPCS: G2073, 315
			Natirexone injection. Her cs. 02073, 313
			Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Prenatal and Postpartum Care (PPC)	The percentage of deliveries of live births on or between October 8 of the year prior to the MY and October 7 of the MY. For these members, the measure assesses the following facets of prenatal and postpartum care. • Timeliness of Prenatal Care. The percentage of deliveries that received a prenatal care visit in the first trimester, on or before the enrollment start date, or within 42 days of enrollment in the organization. • Postpartum Care. The percentage of deliveries that had a postpartum visit on or between 7 and 84 days after delivery.	Prenatal care visit to an OB/GYN or other prenatal care practitioner or PCP. For visits to a PCP, a diagnosis of pregnancy must be present. Documentation in the medical record must include a note indicating the date when the prenatal care visit occurred, and evidence of one of the following: Documentation indicating pregnancy or reference to pregnancy (use of a standardized prenatal flow sheet, documentation of LMP, EDD, GA, a positive pregnancy test, gravidity and parity, a complete obstetrical history, prenatal risk assessment or counseling/education). A basic physical obstetrical examination that includes auscultation for fetal heart tone, pelvic exam with obstetric observations, or measurement of fundus height. Evidence that a prenatal care procedure was performed (OB panel, ultrasound, etc.). Postpartum visit to an OB/GYN or other prenatal care practitioner or PCP. Documentation in the medical record must include a note indicating the date when the postpartum care visit occurred, and evidence of one of the following: Pelvic Exam: Colposcopy is not acceptable for a postpartum visit.	Prenatal Indicator: Stand Alone Prenatal Visits: CPT: 99500 CPT-CAT-II: 0500F, 0501F, 0502F HCPS: H1000, H1001, H1002, H1003, H1004 Bundled Prenatal Visits: CPT: 59400, 59425, 59426, 59510, 59610, 59618 HCPCS: H1005 (Dates of service required to validate within measure time frame.) Prenatal Visits (with Diagnosis of Pregnancy): CPT: 98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 99421, 99422, 99423, 99441, 99442, 99443, 99457, 99458, 99483 HCPS: G0071, G0463, G2010, G2012, G2250, G2251, G2252, T1015 Postpartum Indica Encounter for Postpartum Care: Z01.411, Z01.419, Z01.42, Z30.430, Z39.1, Z39.2 Postpartum Care: CPT: 57170, 58300, 59430, 99501 CPT-CAT-II: 0503F HCPCS: G0101 Bundled Postpartum Visits: CPT: 59400, 59410, 59510, 59515, 59610, 59614, 59618, 59622 (Dates of service required to validate within measure time frame.)
			Cervical Cytology Lab Test:

24

- Evaluation of weight, BP, breast, and abdomen: Notation of "breastfeeding" is acceptable for the "evaluation of breasts" component.
- Notation of postpartum care, including, but not limited to: Notation of "postpartum care," "PP care," "PP Checks," "6-week check."
- A preprinted "Postpartum Care" form in which information was documented during the visit.
- Perineal or cesarean incision/wound check.
- Screening for depression, anxiety, tobacco use, substance use disorder, or preexisting mental health disorders.
- Glucose screening for women with gestational diabetes.
- Documentation of any of the following: infant care or breastfeeding, resumption of intercourse, birth spacing, family planning, sleep/fatigue, resumption of physical activity, attainment of healthy weight.

Note:

- Services provided during a telephone visit, e-visit, or virtual check-in are acceptable.
- Services that occur over multiple visits count toward Timeliness of Prenatal Care if all services are within the time frame established in the measure. Ultrasound and lab results alone are not considered a visit; they must be combined with an office visit with an appropriate practitioner in order to count for this measure.

Required Exclusions:

CPT: 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88164, 88165, 88166, 88167, 88174, 88175

HCPCS: G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, P3000, P3001, Q0091

Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

		 Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Non-live birth. Common Chart Deficiencies: Missing signature on charts so unable to determine provider type of services. Only initials on charts, so unable to determine provider type of services. Ultrasound and/or labs with no associated prenatal visit documented in measure time frame. Initial prenatal visit documented as intake with RN but no visit with OB/GYN or PCP. Diagnosis of pregnancy not documented in chart. Dates of service in progress notes do not align with dates on ONAF. ONAF not filled out completely. Visit in postpartum time frame does not reference pregnancy/delivery. 	
Measure	Measure Description	Measure Information/Documentation Required	Coding
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)	Children and adolescents 1 – 17 years of age who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment.	Documentation of psychosocial care in the 121-day period from 90 days prior to the Rx dispensing date through 30 days after the Rx dispensing date. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY.	Psychosocial Care: CPT: 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90846, 90847, 90849, 90853, 90875, 90876, 90880 HCPCS: G0176, G0177, G0409, G0410, G0411, H0004, H0035, H0036, H0037, H0038, H0039, H0040, H2000, H2001, H2011, H2012, H2013, H2014, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485 Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

EFFECTIVENESS OF CARE:	CARDIOVASCULAR CONDI	TIONS	
Measure	Measure Description	Measure Information/Documentation	Coding
		Required	
Controlling High Blood Pressure (CBP)	Members 18 – 85 years of age who had a diagnosis of hypertension (HTN) and whose BP was adequately controlled (<140/90) during the MY.	 BP must be latest reading in the MY and must occur on or after the diagnosis of HTN. BP readings taken on the same day as a diagnostic test or diagnostic or therapeutic procedure that requires a change in diet or change in medication on or one day before the test or procedure, with the exception of fasting blood tests, are not used. BP readings taken during an inpatient stay or ED visit are not used. When multiple BP measurements occur on the same date, the lowest systolic and lowest diastolic BP reading will be used. If no BP is recorded during the MY, the member is "not controlled." Services provided during a telephone visit, e-visit, or virtual check-in are acceptable. Member-reported data documented in medical record is acceptable if BP captured with a digital device and documented in the medical record with date BP taken. 	Systolic and Diastolic Result: CPT-CAT-II: • Most Recent Systolic less than 130: 3074F • Most Recent Systolic 130 – 139: 3075F • Systolic greater than or equal to 140: 3077F • Most Recent Diastolic less than 80: 3078F • Most Recent Diastolic 80-89: 3079F Most Recent Diastolic greater than or equal to 90: 3080F Hypertension Diagnosis: ICD10CM: I10 Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
		 Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Receiving palliative care any time in the MY. 66 years of age and older with frailty and advanced illness during the MY. 	

		 Evidence of ESRD or kidney transplant on or prior to 12/31 of the MY. Documentation must include a dated note indicating evidence of ESRD, kidney transplant, or dialysis. Diagnosis of pregnancy during the MY. A nonacute inpatient admission during the MY. 	
		 Common Chart Deficiencies: Retake of BP that is 140/90 or above not documented. Member-reported BP is not documented with sufficient detail. Claim missing CPT II codes for BP results. BP rounded up before documented in medical record. BP documented as a range. No documentation of follow-up appointment scheduled if BP elevated. Cardiology visits with no BP documented in the chart. Flowsheets missing member name and 	
Measure	Measure Description	second identifier such as date of birth. Measure Information/Documentation	Coding
		Required	
Persistence of Beta Blocker Treatment After	Members 18 years of age and older during the	Required Exclusions: Members who meet any of the following	HEDIS rates are based on pharmacy claims.
a Heart Attack (PBH)	MY who were hospitalized and discharged from 7/1 of the year prior to the MY to 6/30 of the MY with a diagnosis of acute myocardial infarction (AMI) and who received persistent beta-blocker treatment for six months after discharge.	 criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Receiving palliative care any time in the MY. 66 years of age and older with advanced illness during the MY. 81 years of age and older with frailty any time on or between 7/1 of the year prior to the MY and 12/31 of the MY. Documentation of any of the following: Asthma. 	Reta-Blocker Medications: Noncardioselective beta-blockers: Carvedilol, Labetalol, Nadolol, Pindolol, Propranolol, Timolol, Sotalol Cardioselective beta-blockers: Acebutolol, Atenolol, Betaxolol, Bisoprolol, Metoprolol, Nebivolol Antihypertensive combinations: Atenolol-chlorthalidone, Bendroflumethiazide-nadolol, Bisoprolol-hydrochlorothiazide, Hydrochlorothiazide-metoprolol, Hydrochlorothiazide-propranolol AMI Diagnosis: ICD10CM: I21.01, I21.02, I21.09, I21.11, I21.19, I21.21, I21.29, I21.3, I21.4

		 COPD. Obstructive chronic bronchitis. Chronic respiratory conditions due to fumes or vapors. Hypotension. Heart block >1 degree. Sinus bradycardia. A medication-dispensing event indicative of a history of asthma. Intolerance or allergy to betablocker therapy. Common Chart Deficiencies: Medication was ordered with no evidence that it was dispensed. 	Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Cardiac Rehabilitation (CRE)	The percentage of members 18 years and older who attended cardiac rehabilitation following a qualifying cardiac event, including: • Myocardial infarction. • Percutaneous coronary intervention. • Coronary artery bypass grafting. • Heart and heart/lung transplantation. • Heart valve replacement. Four rates are reported as the percentage of members who attended	The MY is 1/1 – 12/31. The Intake Period (IP) is a 12-month window that begins on July 1 of the year prior to the MY and ends on June 30 of the MY. The Episode Date (EP) is the most recent cardiac event during the IP, including myocardial infarction (MI), coronary artery bypass graft (CABG), percutaneous coronary intervention (PCI), heart or heart/lung transplant, or heart valve repair/replacement. For MI, CABG, heart or heart/lung transplant or heart valve repair/replacement, the EP is the date of discharge. For PCI, the EP is the date of service. For inpatient claims, the EP is the date of discharge.	Cardiac Rehabilitation: CPT: 93797, 93798 HCPCS: G0422, G0423, S9472 Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

	the specified number of cardiac rehabilitation sessions within the specified time after a qualifying event: 1. Initiation: 2 or more sessions within 30 days. 2. Engagement 1: 12 or more sessions within 90 days. 3. Engagement 2: 24 or more sessions within 180 days. 4. Achievement: 36 or more sessions within 180 days.	 Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Receiving palliative care during the IP through the end of the MY. 66 years of age and older with frailty and advanced illness during the MY. 81 years of age and older with frailty during the IP through the end of the MY. Discharged from an inpatient setting with the following during the 180 days after the EP: MI, CABG, heart or heart/lung transplant, heart valve repair or replacement. PCI in any setting during the 180 days after the EP. 	
Measure	Measure Description	Measure Information/Documentation	Coding
Chat's Theorem Co.	Mala 24 75	Required	High intensity at the transport Annual in (AO , OO , oo). A sale distance
Statin Therapy for Patients with	Males 21 – 75 years of age and females 40 – 75	The Index Prescription Start Date (IPSD) is the earliest dispensing date for any statin	High-intensity statin therapy: Atorvastatin (40 – 80 mg), Amlodipineatorvastatin (40 – 80 mg), Rosuvastatin (20 – 40 mg), Simvastatin (80
Cardiovascular Disease	years of age during the	medication of at least moderate intensity	mg), Ezetimibe-simvastatin (80 mg)
(SPC)	measurement year (MY)	during the MY.	mg), Lzetimbe simvastatin (oo mg)
(5. 5)	who were identified as	daring the Will	Moderate-intensity statin therapy: Atorvastatin (10 – 20 mg),
	having clinical	The Treatment Period (TP) is the period	Amlodipine-Atorvastatin (10 – 20 mg), Rosuvastatin (5 – 10 mg),
	atherosclerotic	beginning on the IPSD through 12/31 of the	Simvastatin (20 – 40 mg), Ezetimibe-simvastatin (20 – 40 mg), Pravastatin
	cardiovascular disease	MY.	(40 – 80 mg), Lovastatin (40 mg), Fluvastatin (40 – 80 mg), Pitavastatin (1
	(ASCVD) and met the		- 4 mg)
	following criteria.	Required Exclusions:	G/
		Members who meet any of the following	
	Two rates are reported:	criteria are excluded from the measure:	MI Diagnosis:
	1. Received Statin	 In hospice or using hospice services any 	ICD10CM: 121.01, 121.02, 121.09, 121.11, 121.19, 121.21, 121.29, 121.3,
	Therapy:	time in the MY.	121.4, 121.9, 121.A1, 121.A9, 122.0, 122.1, 122.2, 122.8, 122.9, 123.0, 123.1,
	Members who were	Deceased at any time in the MY.	123.2, 123.3, 123.4, 123.5, 123.6, 123.7, 123.8
	dispensed at least one	Receiving palliative care any time in the	
	high- or moderate-	MY.	CABG Diagnosis:
	intensity statin	 66 years of age and older with frailty and advanced illness during the MY. 	CPT: 33510, 33511, 33512, 33513, 33514, 33516, 33517, 33518, 33519, 33521, 33522, 33523, 33530, 33533, 33534, 33535, 33536

medication during the MY.

2. Statin Adherence 80%:

Members who remained on a high- or moderateintensity statin medication for at least 80% of the treatment period.

- Documentation of any of the following in the MY or year prior: Pregnancy, IVF treatment, dispensed prescription for Clomiphene, cirrhosis, end stage renal disease (ESRD), or dialysis.
- Documentation of any of the following in the MY: Myalgia, myositis, myopathy, or rhabdomyolysis.

Common Chart Deficiencies:

 No documentation of review of medications at every visit. HCPCS: S2205, S2206, S2207, S2208, S2209

ICD10PCS: 0210083, 0210088, 0210089, 0210093, 0210098, 0210099, 0211083, 0211088, 0211089, 0211093, 0211098, 0211099, 0212083, 0212088, 0212089, 0212093, 0212098, 0212099, 0213083, 0213088, 0213089, 0213093, 0213098, 0213099, 021008C, 021008F, 021008W, 021009C, 021009F, 021009W, 02100A3, 02100A8, 02100A9, 02100AC, 02100AF, 02100AW, 02100J3, 02100J8, 02100J9, 02100JC, 02100JF, 02100JW, 02100K3, 02100K8, 02100K9, 02100KC, 02100KF, 02100KW, 02100Z3, 02100Z8, 02100Z9, 02100ZC, 02100ZF, 021108C, 021108F, 021108W, 021109C, 021109F, 021109W, 02110A3, 02110A8, 02110A9, 02110AC, 02110AF, 02110AW, 02110J3, 02110J8, 02110J9, 02110JC, 02110JF, 02110JW, 02110K3, 02110K8, 02110K9, 02110KC, 02110KF, 02110KW, 02110Z3, 02110Z8, 02110Z9, 02110ZC, 02110ZF, 021208C, 021208F, 021208W, 021209C, 021209F, 021209W, 02120A3, 02120A8, 02120A9, 02120AC, 02120AF, 02120AW, 02120J3, 02120J8, 02120J9, 02120JC, 02120JF, 02120JW, 02120K3, 02120K8, 02120K9, 02120KC, 02120KF, 02120KW, 02120Z3, 02120Z8, 02120Z9, 02120ZC, 02120ZF, 021308C, 021308F, 021308W, 021309C, 021309F, 021309W, 02130A3, 02130A8, 02130A9, 02130AC, 02130AF, 02130AW, 02130J3, 02130J8, 02130J9, 02130JC, 02130JF, 02130JW, 02130K3, 02130K8, 02130K9, 02130KC, 02130KF, 02130KW, 02130Z3, 02130Z8, 02130Z9, 02130ZC, 02130ZF

PCI Diagnosis:

CPT: 92920, 92924, 92928, 92933, 92937, 92941, 92943

HCPCS: C9600, C9602, C9604, C9606, C9607

ICD10PCS: 0270346, 0270356, 0270366, 0270376, 0270446, 0270456, 0270466, 0270476, 0271346, 0271356, 0271366, 0271376, 0271446, 0271456, 0271466, 0271476, 0272346, 0272356, 0272366, 0272376, 0272446, 0272456, 0272466, 0272476, 0273346, 0273356, 0273366, 0273376, 0273446, 0273456, 0273466, 0273476, 02703E6, 02704E6, 02713E6, 02714E6, 02723E6, 02724E6, 02733E6, 02734E6, 02703EZ, 027035Z, 027036Z, 027037Z, 02703D6, 02703DZ, 02703EZ, 02703F6, 02703FZ, 02703G6, 02703GZ, 02703T6, 02703TZ, 02703TZ, 02703TZ, 02703TZ, 02704DZ, 02704EZ, 02704F6, 02704FZ, 02704G6, 02704GZ, 02704TG, 02704TZ, 02704Z6, 02704ZZ, 02713FZ, 02713FZ, 02713FZ, 02713FG, 02713TZ, 02713EZ, 02713FG, 02713FZ, 02713G6, 02713GZ, 02713TG, 02713TZ, 02713Z6, 02713ZZ, 027144Z, 027144Z, 027145Z, 02714G6, 02714GZ, 02714TG, 02714TG, 02714TG, 02714TZ, 02714Z6, 02714ZZ, 02713ZZ, 02714ZZ, 02714ZZ, 02714ZZ, 02714ZZ, 02713ZZ, 02713ZZ, 02713ZZ, 02714ZZ, 02714ZZ, 02713ZZ, 02

02723D6, 02723DZ, 02723EZ, 02723F6, 02723FZ, 02723G6, 02723GZ, 02723T6, 02723TZ, 02723ZZ, 027244Z, 027245Z, 027246Z, 027247Z, 02724D6, 02724DZ, 02724EZ, 02724F6, 02724FZ, 02724G6, 02724GZ, 02724T6, 02724TZ, 02724Z6, 02724ZZ, 027334Z, 027335Z, 02733GZ, 02733TZ, 02733DG, 02733DZ, 02733EZ, 02733F6, 02733FZ, 02733G6, 02733GZ, 02733TG, 02733TZ, 02733ZG, 02734ZZ, 02734FZ, 02734FZ, 02734GZ, 02734GZ, 02734TG, 02734TZ, 02734TZ, 02734ZZ, 02734ZZ

Other Revascularization Diagnosis:

CPT: 37220, 37221, 37224, 37225, 37226, 37227, 37228, 37229, 37230, 37231

IVD Diagnosis:

ICD10CM: 120.0, 120.2, 120.8, 120.9, 124.0, 124.8, 124.9, 125.10, 125.110, 125.111, 125.112, 125.118, 125.119, 125.5, 125.6, 125.700, 125.701, 125.702, 125.708, 125.709, 125.710, 125.711, 125.712, 125.718, 125.719, 125.720, 125.721, 125.722, 125.728, 125.729, 125.730, 125.731, 125.732, 125.738, 125.739, 125.750, 125.751, 125.752, 125.758, 125.759, 125.760, 125.761, 125.762, 125.768, 125.769, 125.790, 125.791, 125.792, 125.798, 125.799, 125.810, 125.811, 125.812, 125.82, 125.83, 125.84, 125.89, 125.9, 163.20, 163.211, 163.212, 163.213, 163.219, 163.22, 163.231, 163.232, 163.233, 163.239, 163.29, 163.50, 163.511, 163.512, 163.513, 163.519, 163.521, 163.522, 163.523, 163.529, 163.531, 163.532, 163.533, 163.539, 163.541, 163.542, 163.543, 163.549, 163.59, 165.01, 165.02, 165.03, 165.09, 165.1, 165.21, 165.22, 165.23, 165.29, 165.8, 165.9, 166.01, 166.02, 166.03, 166.09, 166.11, 166.12, 166.13, 166.19, 166.21, 166.22, 166.23, 166.29, 166.3, 166.8, 166.9, 167.2, 170.1, 170.201, 170.202, 170.203, 170.208, 170.209, 170.211, 170.212, 170.213, 170.218, 170.219, 170.221, 170.222, 170.223, 170.228, 170.229, 170.231, 170.232, 170.233, 170.234, 170.235, 170.238, 170.239, 170.241, 170.242, 170.243, 170.244, 170.245, 170.248, 170.249, 170.25, 170.261, 170.262, 170.263, 170.268, 170.269, 170.291, 170.292, 170.293, 170.298, 170.299, 170.301, 170.302, 170.303, 170.308, 170.309, 170.311, 170.312, 170.313, 170.318, 170.319, 170.321, 170.322, 170.323, 170.328, 170.329, 170.331, 170.332, 170.333, 170.334, 170.335, 170.338, 170.339, 170.341, 170.342, 170.343, 170.344, 170.345, 170.348, 170.349, 170.35, 170.361, 170.362, 170.363, 170.368, 170.369, 170.391, 170.392, 170.393, 170.398, 170.399, 170.401, 170.402, 170.403, 170.408, 170.409, 170.411, 170.412, 170.413, 170.418, 170.419, 170.421, 170.422, 170.423, 170.428, 170.429, 170.431, 170.432, 170.433, 170.434, 170.435, 170.438, 170.439,

			170.441, 170.442, 170.443, 170.444, 170.445, 170.448, 170.449, 170.45, 170.461, 170.462, 170.463, 170.468, 170.469, 170.491, 170.492, 170.493, 170.498, 170.499, 170.501, 170.502, 170.503, 170.508, 170.509, 170.511, 170.512, 170.513, 170.518, 170.519, 170.521, 170.522, 170.523, 170.528, 170.529, 170.531, 170.532, 170.533, 170.534, 170.535, 170.538, 170.539, 170.541, 170.542, 170.543, 170.544, 170.545, 170.548, 170.549, 170.593, 170.561, 170.562, 170.563, 170.568, 170.569, 170.591, 170.592, 170.593, 170.598, 170.599, 170.601, 170.602, 170.603, 170.608, 170.609, 170.611, 170.612, 170.613, 170.618, 170.619, 170.621, 170.622, 170.623, 170.628, 170.629, 170.631, 170.632, 170.633, 170.634, 170.635, 170.638, 170.639, 170.641, 170.642, 170.643, 170.644, 170.645, 170.648, 170.649, 170.65, 170.661, 170.662, 170.663, 170.668, 170.669, 170.691, 170.692, 170.693, 170.799, 170.701, 170.702, 170.703, 170.708, 170.709, 170.711, 170.712, 170.713, 170.718, 170.719, 170.721, 170.722, 170.738, 170.739, 170.741, 170.742, 170.743, 170.744, 170.745, 170.748, 170.749, 170.79, 170.793, 170.798, 170.799, 170.92, 175.021, 175.022, 175.023, 175.029, 175.011, 175.012, 175.013, 175.019, 175.021, 175.022, 175.023, 175.029, 175.81, 175.89, 182.8550, 182.8550, 182.8550, 182.8550, 182.8560, 182
			submissions. Please contact your Account Executive for more
			information.
EFFECTIVENESS OF CARE:			
Measure	Measure Description	Measure Information/Documentation Required	Coding
Glycemic Status Assessment for Patients With Diabetes (GSD) Formerly the HBD A1c Control for Patients with Diabetes indicator.	Members 18 – 75 years of age with diabetes (Type 1 or Type 2) whose most recent glucose management indicator [GMI] or hemoglobin A1c (HbA1c) was at the following levels in the MY: • Glycemic Status (<8.0%)	At a minimum, the documentation in the medical record must include a note indicating the date when the most recent HbA1c test was performed in the MY and the result or findings. Ranges and thresholds DO NOT meet criteria — a distinct numeric result is required. Terms below, with date of service and result, can be used:	HbA1c Lab Test: CPT: 83036, 83037 HbA1c Test Result or Finding: CPT-CAT-II: Less than 7.0: 3044F Greater than or equal to 7.0 and less than 8.0: 3051F Greater than or equal to 8.0 and less than or equal to 9.0: 3052F Greater than 9.0: 3046F

	Glycemic Status (>9%) A lower rate in Poor Control (>9%) indicates better performance.	 A1c, Hemoglobin A1c, Glycated Hemoglobin, HbA1c, Glycohemoglobin A1c, Glycosylated Hemoglobin, HgA1c. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Receiving palliative care any time in the MY. 66 years of age or older who are living long term in an institution at any time during the measurement year. 66 years of age and older with frailty and advanced illness during the MY. Common Chart Deficiencies: A1c noted in the chart but without specific date. In-house A1c noted in visit but no result documented. A1c result documented as a range. Diabetes diagnosis and medication documented but missing documentation of treatment, follow-up, and/or progress. 	Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
		documentation of treatment, follow-up,	
Measure	Measure Description	Measure Information/Documentation	Coding
Community of the Picker		Required	
Comprehensive Diabetes Care (CDC) Monitoring			Requires state-specific measure codes.
for Nephropathy			
.o. repinoputity			
Retired by NCQA in MY22			
but may still apply in state			
quality reporting. Consult			

with your Account Executive.			
Measure	Measure Description	Measure Information/Documentation Required	Coding
Eye Exam for Patients with Diabetes (EED) Formerly the CDC Eye Exam indicator.	Members 18 – 75 years of age with diabetes (Type 1 and Type 2) who had a retinal eye exam during the measurement year (MY), an exam with a negative result in the year prior to the MY, or documentation of bilateral eye enucleation any time prior to 12/31 of the MY.	 Documentation can include any of the following noted in the medical record: A note or letter during the MY prepared by an ophthalmologist, optometrist, PCP, or other health care provider indicating that an ophthalmoscopic exam was completed by an eye care provider, the date when the procedure was performed and the results. Documentation of a negative (or normal) retinal or dilated exam by an eye care provider in the year prior to the MY, where results indicate retinopathy was not present and the date when the exam was performed. A chart or photograph indicating the date when the fundus photography was performed and evidence that an eye care professional (optometrist or ophthalmologist) or qualified reading center reviewed the results, or that results were read by a system that provides artificial intelligence (AI) interpretation. 	Diabetic Retinal Screening: CPT: 67028, 67030, 67031, 67036, 67039, 67040, 67041, 67042, 67043, 67101, 67105, 67107, 67108, 67110, 67113, 67121, 67141, 67145, 67208, 67210, 67218, 67220, 67221, 67227, 67228, 92002, 92004, 92012, 92014, 92018, 92019, 92134, 92201, 92202, 92227, 92228, 92230, 92235, 92240, 92250, 92260, 99203, 99204, 99205, 99213, 99214, 99215, 99242, 99243, 99244, 99245 HCPCS: S0620, S0621, S3000 Diabetes Mellitus without Complications (in Year Prior to MY with Diabetic Retinal Screening): ICD10CM: E10.9, E11.9, E13.9 Eye Exam without Evidence of Retinopathy: CPT-CAT-II: 2023F, 2025F, 2033F Eye Exam with Evidence of Retinopathy (in the MY Only): CPT-CAT-II: 2022F, 2024F, 2026F Unilateral Eye Enucleation (with Bilateral Modifier or 2 Unilateral Enucleations More than 14 Days Prior Apart): CPT: 65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114
		 Hypertensive retinopathy is handled the same as diabetic retinopathy when reporting the Eye Exam indicator. Positive for hypertensive retinopathy is counted as positive for diabetic retinopathy if diabetic retinopathy not documented. An eye exam documented as negative for hypertensive retinopathy is counted as negative for diabetic retinopathy if diabetic retinopathy not documented. 	Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

Common Abbreviations for Retinopathy:

- NPDR (Non-proliferative diabetic retinopathy).
- PDR (Proliferative diabetic retinopathy).
- BDR (Background diabetic retinopathy).
- Mild BDR or PDR.
- Severe PDR.

Examples of Negative Exam:

- Assessment of fundus and macula were "normal."
- Diabetes mellitus without ophthalmic complication.
- Retinal exam documented as "normal" is considered negative for Retinopathy if diabetic retinopathy not documented.

Note: Notation limited to a statement that included "Diabetes without complications" does not meet criteria.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

- In hospice or using hospice services any time in the MY.
- Deceased at any time in the MY.
- Receiving palliative care any time in the MY.
- 66 years of age and older with frailty and advanced illness during the MY.

Blindness is not an exclusion for a diabetic eye exam.

Common Chart Deficiencies:

 Documentation of diabetic exam without results.

		 Documentation of diabetic eye exam without provider (including credentials) of the exam. Documentation is not clear that patient had a dilated or retinal exam. Documentation not specific as to presence of retinopathy. Incomplete or missing information from specialists or consulting providers. Documentation of "diabetes without complications" does not meet criteria. 	
Measure	Measure Description	Measure Information/Documentation Required	Coding
Blood Pressure Control for Patients with Diabetes (BPD) Formerly the CDC BP indicator.	Members 18 – 75 years of age with diabetes (Type 1 and Type 2) who had a controlled BP of <140/90 mm Hg during the MY.	 BP must be latest reading in the MY. BP readings taken on the same day as a diagnostic test or diagnostic or therapeutic procedure that requires a change in diet or change in medication on or one day before the test or procedure, with the exception of fasting blood tests, are not used. BP readings taken during an inpatient stay or ED visit are not used. When multiple BP measurements occur on the same date, the lowest systolic and lowest diastolic BP reading will be used. If no BP is recorded during the MY, the member is "not controlled." Member-reported data documented in medical record is acceptable if BP captured with a digital device. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Receiving palliative care any time in the MY. 	Systolic and Diastolic Result: CPT-CAT-II: Most Recent Systolic less than 130: 3074F Most Recent Systolic 130 – 139: 3075F Systolic greater than or equal to 140: 3077F Most Recent Diastolic less than 80:: 3078F Most Recent Diastolic 80-89: 3079F Most Recent Diastolic greater than or equal to 90: 3080F Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

		66 years of age and older with frailty and advanced illness during the MY.	
		 Retake of BP that is 140/90 or above not documented. Member-reported BP is not documented with sufficient detail. BP rounded up before documented in medical record. BP documented as a range. Claim missing CPT II codes for BP results. Flowsheets missing member name and second identifier such as date of birth. Incomplete or missing information from 	
Measure	Measure Description	specialists or consulting providers. Measure Information/Documentation	Coding
		Required	
Kidney Evaluation for Patients With Diabetes (KED)	The percentage of members ages 18 – 85 with diabetes (Type 1	Documentation must include the required tests with result and date of service.	All three are required: Estimated Glomerular Filtration Rate Lab Test:
	and Type 2) who received a kidney health evaluation, defined by an estimated glomerular	Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any	CPT: 80047, 80048, 80050, 80053, 80069, 82565 Quantitative Urine Albumin Lab Test: CPT: 82043
	filtration rate (eGFR) and a urine albumin- creatinine ration (uACR), during the MY.	 time in the MY. Deceased at any time in the MY. Receiving palliative care any time in the MY. 	Urine Creatinine Lab Test: CPT: 82570
	,	 Evidence of ESRD or dialysis any time during the member's history through 12/31 of the MY. 	Service dates of Quantitative Urine Albumin Lab Test and Urine Creatinine Lab Test must be four or less days apart.
		 66 years of age and older with frailty and advanced illness during the MY. 81 years of age and older with frailty during the MY. 	Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

Measure	Measure Description	Measure Information/Documentation Required	Coding
Statin Therapy for Patients with Diabetes (SPD)	The percentage of adults 40 – 75 years of age during the MY with diabetes who do not have clinical atherosclerotic cardiovascular disease (ASCVD) who met the following criteria. Two rates are reported: 1. Received statin therapy: Members who were dispensed at least one statin medication of any intensity during the MY. 2. Statin adherence 80%: Remained on a statin medication of any intensity for at least 80% of the treatment period.	The Index Prescription Start Date (IPSD) is the earliest dispensing date for any statin medication of any intensity during the MY. The Treatment Period (TP) is the period beginning on the IPSD through 12/31 of the MY. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Receiving palliative care any time in the MY. Go years of age and older with frailty and advanced illness during the MY. Documentation of any of the following during the year prior to the MY: MI (myocardial infarction), CABG (coronary artery bypass graft), PCI (percutaneous coronary intervention), or other revascularization. Documentation of any of the following during the MY or the year prior: pregnancy, IVF, dispensed prescription for Clomiphene, ESRD, dialysis, or cirrhosis. Documentation of any of the following in the MY: myalgia, myositis, myopathy, or rhabdomyolysis. Diagnosis of ischemic vascular disease during the MY or the year prior who had at least one outpatient visit, telephone visit, online assessment, or acute inpatient encounter. No diagnosis of diabetes in any setting during the MY or the year prior and who	Low-, Medium-, or High-Intensity Statin: Amlodipine-Atorvastatin, Atorvastatin, Ezetimibe-Simvastatin, Fluvastatin Lovastatin, Pitavastatin, Pravastatin, Rosuvastatin, Simvastatin

EFFECTIVENESS OF CARE: 1	MUSCULOSKELETAL COND	had a diagnosis of polycystic ovarian syndrome, gestational diabetes, or steroid-induced diabetes during the MY or the year prior.	
Measure	Measure Description	Measure Information/Documentation Required	Coding
Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART) Retired by NCQA in MY20 but may still apply in state quality reporting. Consult with your Account Executive.			Requires state-specific measure codes.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Osteoporosis Management in Women Who Had a Fracture (OMW)	Women 67 – 85 years of age who suffered a fracture and who had either a bone or mineral density (BMD) test or prescription for a drug to treat osteoporosis in the six months after the fracture. Fractures of finger, toe, face, and skull are not included in this measure.	 The MY is 1/1 – 12/31. The Intake Period (IP) is a 12-month window beginning 7/1 of the year prior to the MY and ending 6/30 of the MY. The IP is used to capture the first fracture. The Episode Date (EP) is an eligible encounter during the IP with a diagnosis of fracture. For outpatient, observation, or ER visit, the EP is the date of service. For inpatient stay, the EP is the date of discharge. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Receiving palliative care during the IP through the end of the MY. 	HEDIS rates are based on pharmacy claims/BMD testing. Bone Mineral Density Tests: CPT: 76977, 77078, 77080, 77081, 77085, 77086 ICD10PCS: BP48ZZ1, BP49ZZ1, BP4GZZ1, BP4HZZ1, BP4LZZ1, BP4MZZ1, BP4NZZ1, BP4PZZ1, BQ00ZZ1, BQ01ZZ1, BQ03ZZ1, BQ04ZZ1, BR00ZZ1, BR07ZZ1, BR09ZZ1, BR09ZZ1, BR09ZZ1 Osteoporosis Medication Therapy: HCPCS: J0897, J1740, J3110, J3111, J3489 Long-Acting Osteoporosis Medications: HCPCS: J0897, J1740, J3489 Osteoporosis Medications List: Bisphosphonates: Alendronate, Alendronate-cholecalciferol, Ibandronate, Risedronate, Zoledronic acid Other Agents: Abaloparatide, Denosumab, Raloxifene, Romosozumab, Teriparatide

		 67 – 80 years of age with frailty and advanced illness during the IP through the end of the MY. 81 years of age and older with frailty during the IP through the end of the MY. Had a BMD test during the 730 days prior to the ED. Had a claim/encounterfor osteoporosis therapy prior to the ED. Received a dispensed prescription or had an active prescription to treat Osteoporosis during the 365 days prior to the ED. 	Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Osteoporosis Screening in Older Women (OSW)	The percentage of women 65 – 75 who received osteoporosis screening.	One or more osteoporosis screening tests on or between the member's 65th birthday and 12/31 of the MY. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. Receiving palliative care any time in the MY. Ge years of age and older with frailty and advanced illness during the IP through the end of the MY. Had a claim/encounter for osteoporosis therapy any time in the member's history through 12/31 of the year prior to the MY. Had a dispensed dementia medication in the MY or the year prior to the MY. Had a dispensed prescription to treat osteoporosis any time from 1/1 three years prior to the MY through 12/31 of the year prior to the MY.	Osteoporosis Screening Tests: CPT: 76977, 77078, 77080, 77081, 77085

EFFECTIVENESS OF CARE:	EFFECTIVENESS OF CARE: BEHAVIORAL HEALTH				
Measure	Measure Description	Measure Information/Documentation	Coding		
		Required			
Antidepressant	Members 18 years of	The Intake Period (IP) is the 12-month	Members are identified through administrative and pharmacy claims.		
Medication Management	age and older who were	window starting on 5/1 of the year prior to			
(AMM)	treated with	the MY and ending on 4/30 of the MY.	Major Depression Diagnosis:		
	antidepressant		ICD10CM: F32.0, F32.1, F32.2, F32.3, F32.4, F32.9, F33.0, F33.1, F33.2,		
	medication, had a	The Index Prescription Start Date (IPSD) is	F33.3, F33.41, F33.9		
	diagnosis of major	the earliest dispensing date for an			
	depression, and who	antidepressant medication in the IP.	Antidepressant Medications:		
	remained on an		Miscellaneous antidepressants: Bupropion, Vilazodone, Vortioxetine		
	antidepressant	Required Exclusions:	Monoamine oxidase inhibitors: Isocarboxazid, Phenelzine, Selegiline,		
	medication treatment.	Members who meet any of the following	Tranylcypromine		
		criteria are excluded from the measure:	Phenylpiperazine antidepressants: Nefazodone, Trazodone		
	Two rates are reported:	In hospice or using hospice services any	Psychotherapeutic combinations : Amitriptyline-chlordiazepoxide,		
	1. Effective Acute	time in the MY.	Amitriptyline-perphenazine, Fluoxetine-olanzapine		
	Phase Treatment:	Deceased at any time in the MY.	SNRI antidepressants: Desvenlafaxine, Duloxetine, Levomilnacipran,		
	The percentage of	No encounter with diagnosis of major	Venlafaxine		
	members who remained	depression during the 121-day period	SSRI antidepressants: Citalopram, Escitalopram, Fluoxetine,		
	on an antidepressant	from 60 days prior to the IPSD, through	Fluvoxamine, Paroxetine, Sertraline		
	medication for at least	60 days after the IPSD.	Tetracyclic antidepressants: Maprotiline, Mirtazapine		
	84 days (12 weeks).		Tricyclic antidepressants: Amitriptyline, Amoxapine, Clomipramine,		
	2. Effective		Desipramine, Doxepin (>6mg), Imipramine, Nortriptyline, Protriptyline,		
	Continuation		Trimipramine		
	Phase. Treatment:				
	The percentage of		Notes I OINC and CNONED and access to a suit weed the suit of a factor of a date.		
	members who remained		Note: LOINC and SNOMED codes can be captured through electronic data		
	on an antidepressant		submissions. Please contact your Account Executive for more		
	medication for at least		information.		
Measure	180 days (6 months). Measure Description	Measure Information/Documentation	Coding		
ivieasure	ivieasure Description	Required	Coding		
Follow-Up After	Percentage of	The MY is 1/1 – 12/31.	Visit Setting Unspecified:		
Hospitalization for	discharges for members		(With Outpatient POS Value Set and with a Mental Health Provider):		
Mental Illness (FUH)	6 years of age and older	An outpatient visit, with a mental health	(with Partial Hospitalization POS):		
	who were hospitalized	provider within 7 and 30 (calendar) days	(With Community Mental Health Center POS):		
	for treatment of	after discharge. Do not include visits that	(With Telehealth POS Value Set and with a Mental Health Provider):		
	selected mental illness	occur on the date of discharge.	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839,		
	or intentional self-harm	A visit with a mental health provider in	90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222,		
	diagnoses and who had	any of the following settings:	99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255		

a follow-up visit with a mental health provider.

Two rates are reported:

- The percentage of discharges for which the member received follow-up within 30 (calendar) days of discharge.
- 2. The percentage of discharges for which the member received follow-up within 7 (calendar) days of discharge.

- Outpatient.
- o Behavioral health outpatient.
- Telehealth visit.
- o Telephone visit.
- Observation visit.
- Transitional care management visit.
- A visit in any of the following settings:
 - Intensive outpatient/partial hospitalization.
 - Community mental health center.
 - Electroconvulsive therapy visit.
 - Behavioral healthcare setting.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

- In hospice or using hospice services any time in the MY.
- Deceased at any time in the MY.

Common Chart Deficiencies:

- Follow-up visit more than 7 days or 30days after discharge.
- Criteria is **not** met by a follow-up on the date of discharge.

BH Outpatient:

(With a Mental Health Provider):

(with Community Mental Health Center POS):

CPT: 98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510

HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, T1015 UBREV: 0510, 0513, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0900, 0902, 0903, 0904, 0911, 0914, 0915, 0916, 0917, 0919, 0982, 0983

Partial Hospitalization or Intensive Outpatient:

HCPCS: G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484, S9485

UBREV: 0905, 0907, 0912, 0913

Transitional Care Management Services:

(With a Mental Health Provider):

(with Community Mental Health Center POS):

CPT: 99495, 99496

Electroconvulsive Therapy:

(with Ambulatory Surgical Center POS):

(with Community Mental Health POS):

(with Outpatient POS):

(with Partial Hospitalization POS):

CPT: 90870

ICD10PCS: GZB0ZZZ, GZB1ZZZ, GZB2ZZZ, GZB3ZZZ, GZB4ZZZ

Behavioral Healthcare Setting Visit:

 $\textbf{UBREV:}\ 0513,0900,0901,0902,0903,0904,0905,0907,0911,0912,\\$

0913, 0914, 0915, 0916, 0917, 0919

Telephone Visit:

(With a Mental Health Provider):

CPT: 98966, 98967, 98968, 99441, 99442, 99443

Psychiatric Collaborative Care Management:

CPT: 99492, 99493, 99494

HCPCS: G0512

Ambulatory Surgical Center POS: 24

Telehealth POS: 2

Mental Illness and Intentional Self-Harm:

ICD10CM: F20.0, F20.1, F20.2, F20.3, F20.5, F20.81, F20.89, F20.9, F21, F22, F23, F24, F25.0, F25.1, F25.8, F25.9, F28, F29, F30.10, F30.11, F30.12, F30.13, F30.2, F30.3, F30.4, F30.8, F30.9, F31.0, F31.10, F31.11, F31.12, F31.13, F31.2, F31.30, F31.31, F31.32, F31.4, F31.5, F31.60, F31.61, F31.62, F31.63, F31.64, F31.70, F31.71, F31.72, F31.73, F31.74, F31.75, F31.76, F31.77, F31.78, F31.81, F31.89, F31.9, F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.81, F32.89, F32.9, F32.A, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9, F34.0, F34.1, F34.81, F34.89, F34.9, F39, F42.2, F42.3, F42.4, F42.8, F42.9, F43.0, F43.10, F43.11, F43.12, F43.20, F43.21, F43.22, F43.23, F43.24, F43.25, F43.29, F43.8, F43.81, F43.89, F43.9, F44.89, F53.0, F53.1, F60.0, F60.1, F60.2, F60.3, F60.4, F60.5, F60.6, F60.7, F60.81, F60.89, F60.9, F63.0, F63.1, F63.2, F63.3, F63.81, F63.89, F63.9, F68.10, F68.11, F68.12, F68.13, F68.8, F68.A, F84.0, F84.2, F84.3, F84.5, F84.8, F84.9, F90.0, F90.1, F90.2, F90.8, F90.9, F91.0, F91.1, F91.2, F91.3, F91.8, F91.9, F93.0, F93.8, F93.9, F94.0, F94.1, F94.2, F94.8, F94.9, T14.91XA, T14.91XD, T14.91XS, T36.0X2A, T36.0X2D, T36.0X2S, T36.1X2A, T36.1X2D, T36.1X2S, T36.2X2A, T36.2X2D, T36.2X2S, T36.3X2A, T36.3X2D, T36.3X2S, T36.4X2A, T36.4X2D, T36.4X2S, T36.5X2A, T36.5X2D, T36.5X2S, T36.6X2A, T36.6X2D, T36.6X2S, T36.7X2A, T36.7X2D, T36.7X2S, T36.8X2A, T36.8X2D, T36.8X2S, T36.92XA, T36.92XD, T36.92XS, T37.0X2A, T37.0X2D, T37.0X2S, T37.1X2A, T37.1X2D, T37.1X2S, T37.2X2A, T37.2X2D, T37.2X2S, T37.3X2A, T37.3X2D, T37.3X2S, T37.4X2A, T37.4X2D, T37.4X2S, T37.5X2A, T37.5X2D, T37.5X2S, T37.8X2A, T37.8X2D, T37.8X2S, T37.92XA, T37.92XD, T37.92XS, T38.0X2A, T38.0X2D, T38.0X2S, T38.1X2A, T38.1X2D, T38.1X2S, T38.2X2A, T38.2X2D, T38.2X2S, T38.3X2A, T38.3X2D, T38.3X2S, T38.4X2A, T38.4X2D, T38.4X2S, T38.5X2A, T38.5X2D, T38.5X2S, T38.6X2A, T38.6X2D, T38.6X2S, T38.7X2A, T38.7X2D, T38.7X2S,

· · · · · · · · · · · · · · · · · · ·	
	T38.802A, T38.802D, T38.802S, T38.812A, T38.812D, T38.812S,
	T38.892A, T38.892D, T38.892S, T38.902A, T38.902D, T38.902S,
	T38.992A, T38.992D, T38.992S, T39.012A, T39.012D, T39.012S,
	T39.092A, T39.092D, T39.092S, T39.1X2A, T39.1X2D, T39.1X2S,
	T39.2X2A, T39.2X2D, T39.2X2S, T39.312A, T39.312D, T39.312S,
	T39.392A, T39.392D, T39.392S, T39.4X2A, T39.4X2D, T39.4X2S,
	T39.8X2A, T39.8X2D, T39.8X2S, T39.92XA, T39.92XD, T39.92XS,
	T40.0X2A, T40.0X2D, T40.0X2S, T40.1X2A, T40.1X2D, T40.1X2S,
	T40.2X2A, T40.2X2D, T40.2X2S, T40.3X2A, T40.3X2D, T40.3X2S,
	T40.412A, T40.412D, T40.412S, T40.422A, T40.422D, T40.422S,
	T40.492A, T40.492D, T40.492S, T40.5X2A, T40.5X2D, T40.5X2S,
	T40.602A, T40.602D, T40.602S, T40.692A, T40.692D, T40.692S,
	T40.712A, T40.712D, T40.712S, T40.722A, T40.722D, T40.722S,
	T40.8X2A, T40.8X2D, T40.8X2S, T40.902A, T40.902D, T40.902S,
	T40.992A, T40.992D, T40.992S, T41.0X2A, T41.0X2D, T41.0X2S,
	T41.1X2A, T41.1X2D, T41.1X2S, T41.202A, T41.202D, T41.202S,
	T41.292A, T41.292D, T41.292S, T41.3X2A, T41.3X2D, T41.3X2S,
	T41.42XA, T41.42XD, T41.42XS, T41.5X2A, T41.5X2D, T41.5X2S,
	T42.0X2A, T42.0X2D, T42.1X2A, T42.1X2D, T42.1X2S,
	T42.2X2A, T42.2X2D, T42.3X2A, T42.3X2D, T42.3X2S,
	T42.4X2A, T42.4X2D, T42.5X2A, T42.5X2D, T42.5X2S,
	T42.6X2A, T42.6X2D, T42.6X2S, T42.72XA, T42.72XD, T42.72XS,
	T42.8X2A, T42.8X2D, T42.8X2S, T43.012A, T43.012D, T43.012S,
	T43.022A, T43.022D, T43.022S, T43.1X2A, T43.1X2D, T43.1X2S,
	T43.202A, T43.202D, T43.202S, T43.212A, T43.212D, T43.212S,
	T43.222A, T43.222D, T43.222S, T43.292A, T43.292D, T43.292S,
	T43.3X2A, T43.3X2D, T43.3X2S, T43.4X2A, T43.4X2D, T43.4X2S,
	T43.502A, T43.502D, T43.502S, T43.592A, T43.592D, T43.592S,
	T43.602A, T43.602D, T43.602S, T43.622A, T43.622D, T43.622S,
	T43.632A, T43.632D, T43.632S, T43.642A, T43.642D, T43.642S,
	T43.652A, T43.652D, T43.652S, T43.692A, T43.692D, T43.692S,
	T43.8X2A, T43.8X2D, T43.8X2S, T43.92XA, T43.92XD, T43.92XS,
	T44.0X2A, T44.0X2D, T44.0X2S, T44.1X2A, T44.1X2D, T44.1X2S,
	T44.2X2A, T44.2X2D, T44.2X2S, T44.3X2A, T44.3X2D, T44.3X2S,
	T44.4X2A, T44.4X2D, T44.4X2S, T44.5X2A, T44.5X2D, T44.5X2S,
	T44.6X2A, T44.6X2D, T44.6X2S, T44.7X2A, T44.7X2D, T44.7X2S,
	T44.8X2A, T44.8X2D, T44.8X2S, T44.902A, T44.902D, T44.902S,
	T44.992A, T44.992D, T44.992S, T45.0X2A, T45.0X2D, T45.0X2S,
	T45.1X2A, T45.1X2D, T45.1X2S, T45.2X2A, T45.2X2D, T45.2X2S,
	T45.3X2A, T45.3X2D, T45.3X2S, T45.4X2A, T45.4X2D, T45.4X2S,
	T45.512A, T45.512D, T45.512S, T45.522A, T45.522D, T45.522S,
<u> </u>	1 100120, 100120, 100120, 100220, 100220,

TAT COOK TAT COOK TAT CARA TAT CARA TAT CARA
T45.602A, T45.602D, T45.602S, T45.612A, T45.612D, T45.612S,
T45.622A, T45.622D, T45.622S, T45.692A, T45.692D, T45.692S,
T45.7X2A, T45.7X2D, T45.7X2S, T45.8X2A, T45.8X2D, T45.8X2S,
T45.92XA, T45.92XD, T45.92XS, T46.0X2A, T46.0X2D, T46.0X2S,
T46.1X2A, T46.1X2D, T46.1X2S, T46.2X2A, T46.2X2D, T46.2X2S,
T46.3X2A, T46.3X2D, T46.3X2S, T46.4X2A, T46.4X2D, T46.4X2S,
T46.5X2A, T46.5X2D, T46.5X2S, T46.6X2A, T46.6X2D, T46.6X2S,
T46.7X2A, T46.7X2D, T46.7X2S, T46.8X2A, T46.8X2D, T46.8X2S,
T46.902A, T46.902D, T46.902S, T46.992A, T46.992D, T46.992S,
T47.0X2A, T47.0X2D, T47.0X2S, T47.1X2A, T47.1X2D, T47.1X2S,
T47.2X2A, T47.2X2D, T47.2X2S, T47.3X2A, T47.3X2D, T47.3X2S,
T47.4X2A, T47.4X2D, T47.4X2S, T47.5X2A, T47.5X2D, T47.5X2S,
T47.6X2A, T47.6X2D, T47.6X2S, T47.7X2A, T47.7X2D, T47.7X2S,
T47.8X2A, T47.8X2D, T47.8X2S, T47.92XA, T47.92XD, T47.92XS,
T48.0X2A, T48.0X2D, T48.0X2S, T48.1X2A, T48.1X2D, T48.1X2S,
T48.202A, T48.202D, T48.202S, T48.292A, T48.292D, T48.292S,
T48.3X2A, T48.3X2D, T48.3X2S, T48.4X2A, T48.4X2D, T48.4X2S,
T48.5X2A, T48.5X2D, T48.5X2S, T48.6X2A, T48.6X2D, T48.6X2S,
T48.902A, T48.902D, T48.902S, T48.992A, T48.992D, T48.992S,
T49.0X2A, T49.0X2D, T49.0X2S, T49.1X2A, T49.1X2D, T49.1X2S,
T49.2X2A, T49.2X2D, T49.2X2S, T49.3X2A, T49.3X2D, T49.3X2S,
T49.4X2A, T49.4X2D, T49.4X2S, T49.5X2A, T49.5X2D, T49.5X2S,
T49.6X2A, T49.6X2D, T49.6X2S, T49.7X2A, T49.7X2D, T49.7X2S,
T49.8X2A, T49.8X2D, T49.8X2S, T49.92XA, T49.92XD, T49.92XS,
T50.0X2A, T50.0X2D, T50.0X2S, T50.1X2A, T50.1X2D, T50.1X2S,
T50.2X2A, T50.2X2D, T50.2X2S, T50.3X2A, T50.3X2D, T50.3X2S,
T50.4X2A, T50.4X2D, T50.4X2S, T50.5X2A, T50.5X2D, T50.5X2S,
T50.6X2A, T50.6X2D, T50.6X2S, T50.7X2A, T50.7X2D, T50.7X2S,
T50.8X2A, T50.8X2D, T50.8X2S, T50.902A, T50.902D, T50.902S,
T50.912A, T50.912D, T50.912S, T50.992A, T50.992D, T50.992S,
T50.A12A, T50.A12D, T50.A12S, T50.A22A, T50.A22D, T50.A22S,
T50.A92A, T50.A92D, T50.A92S, T50.B12A, T50.B12D, T50.B12S,
T50.B92A, T50.B92D, T50.B92S, T50.Z12A, T50.Z12D, T50.Z12S,
T50.Z92A, T50.Z92D, T50.Z92S, T51.0X2A, T51.0X2D, T51.0X2S,
T51.1X2A, T51.1X2D, T51.1X2S, T51.2X2A, T51.2X2D, T51.2X2S,
T51.3X2A, T51.3X2D, T51.3X2S, T51.8X2A, T51.8X2D, T51.8X2S,
T51.92XA, T51.92XD, T51.92XS, T52.0X2A, T52.0X2D, T52.0X2S,
T52.1X2A, T52.1X2D, T52.1X2S, T52.2X2A, T52.2X2D, T52.2X2S,
T52.3X2A, T52.3X2D, T52.3X2S, T52.4X2A, T52.4X2D, T52.4X2S,
T52.8X2A, T52.8X2D, T52.8X2S, T52.92XA, T52.92XD, T52.92XS,
T53.0X2A, T53.0X2D, T53.0X2S, T53.1X2A, T53.1X2D, T53.1X2S,

· · · · · · · · · · · · · · · · · · ·		
		T53.2X2A, T53.2X2D, T53.2X2S, T53.3X2A, T53.3X2D, T53.3X2S,
		T53.4X2A, T53.4X2D, T53.4X2S, T53.5X2A, T53.5X2D, T53.5X2S,
		T53.6X2A, T53.6X2D, T53.6X2S, T53.7X2A, T53.7X2D, T53.7X2S,
		T53.92XA, T53.92XD, T53.92XS, T54.0X2A, T54.0X2D, T54.0X2S,
		T54.1X2A, T54.1X2D, T54.1X2S, T54.2X2A, T54.2X2D, T54.2X2S,
		T54.3X2A, T54.3X2D, T54.3X2S, T54.92XA, T54.92XD, T54.92XS,
		T55.0X2A, T55.0X2D, T55.0X2S, T55.1X2A, T55.1X2D, T55.1X2S,
		T56.0X2A, T56.0X2D, T56.0X2S, T56.1X2A, T56.1X2D, T56.1X2S,
		T56.2X2A, T56.2X2D, T56.2X2S, T56.3X2A, T56.3X2D, T56.3X2S,
		T56.4X2A, T56.4X2D, T56.4X2S, T56.5X2A, T56.5X2D, T56.5X2S,
		T56.6X2A, T56.6X2D, T56.6X2S, T56.7X2A, T56.7X2D, T56.7X2S,
		T56.812A, T56.812D, T56.812S, T56.892A, T56.892D, T56.892S,
		T56.92XA, T56.92XD, T56.92XS, T57.0X2A, T57.0X2D, T57.0X2S,
		T57.1X2A, T57.1X2D, T57.1X2S, T57.2X2A, T57.2X2D, T57.2X2S,
		T57.3X2A, T57.3X2D, T57.3X2S, T57.8X2A, T57.8X2D, T57.8X2S,
		T57.92XA, T57.92XD, T57.92XS, T58.02XA, T58.02XD, T58.02XS,
		T58.12XA, T58.12XD, T58.12XS, T58.2X2A, T58.2X2D, T58.2X2S,
		T58.8X2A, T58.8X2D, T58.8X2S, T58.92XA, T58.92XD, T58.92XS,
		T59.0X2A, T59.0X2D, T59.0X2S, T59.1X2A, T59.1X2D, T59.1X2S,
		T59.2X2A, T59.2X2D, T59.2X2S, T59.3X2A, T59.3X2D, T59.3X2S,
		T59.4X2A, T59.4X2D, T59.4X2S, T59.5X2A, T59.5X2D, T59.5X2S,
		T59.6X2A, T59.6X2D, T59.6X2S, T59.7X2A, T59.7X2D, T59.7X2S,
		T59.812A, T59.812D, T59.812S, T59.892A, T59.892D, T59.892S,
		T59.92XA, T59.92XD, T59.92XS, T60.0X2A, T60.0X2D, T60.0X2S,
		T60.1X2A, T60.1X2D, T60.1X2S, T60.2X2A, T60.2X2D, T60.2X2S,
		T60.3X2A, T60.3X2D, T60.3X2S, T60.4X2A, T60.4X2D, T60.4X2S,
		T60.8X2A, T60.8X2D, T60.8X2S, T60.92XA, T60.92XD, T60.92XS,
		T61.02XA, T61.02XD, T61.02XS, T61.12XA, T61.12XD, T61.12XS,
		T61.772A, T61.772D, T61.772S, T61.782A, T61.782D, T61.782S,
		T61.8X2A, T61.8X2D, T61.8X2S, T61.92XA, T61.92XD, T61.92XS,
		T62.0X2A, T62.0X2D, T62.0X2S, T62.1X2A, T62.1X2D, T62.1X2S,
		T62.2X2A, T62.2X2D, T62.2X2S, T62.8X2A, T62.8X2D, T62.8X2S,
		T62.92XA, T62.92XD, T62.92XS, T63.002A, T63.002D, T63.002S,
		T63.012A, T63.012D, T63.012S, T63.022A, T63.022D, T63.022S,
		T63.032A, T63.032D, T63.032S, T63.042A, T63.042D, T63.042S,
		T63.062A, T63.062D, T63.062S, T63.072A, T63.072D, T63.072S,
		T63.082A, T63.082D, T63.082S, T63.092A, T63.092D, T63.092S,
		T63.112A, T63.112D, T63.112S, T63.122A, T63.122D, T63.122S,
1		T63.192A, T63.192D, T63.192S, T63.2X2A, T63.2X2D, T63.2X2S,
		T63.302A, T63.302D, T63.302S, T63.312A, T63.312D, T63.312S,
		T63.322A, T63.322D, T63.322S, T63.332A, T63.332D, T63.332S,
L	L	[100.0227, 100.0220, 100.0327, 100.0320, 100.0320,

T63.392A, T63.392D, T63.392S, T63.412A, T63.412D, T63.412S. T63.422A, T63.422D, T63.422S, T63.432A, T63.432D, T63.432S, T63.442A, T63.442D, T63.442S, T63.452A, T63.452D, T63.452S, T63.462A, T63.462D, T63.462S, T63.482A, T63.482D, T63.482S, T63.512A, T63.512D, T63.512S, T63.592A, T63.592D, T63.592S, T63.612A, T63.612D, T63.612S, T63.622A, T63.622D, T63.622S, T63.632A, T63.632D, T63.632S, T63.692A, T63.692D, T63.692S, T63.712A, T63.712D, T63.712S, T63.792A, T63.792D, T63.792S, T63.812A, T63.812D, T63.812S, T63.822A, T63.822D, T63.822S, T63.832A, T63.832D, T63.832S, T63.892A, T63.892D, T63.892S, T63.92XA, T63.92XD, T63.92XS, T64.02XA, T64.02XD, T64.02XS, T64.82XA, T64.82XD, T64.82XS, T65.0X2A, T65.0X2D, T65.0X2S, T65.1X2A, T65.1X2D, T65.1X2S, T65.212A, T65.212D, T65.212S, T65.222A, T65.222D, T65.222S, T65.292A, T65.292D, T65.292S, T65.3X2A, T65.3X2D, T65.3X2S, T65.4X2A, T65.4X2D, T65.4X2S, T65.5X2A, T65.5X2D, T65.5X2S, T65.6X2A, T65.6X2D, T65.6X2S, T65.812A, T65.812D, T65.812S, T65.822A, T65.822D, T65.822S, T65.832A, T65.832D, T65.832S, T65.892A, T65.892D, T65.892S, T65.92XA, T65.92XD, T65.92XS, T71.112A, T71.112D, T71.112S, T71.122A, T71.122D, T71.122S, T71.132A, T71.132D, T71.132S, T71.152A, T71.152D, T71.152S, T71.162A, T71.162D, T71.162S, T71.192A, T71.192D, T71.192S, T71.222A, T71.222D, T71.222S, T71.232A. T71.232D. T71.232S

Intentional Self-Harm Diagnosis:

ICD10CM: T14.91XA, T14.91XD, T14.91XS, T36.0X2A, T36.0X2D, T36.0X2S, T36.1X2A, T36.1X2D, T36.1X2S, T36.2X2A, T36.2X2D, T36.2X2S, T36.3X2A, T36.3X2D, T36.3X2S, T36.4X2A, T36.4X2D, T36.4X2S, T36.5X2A, T36.5X2D, T36.5X2S, T36.6X2A, T36.6X2D, T36.6X2S, T36.7X2A, T36.7X2D, T36.7X2S, T36.8X2A, T36.8X2D, T36.8X2S, T36.92XA, T36.92XD, T36.92XS, T37.0X2A, T37.0X2D, T37.0X2S, T37.1X2A, T37.1X2D, T37.1X2S, T37.2X2A, T37.2X2D, T37.2X2S, T37.3X2A, T37.3X2D, T37.3X2S, T37.4X2A, T37.4X2D, T37.4X2S, T37.5X2A, T37.5X2D, T37.5X2S, T37.8X2A, T37.8X2D, T37.8X2S, T37.92XA, T37.92XD, T37.92XS, T38.0X2A, T38.0X2D, T38.0X2S, T38.1X2A, T38.1X2D, T38.1X2S, T38.2X2A, T38.2X2D, T38.2X2S, T38.3X2A, T38.3X2D, T38.3X2S, T38.4X2A, T38.4X2D, T38.4X2S, T38.5X2A, T38.5X2D, T38.5X2S, T38.6X2A, T38.6X2D, T38.6X2S, T38.7X2A, T38.7X2D, T38.7X2S, T38.802A, T38.802D, T38.802S, T38.812A, T38.812D, T38.812S, T38.892A, T38.892D, T38.892S, T38.902A, T38.902D, T38.902S, T38.992A, T38.992D, T38.992S,

1	T	T20 0404 T20 0405 T20 0004 T20 0005 T20 0005
		T39.012A, T39.012D, T39.012S, T39.092A, T39.092D, T39.092S,
		T39.1X2A, T39.1X2D, T39.1X2S, T39.2X2A, T39.2X2D, T39.2X2S,
		T39.312A, T39.312D, T39.312S, T39.392A, T39.392D, T39.392S,
		T39.4X2A, T39.4X2D, T39.4X2S, T39.8X2A, T39.8X2D, T39.8X2S,
		T39.92XA, T39.92XD, T39.92XS, T40.0X2A, T40.0X2D, T40.0X2S,
		T40.1X2A, T40.1X2D, T40.1X2S, T40.2X2A, T40.2X2D, T40.2X2S,
		T40.3X2A, T40.3X2D, T40.3X2S, T40.412A, T40.412D, T40.412S,
		T40.422A, T40.422D, T40.422S, T40.492A, T40.492D, T40.492S,
		T40.5X2A, T40.5X2D, T40.5X2S, T40.602A, T40.602D, T40.602S,
		T40.692A, T40.692D, T40.692S, T40.712A, T40.712D, T40.712S,
		T40.722A, T40.722D, T40.722S, T40.8X2A, T40.8X2D, T40.8X2S,
		T40.902A, T40.902D, T40.902S, T40.992A, T40.992D, T40.992S,
		T41.0X2A, T41.0X2D, T41.0X2S, T41.1X2A, T41.1X2D, T41.1X2S,
		T41.202A, T41.202D, T41.202S, T41.292A, T41.292D, T41.292S,
		T41.3X2A, T41.3X2D, T41.3X2S, T41.42XA, T41.42XD, T41.42XS,
		T41.5X2A, T41.5X2D, T41.5X2S, T42.0X2A, T42.0X2D, T42.0X2S,
		T42.1X2A, T42.1X2D, T42.1X2S, T42.2X2A, T42.2X2D, T42.2X2S,
		T42.3X2A, T42.3X2D, T42.3X2S, T42.4X2A, T42.4X2D, T42.4X2S,
		T42.5X2A, T42.5X2D, T42.5X2S, T42.6X2A, T42.6X2D, T42.6X2S,
		T42.72XA, T42.72XD, T42.72XS, T42.8X2A, T42.8X2D, T42.8X2S,
		T43.012A, T43.012D, T43.012S, T43.022A, T43.022D, T43.022S,
		T43.1X2A, T43.1X2D, T43.1X2S, T43.202A, T43.202D, T43.202S,
		T43.212A, T43.212D, T43.212S, T43.222A, T43.222D, T43.222S,
		T43.292A, T43.292D, T43.292S, T43.3X2A, T43.3X2D, T43.3X2S,
		T43.4X2A, T43.4X2D, T43.4X2S, T43.502A, T43.502D, T43.502S,
		T43.592A, T43.592D, T43.592S, T43.602A, T43.602D, T43.602S,
		T43.622A, T43.622D, T43.622S, T43.632A, T43.632D, T43.632S,
		T43.642A, T43.642D, T43.642S, T43.652A, T43.652D, T43.652S,
		T43.692A, T43.692D, T43.692S, T43.8X2A, T43.8X2D, T43.8X2S,
		T43.92XA, T43.92XD, T43.92XS, T44.0X2A, T44.0X2D, T44.0X2S,
		T44.1X2A, T44.1X2D, T44.1X2S, T44.2X2A, T44.2X2D, T44.2X2S,
		T44.3X2A, T44.3X2D, T44.3X2S, T44.4X2A, T44.4X2D, T44.4X2S,
		T44.5X2A, T44.5X2D, T44.5X2S, T44.6X2A, T44.6X2D, T44.6X2S,
		T44.7X2A, T44.7X2D, T44.7X2S, T44.8X2A, T44.8X2D, T44.8X2S,
		T44.902A, T44.902D, T44.902S, T44.992A, T44.992D, T44.992S,
		T45.0X2A, T45.0X2D, T45.0X2S, T45.1X2A, T45.1X2D, T45.1X2S,
		T45.2X2A, T45.2X2D, T45.2X2S, T45.3X2A, T45.3X2D, T45.3X2S,
		T45.4X2A, T45.4X2D, T45.4X2S, T45.512A, T45.512D, T45.512S,
		T45.522A, T45.522D, T45.522S, T45.602A, T45.602D, T45.602S,
		T45.612A, T45.612D, T45.612S, T45.622A, T45.622D, T45.622S,
		T45.692A, T45.692D, T45.692S, T45.7X2A, T45.7X2D, T45.7X2S,
<u> </u>		173.0327, 173.0320, 173.0323, 173.1727, 173.1720, 173.1723,

T45.8X2A, T45.8X2D, T45.8X2S, T45.92XA, T45.92XD, T45.92XS,
T46.0X2A, T46.0X2D, T46.0X2S, T46.1X2A, T46.1X2D, T46.1X2S,
T46.2X2A, T46.2X2D, T46.2X2S, T46.3X2A, T46.3X2D, T46.3X2S,
T46.4X2A, T46.4X2D, T46.4X2S, T46.5X2A, T46.5X2D, T46.5X2S,
T46.6X2A, T46.6X2D, T46.6X2S, T46.7X2A, T46.7X2D, T46.7X2S,
T46.8X2A, T46.8X2D, T46.8X2S, T46.902A, T46.902D, T46.902S,
T46.992A, T46.992D, T46.992S, T47.0X2A, T47.0X2D, T47.0X2S,
T47.1X2A, T47.1X2D, T47.1X2S, T47.2X2A, T47.2X2D, T47.2X2S,
T47.3X2A, T47.3X2D, T47.3X2S, T47.4X2A, T47.4X2D, T47.4X2S,
T47.5X2A, T47.5X2D, T47.5X2S, T47.6X2A, T47.6X2D, T47.6X2S,
T47.7X2A, T47.7X2D, T47.7X2S, T47.8X2A, T47.8X2D, T47.8X2S,
T47.92XA, T47.92XD, T47.92XS, T48.0X2A, T48.0X2D, T48.0X2S,
T48.1X2A, T48.1X2D, T48.1X2S, T48.202A, T48.202D, T48.202S,
T48.292A, T48.292D, T48.292S, T48.3X2A, T48.3X2D, T48.3X2S,
T48.4X2A, T48.4X2D, T48.4X2S, T48.5X2A, T48.5X2D, T48.5X2S,
T48.6X2A, T48.6X2D, T48.6X2S, T48.902A, T48.902D, T48.902S,
T48.992A, T48.992D, T48.992S, T49.0X2A, T49.0X2D, T49.0X2S,
T49.1X2A, T49.1X2D, T49.1X2S, T49.2X2A, T49.2X2D, T49.2X2S,
T49.3X2A, T49.3X2D, T49.3X2S, T49.4X2A, T49.4X2D, T49.4X2S,
T49.5X2A, T49.5X2D, T49.5X2S, T49.6X2A, T49.6X2D, T49.6X2S,
T49.7X2A, T49.7X2D, T49.7X2S, T49.8X2A, T49.8X2D, T49.8X2S,
T49.92XA, T49.92XD, T49.92XS, T50.0X2A, T50.0X2D, T50.0X2S,
T50.1X2A, T50.1X2D, T50.1X2S, T50.2X2A, T50.2X2D, T50.2X2S,
T50.3X2A, T50.3X2D, T50.3X2S, T50.4X2A, T50.4X2D, T50.4X2S,
T50.5X2A, T50.5X2D, T50.5X2S, T50.6X2A, T50.6X2D, T50.6X2S,
T50.7X2A, T50.7X2D, T50.7X2S, T50.8X2A, T50.8X2D, T50.8X2S,
T50.902A, T50.902D, T50.902S, T50.912A, T50.912D, T50.912S,
T50.992A, T50.992D, T50.992S, T50.A12A, T50.A12D, T50.A12S,
T50.A22A, T50.A22D, T50.A22S, T50.A92A, T50.A92D, T50.A92S,
T50.B12A, T50.B12D, T50.B12S, T50.B92A, T50.B92D, T50.B92S,
T50.Z12A, T50.Z12D, T50.Z12S, T50.Z92A, T50.Z92D, T50.Z92S, T51.0X2A,
T51.0X2D, T51.0X2S, T51.1X2A, T51.1X2D, T51.1X2S, T51.2X2A,
T51.2X2D, T51.2X2S, T51.3X2A, T51.3X2D, T51.3X2S, T51.8X2A,
T51.8X2D, T51.8X2S, T51.92XA, T51.92XD, T51.92XS, T52.0X2A,
T52.0X2D, T52.0X2S, T52.1X2A, T52.1X2D, T52.1X2S, T52.2X2A,
T52.2X2D, T52.2X2S, T52.3X2A, T52.3X2D, T52.3X2S, T52.4X2A,
T52.4X2D, T52.4X2S, T52.8X2A, T52.8X2D, T52.8X2S, T52.92XA,
T52.92XD, T52.92XS, T53.0X2A, T53.0X2D, T53.0X2S, T53.1X2A,
T53.1X2D, T53.1X2S, T53.2X2A, T53.2X2D, T53.2X2S, T53.3X2A,
T53.3X2D, T53.3X2S, T53.4X2A, T53.4X2D, T53.4X2S, T53.5X2A,
T53.5X2D, T53.5X2S, T53.6X2A, T53.6X2D, T53.6X2S, T53.7X2A,

50

T T	
	T53.7X2D, T53.7X2S, T53.92XA, T53.92XD, T53.92XS, T54.0X2A,
	T54.0X2D, T54.0X2S, T54.1X2A, T54.1X2D, T54.1X2S, T54.2X2A,
	T54.2X2D, T54.2X2S, T54.3X2A, T54.3X2D, T54.3X2S, T54.92XA,
	T54.92XD, T54.92XS, T55.0X2A, T55.0X2D, T55.0X2S, T55.1X2A,
	T55.1X2D, T55.1X2S, T56.0X2A, T56.0X2D, T56.0X2S, T56.1X2A,
	T56.1X2D, T56.1X2S, T56.2X2A, T56.2X2D, T56.2X2S, T56.3X2A,
	T56.3X2D, T56.3X2S, T56.4X2A, T56.4X2D, T56.4X2S, T56.5X2A,
	T56.5X2D, T56.5X2S, T56.6X2A, T56.6X2D, T56.6X2S, T56.7X2A,
	T56.7X2D, T56.812A, T56.812D, T56.812S, T56.892A,
	T56.892D, T56.892S, T56.92XA, T56.92XD, T56.92XS, T57.0X2A,
	T57.0X2D, T57.0X2S, T57.1X2A, T57.1X2D, T57.1X2S, T57.2X2A,
	T57.2X2D, T57.2X2S, T57.3X2A, T57.3X2D, T57.3X2S, T57.8X2A,
	T57.8X2D, T57.8X2S, T57.92XA, T57.92XD, T57.92XS, T58.02XA,
	T58.02XD, T58.02XS, T58.12XA, T58.12XD, T58.12XS, T58.2X2A,
	T58.2X2D, T58.2X2S, T58.8X2A, T58.8X2D, T58.8X2S, T58.92XA,
	T58.92XD, T58.92XS, T59.0X2A, T59.0X2D, T59.0X2S, T59.1X2A,
	T59.1X2D, T59.1X2S, T59.2X2A, T59.2X2D, T59.2X2S, T59.3X2A,
	T59.3X2D, T59.3X2S, T59.4X2A, T59.4X2D, T59.4X2S, T59.5X2A,
	T59.5X2D, T59.5X2S, T59.6X2A, T59.6X2D, T59.6X2S, T59.7X2A,
	T59.7X2D, T59.7X2S, T59.812A, T59.812D, T59.812S, T59.892A,
	T59.892D, T59.892S, T59.92XA, T59.92XD, T59.92XS, T60.0X2A,
	T60.0X2D, T60.0X2S, T60.1X2A, T60.1X2D, T60.1X2S, T60.2X2A,
	T60.2X2D, T60.2X2S, T60.3X2A, T60.3X2D, T60.3X2S, T60.4X2A,
	T60.4X2D, T60.4X2S, T60.8X2A, T60.8X2D, T60.8X2S, T60.92XA,
	T60.92XD, T60.92XS, T61.02XA, T61.02XD, T61.02XS, T61.12XA,
	T61.12XD, T61.12XS, T61.772A, T61.772D, T61.772S, T61.782A,
	T61.782D, T61.782S, T61.8X2A, T61.8X2D, T61.8X2S, T61.92XA,
	T61.92XD, T61.92XS, T62.0X2A, T62.0X2D, T62.0X2S, T62.1X2A,
	T62.1X2D, T62.1X2S, T62.2X2A, T62.2X2D, T62.2X2S, T62.8X2A,
	T62.8X2D, T62.8X2S, T62.92XA, T62.92XD, T62.92XS, T63.002A,
	T63.002D, T63.002S, T63.012A, T63.012D, T63.012S, T63.022A,
	T63.022D, T63.022S, T63.032A, T63.032D, T63.032S, T63.042A,
	T63.042D, T63.042S, T63.062A, T63.062D, T63.062S, T63.072A,
	T63.072D, T63.072S, T63.082A, T63.082D, T63.082S, T63.092A,
	T63.092D, T63.092S, T63.112A, T63.112D, T63.112S, T63.122A,
	T63.122D, T63.122S, T63.192A, T63.192D, T63.192S, T63.2X2A,
	T63.2X2D, T63.2X2S, T63.302A, T63.302D, T63.302S, T63.312A,
	T63.312D, T63.312S, T63.322A, T63.322D, T63.322S, T63.332A,
	T63.332D, T63.332S, T63.392A, T63.392D, T63.392S, T63.412A,
	T63.412D, T63.412S, T63.422A, T63.422D, T63.422S, T63.432A,
	T63.432D, T63.432S, T63.442A, T63.442D, T63.442S, T63.452A,
<u> </u>	1 100.1025, 100.1025, 100.1125, 100.1125, 100.1125, 100.1125,

51

			T63.452D, T63.452S, T63.462A, T63.462D, T63.462S, T63.482A, T63.482D, T63.482S, T63.512A, T63.512D, T63.512S, T63.592A, T63.592D, T63.592S, T63.612A, T63.612D, T63.612S, T63.622A, T63.622D, T63.622S, T63.632A, T63.632D, T63.632S, T63.692A, T63.692D, T63.692S, T63.712A, T63.712D, T63.712S, T63.792A, T63.792D, T63.792S, T63.812A, T63.812D, T63.812S, T63.822A, T63.822D, T63.822S, T63.832A, T63.832D, T63.832S, T63.892A, T63.892D, T63.892S, T63.92XA, T63.92XD, T63.92XS, T64.02XA, T64.02XD, T64.02XS, T64.82XA, T64.82XD, T64.82XS, T65.0X2A, T65.0X2D, T65.0X2S, T65.1X2A, T65.1X2D, T65.1X2S, T65.212A, T65.212D, T65.212S, T65.222A, T65.222D, T65.222S, T65.292A, T65.4X2D, T65.4X2S, T65.5X2A, T65.5X2D, T65.5X2S, T65.6X2A, T65.6X2D, T65.6X2S, T65.832A, T65.812D, T65.812S, T65.822A, T65.822D, T65.892S, T65.892A, T65.892D, T65.892S, T65.92XA, T65.92XD, T65.92XS, T71.112A, T71.112D, T71.112S, T71.122A, T71.122D, T71.122S, T71.132A, T71.132D, T71.132S, T71.152A, T71.152D, T71.152S, T71.162A, T71.162D, T71.162S, T71.192A, T71.192D, T71.192S, T71.222A, T71.222D, T71.222S, T71.232A, T71.232D, T71.232S
			submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who are Using Antipsychotic Medications (SSD)	The percentage of members 18 – 64 years of age with schizophrenia, schizoaffective disorder, or bipolar disorder who were dispensed an antipsychotic medication and had a diabetes screening test during the MY.	A glucose test or HbA1c test performed during the MY. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY.	Members are identified through administrative and pharmacy claims. Glucose Lab Test: CPT: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951 HbA1C Lab Test: CPT: 83036, 83037 HbA1C Test Result or Finding: CPT-CAT-II: 3044F, 3046F, 3051F, 3052F Antipsychotics Medications:

			Miscellaneous antipsychotic agents: Aripiprazole, Asenapine, Brexpiprazole, Cariprazine, Clozapine, Haloperidol, Iloperidone, Loxapine, Lumateperone, Lurasidone, Molindone, Olanzapine, Paliperidone, Quetiapine, Risperidone, Ziprasidone Phenothiazine antipsychotics: Chlorpromazine, Fluphenazine, Perphenazine, Prochlorperazine, Thioridazine, Trifluoperazine Psychotherapeutic combinations: Amitriptyline-perphenazine Thioxanthenes: Thiothixene Long-acting injections: Aripiprazole, Fluphenazine decanoate, Haloperidol decanoate, Olanzapine, Paliperidone palmitate, Risperidone Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Diabetes Monitoring for People with Diabetes and Schizophrenia (SMD)	The percentage of members 18 – 64 years of age with schizophrenia or schizoaffective disorder, and diabetes who had both an LDL-C test and an HbA1c test during the MY.	An HbA1c test and an LDL-C test performed in the MY. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY.	Members are identified through administrative and pharmacy claims. HbA1C Lab Test: CPT: 83036, 83037 HbA1C Test Result or Finding: CPT-CAT-II: 3044F, 3046F, 3051F, 3052F LDL-C Lab Test: CPT: 80061, 83700, 83701, 83704, 83721 LDL-C Test Result or Finding: CPT-CAT-II: 3048F, 3049F, 3050F Must have both A1c and LDL. Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

Measure	Measure Description	Measure Information/Documentation Required	Coding
Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia (SMC)	The percentage of members 18 – 64 years of age with schizophrenia or schizoaffective disorder and cardiovascular (IVD, CABG, PCI, AMI) disease who had an LDL-C test during the MY.	An LDL-C test performed during the MY. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY.	LDL-C Lab Test: CPT: 80061, 83700, 83701, 83704, 83721 LDL-C Test Result or Finding: CPT-CAT-II: 3048F, 3049F, 3050F Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Adherence to Antipsychotic Medications for Individuals with Schizophrenia (SAA)	The percentage of members 18 years of age and older during the MY with schizophrenia or schizoaffective disorder who were dispensed and remained on an oral or long-acting injection antipsychotic medication at least 80% of their treatment period.	The Index Prescription Start Date (ISPD) is the earliest prescription-dispensing date during the MY. The Treatment period is the ISPD through the last day of the MY. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY. 66 – 80 years of age with frailty and advanced illness during the MY. 81 years of age and older with frailty. Diagnosis of dementia in the MY.	Schizophrenia Diagnosis: ICD10CM: F20.0, F20.1, F20.2, F20.3, F20.5, F20.81, F20.89, F20.9, F25.0, F25.1, F25.8, F25.9 Long-Acting Injections 28-Day Supply: HCPCS: J0401, J1631, J1943, J1944, J2358, J2426, J2680 Oral Antipsychotic Medications: Miscellaneous antipsychotic agents: Aripiprazole, Asenapine, Brexpiprazole, Cariprazine, Clozapine, Haloperidol, Iloperidone, Loxapine, Lumateperone, Lurasidone, Molindone, Olanzapine, Paliperidone, Quetiapine, Risperidone, Ziprasidone, Phenothiazine antipsychotics: Chlorpromazine, Fluphenazine, Perphenazine, Prochlorperazine, Thioridazine, Trifluoperazine Psychotherapeutic combinations: Amitriptyline-perphenazine Thioxanthenes: Thiothixene Long-Acting Injections: 28-day supply: Aripiprazole, Fluphenazine decanoate, Haloperidol decanoate, Olanzapine, Paliperidone Palmitate Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

Measure	Measure Description	Measure Information/Documentation Required	Coding
Follow-Up After Emergency Department Visit for Mental Illness (FUM)	The percentage of emergency department (ED) visits for members 6 years of age and older with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit for mental illness. Two rates are reported: 1. The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days). 2. The percentage of ED visits for which the member received follow-up within 7 days of the ED visit (8 total days).	A follow-up visit with any practitioner, with a principal diagnosis of a mental health disorder or with a principal diagnosis of intentional self-harm and any diagnosis of a mental health disorder within 7 and 30 days after ED visit. Include outpatient visits, behavioral health outpatient visits, intensive outpatient visits, partial hospitalizations, community mental health visits, electroconvulsive therapy visits, telehealth visits, and observation visits. Includes visits that occur on the date of the ED visit Telephone visits, e-visits, and virtual check-ins are acceptable. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY.	Visit Setting Unspecified: (With Outpatient POS and Principal Diagnosis of Mental Health or Principal Diagnosis of Intentional Self-Harm with Any Diagnosis of Mental Health): (With Partial Hospitalization POS and Principal Diagnosis of Mental Health or Principal Diagnosis of Intentional Self-Harm with any Diagnosis of Mental Health or Principal Diagnosis of Intentional Self-Harm with any Diagnosis of Mental Health): (With Community Mental Health Center POS and Principal Diagnosis of Mental Health or Principal Diagnosis of Intentional Self-Harm with Any Diagnosis of Mental Health): (With Telehealth POS and Principal Diagnosis of Mental Health or Principal Diagnosis of Intentional Self-Harm with Any Diagnosis of Mental Health): CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255 BH Outpatient: (With Principal Diagnosis of Mental Health or Principal Diagnosis of Intentional Self-Harm with Any Diagnosis of Mental Health): CPT: 98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99388, 99386, 99387, 99341, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510 HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, T1015 UBREV: 0510, 0513, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0900, 0902, 0903, 0904, 0911, 0914, 0915, 0916, 0917, 0919, 0982, 0983 Partial Hospitalization or Intensive Outpatient: (With Principal Diagnosis of Mental Health or Principal Diagnosis of Intentional Self-Harm with Any Diagnosis of Mental Health): HCPCS: G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484, S9485 UBREV: 0905, 0907, 0912,

Electroconvulsive Therapy:

(With Ambulatory Surgical Center POS, Community Mental Health POS, Outpatient POS, or Partial Hospitalization POS and Principal Diagnosis of Mental Health or Principal Diagnosis of Intentional Self-Harm with Any Diagnosis of Mental Health):

CPT: 99495, 99496, 99381, 99382, 99391, 99392

Observation:

(with Principal Diagnosis of Mental Health or Principal Diagnosis of Intentional Self-Harm with Any Diagnosis of Mental Health): **CPT**: 99217, 99218, 99219, 99220

Telephone Visits:

(with Principal Diagnosis of Mental Health or Principal Diagnosis of Intentional Self-Harm with Any Diagnosis of Mental Health): **CPT**: 98966, 98967, 98968, 99441, 99442, 99443

Online Assessments:

(With Principal Diagnosis of Mental Health or Principal Diagnosis of Intentional Self-Harm with Any Diagnosis of Mental Health):

CPT: 98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458

HCPCS: G0071, G2010, G2012, G2250, G2251, G2252

Ambulatory Surgical Center POS: 24

Outpatient POS: 03, 05, 07, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 33, 49, 50, 71, 72

Telehealth POS: 2

Mental Illness and Intentional Self-Harm:

ICD10CM: F20.0, F20.1, F20.2, F20.3, F20.5, F20.81, F20.89, F20.9, F21, F22, F23, F24, F25.0, F25.1, F25.8, F25.9, F28, F29, F30.10, F30.11, F30.12, F30.13, F30.2, F30.3, F30.4, F30.8, F30.9, F31.0, F31.10, F31.11, F31.12, F31.13, F31.2, F31.30, F31.31, F31.32, F31.4, F31.5, F31.60, F31.61, F31.62, F31.63, F31.64, F31.70, F31.71, F31.72, F31.73, F31.74, F31.75, F31.76, F31.77, F31.78, F31.81, F31.89, F31.9, F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.81, F32.89, F32.9, F32.A, F33.0, F33.1, F33.2, F33.3, F33.40, F33.41, F33.42, F33.8, F33.9, F34.0, F34.1, F34.81, F34.89, F34.9, F39. F42.2, F42.3, F42.4, F42.8, F42.9, F43.0, F43.10.

F43.11, F43.12, F43.20, F43.21, F43.22, F43.23, F43.24, F43.25, F43.29,
F43.8, F43.81, F43.89, F43.9, F44.89, F53.0, F53.1, F60.0, F60.1, F60.2,
F60.3, F60.4, F60.5, F60.6, F60.7, F60.81, F60.89, F60.9, F63.0, F63.1,
F63.2, F63.3, F63.81, F63.89, F63.9, F68.10, F68.11, F68.12, F68.13,
F68.8, F68.A, F84.0, F84.2, F84.3, F84.5, F84.8, F84.9, F90.0, F90.1, F90.2,
F90.8, F90.9, F91.0, F91.1, F91.2, F91.3, F91.8, F91.9, F93.0, F93.8, F93.9,
F94.0, F94.1, F94.2, F94.8, F94.9, T14.91XA, T14.91XD, T14.91XS,
T36.0X2A, T36.0X2D, T36.0X2S, T36.1X2A, T36.1X2D, T36.1X2S,
T36.2X2A, T36.2X2D, T36.2X2S, T36.3X2A, T36.3X2D, T36.3X2S,
T36.4X2A, T36.4X2D, T36.4X2S, T36.5X2A, T36.5X2D, T36.5X2S,
T36.6X2A, T36.6X2D, T36.6X2S, T36.7X2A, T36.7X2D, T36.7X2S,
T36.8X2A, T36.8X2D, T36.8X2S, T36.92XA, T36.92XD, T36.92XS,
T37.0X2A, T37.0X2D, T37.0X2S, T37.1X2A, T37.1X2D, T37.1X2S,
T37.2X2A, T37.2X2D, T37.2X2S, T37.3X2A, T37.3X2D, T37.3X2S,
T37.4X2A, T37.4X2D, T37.4X2S, T37.5X2A, T37.5X2D, T37.5X2S,
T37.8X2A, T37.8X2D, T37.8X2S, T37.92XA, T37.92XD, T37.92XS,
T38.0X2A, T38.0X2D, T38.0X2S, T38.1X2A, T38.1X2D, T38.1X2S,
T38.2X2A, T38.2X2D, T38.2X2S, T38.3X2A, T38.3X2D, T38.3X2S,
T38.4X2A, T38.4X2D, T38.4X2S, T38.5X2A, T38.5X2D, T38.5X2S,
T38.6X2A, T38.6X2D, T38.6X2S, T38.7X2A, T38.7X2D, T38.7X2S,
T38.802A, T38.802D, T38.802S, T38.812A, T38.812D, T38.812S,
T38.892A, T38.892D, T38.892S, T38.902A, T38.902D, T38.902S,
T38.992A, T38.992D, T38.992S, T39.012A, T39.012D, T39.012S,
T39.092A, T39.092D, T39.092S, T39.1X2A, T39.1X2D, T39.1X2S,
T39.2X2A, T39.2X2D, T39.2X2S, T39.312A, T39.312D, T39.312S,
T39.392A, T39.392D, T39.392S, T39.4X2A, T39.4X2D, T39.4X2S,
T39.8X2A, T39.8X2D, T39.8X2S, T39.92XA, T39.92XD, T39.92XS,
T40.0X2A, T40.0X2D, T40.0X2S, T40.1X2A, T40.1X2D, T40.1X2S,
T40.2X2A, T40.2X2D, T40.2X2S, T40.3X2A, T40.3X2D, T40.3X2S,
T40.412A, T40.412D, T40.412S, T40.422A, T40.422D, T40.422S,
T40.492A, T40.492D, T40.492S, T40.5X2A, T40.5X2D, T40.5X2S,
T40.602A, T40.602D, T40.602S, T40.692A, T40.692D, T40.692S,
T40.712A, T40.712D, T40.712S, T40.722A, T40.722D, T40.722S,
T40.8X2A, T40.8X2D, T40.8X2S, T40.902A, T40.902D, T40.902S,
T40.992A, T40.992D, T40.992S, T41.0X2A, T41.0X2D, T41.0X2S,
T41.1X2A, T41.1X2D, T41.1X2S, T41.202A, T41.202D, T41.202S,
T41.292A, T41.292D, T41.292S, T41.3X2A, T41.3X2D, T41.3X2S,
T41.42XA, T41.42XD, T41.42XS, T41.5X2A, T41.5X2D, T41.5X2S,
T42.0X2A, T42.0X2D, T42.0X2S, T42.1X2A, T42.1X2D, T42.1X2S,
T42.2X2A, T42.2X2D, T42.2X2S, T42.3X2A, T42.3X2D, T42.3X2S,
T42.4X2A, T42.4X2D, T42.4X2S, T42.5X2A, T42.5X2D, T42.5X2S,

T42.6X2A, T42.6X2D, T42.6X2S, T42.72XA, T42.72XD, T42.72XS, T42.8X2A, T42.8X2D, T42.8X2S, T43.012A, T43.012D, T43.012S, T43.022A, T43.022D, T43.022D, T43.1X2A, T43.1X2D, T43.1X2S, T43.202A, T43.202D, T43.202S, T43.212A, T43.212D, T43.212S, T43.222A, T43.222D, T43.222D, T43.292A, T43.292D, T43.292S, T43.3X2A, T43.3X2D, T43.3X2S, T43.4X2A, T43.4X2D, T43.4X2S, T43.502A, T43.502D, T43.502B, T43.502B, T43.602B, T43.602B, T43.602B, T43.602B, T43.602B, T43.622B, T43.622B, T43.622S,
T43.022A, T43.022D, T43.022S, T43.1X2A, T43.1X2D, T43.1X2S, T43.202A, T43.202D, T43.202D, T43.212A, T43.212D, T43.212S, T43.222A, T43.222D, T43.222D, T43.292A, T43.292D, T43.292S, T43.3X2A, T43.3X2D, T43.3X2D, T43.4X2A, T43.4X2D, T43.4X2S, T43.502A, T43.502D, T43.502D, T43.592A, T43.592D, T43.592S,
T43.202A, T43.202D, T43.202S, T43.212A, T43.212D, T43.212S, T43.222A, T43.222D, T43.222S, T43.292A, T43.292D, T43.292S, T43.3X2A, T43.3X2D, T43.3X2D, T43.4X2A, T43.4X2D, T43.4X2S, T43.502A, T43.502D, T43.502B, T43.502B, T43.592B, T43.59
T43.222A, T43.222D, T43.222S, T43.292A, T43.292D, T43.292S, T43.3X2A, T43.3X2D, T43.3X2D, T43.4X2A, T43.4X2D, T43.4X2S, T43.502A, T43.502B, T43.502B, T43.502B, T43.592B, T43.59
T43.3X2A, T43.3X2D, T43.3X2S, T43.4X2A, T43.4X2D, T43.4X2S, T43.502A, T43.502D, T43.502B, T43.592A, T43.592B, T43.59
T43.502A, T43.502D, T43.502S, T43.592A, T43.592D, T43.592S,
TA3 602A TA3 602D TA3 602B TA3 622A TA3 622D TA3 622S
143.0020, 143.0020, 143.0020, 143.0020, 143.0020, 143.0020,
T43.632A, T43.632D, T43.632S, T43.642A, T43.642D, T43.642S,
T43.652A, T43.652D, T43.652S, T43.692A, T43.692D, T43.692S,
T43.8X2A, T43.8X2D, T43.8X2S, T43.92XA, T43.92XD, T43.92XS,
T44.0X2A, T44.0X2D, T44.0X2S, T44.1X2A, T44.1X2D, T44.1X2S,
T44.2X2A, T44.2X2D, T44.2X2S, T44.3X2A, T44.3X2D, T44.3X2S,
T44.4X2A, T44.4X2D, T44.4X2S, T44.5X2A, T44.5X2D, T44.5X2S,
T44.6X2A, T44.6X2D, T44.6X2S, T44.7X2A, T44.7X2D, T44.7X2S,
T44.8X2A, T44.8X2D, T44.8X2S, T44.902A, T44.902D, T44.902S,
T44.992A, T44.992D, T44.992S, T45.0X2A, T45.0X2D, T45.0X2S,
T45.1X2A, T45.1X2D, T45.1X2S, T45.2X2A, T45.2X2D, T45.2X2S,
T45.3X2A, T45.3X2D, T45.3X2S, T45.4X2A, T45.4X2D, T45.4X2S,
T45.512A, T45.512D, T45.512S, T45.522A, T45.522D, T45.522S,
T45.602A, T45.602D, T45.602S, T45.612A, T45.612D, T45.612S,
T45.622A, T45.622D, T45.622S, T45.692A, T45.692D, T45.692S,
T45.7X2A, T45.7X2D, T45.7X2S, T45.8X2A, T45.8X2D, T45.8X2S,
T45.92XA, T45.92XD, T45.92XS, T46.0X2A, T46.0X2D, T46.0X2S,
T46.1X2A, T46.1X2D, T46.1X2S, T46.2X2A, T46.2X2D, T46.2X2S,
T46.3X2A, T46.3X2D, T46.3X2S, T46.4X2A, T46.4X2D, T46.4X2S,
T46.5X2A, T46.5X2D, T46.5X2S, T46.6X2A, T46.6X2D, T46.6X2S,
T46.7X2A, T46.7X2D, T46.7X2S, T46.8X2A, T46.8X2D, T46.8X2S,
T46.902A, T46.902D, T46.902S, T46.992A, T46.992D, T46.992S,
T47.0X2A, T47.0X2D, T47.0X2S, T47.1X2A, T47.1X2D, T47.1X2S,
T47.2X2A, T47.2X2D, T47.2X2S, T47.3X2A, T47.3X2D, T47.3X2S,
T47.4X2A, T47.4X2D, T47.4X2S, T47.5X2A, T47.5X2D, T47.5X2S,
T47.6X2A, T47.6X2D, T47.6X2S, T47.7X2A, T47.7X2D, T47.7X2S,
T47.8X2A, T47.8X2D, T47.8X2S, T47.92XA, T47.92XD, T47.92XS,
T48.0X2A, T48.0X2D, T48.0X2S, T48.1X2A, T48.1X2D, T48.1X2S,
T48.202A, T48.202D, T48.202S, T48.292A, T48.292D, T48.292S,
T48.3X2A, T48.3X2D, T48.3X2S, T48.4X2A, T48.4X2D, T48.4X2S,
T48.5X2A, T48.5X2D, T48.5X2S, T48.6X2A, T48.6X2D, T48.6X2S,
T48.902A, T48.902D, T48.902S, T48.992A, T48.992D, T48.992S,
T49.0X2A, T49.0X2D, T49.0X2S, T49.1X2A, T49.1X2D, T49.1X2S,
T49.2X2A, T49.2X2D, T49.2X2S, T49.3X2A, T49.3X2D, T49.3X2S,

T49.4X2A, T49.4X2D, T49.4X2S, T49.5X2A, T49.5X2D, T49.5X2S, T49.6X2A, T49.6X2D, T49.6X2D, T49.6X2D, T49.7X2A, T49.7X2D, T49.7X2S, T49.8X2A, T49.8X2D, T49.8X2S, T49.92XA, T49.92XD, T49.92XS, T50.0X2A, T50.0X2D, T50.0X2B, T50.1X2A, T50.1X2D, T50.1X2S, T50.2X2A, T50.2X2D, T50.3X2A, T50.3X2D, T50.3X2S, T50.4X2A, T50.4X2D, T50.5X2A, T50.5X2D, T50.5X2S,
T49.8X2A, T49.8X2D, T49.8X2S, T49.92XA, T49.92XD, T49.92XS, T50.0X2A, T50.0X2D, T50.0X2S, T50.1X2A, T50.1X2D, T50.1X2S, T50.2X2A, T50.2X2D, T50.3X2A, T50.3X2D, T50.3X2S,
T50.0X2A, T50.0X2D, T50.0X2S, T50.1X2A, T50.1X2D, T50.1X2S, T50.2X2A, T50.2X2D, T50.3X2A, T50.3X2D, T50.3X2S,
T50.2X2A, T50.2X2D, T50.2X2S, T50.3X2A, T50.3X2D, T50.3X2S,
T50.4X2A. T50.4X2D. T50.5X2A. T50.5X2D. T50.5X2S.
T50.6X2A, T50.6X2D, T50.6X2S, T50.7X2A, T50.7X2D, T50.7X2S,
T50.8X2A, T50.8X2D, T50.8X2S, T50.902A, T50.902D, T50.902S,
T50.912A, T50.912D, T50.912S, T50.992A, T50.992D, T50.992S,
T50.A12A, T50.A12D, T50.A12S, T50.A22A, T50.A22D, T50.A22S,
T50.A92A, T50.A92D, T50.A92S, T50.B12A, T50.B12D, T50.B12S,
T50.B92A, T50.B92D, T50.B92S, T50.Z12A, T50.Z12D, T50.Z12S,
T50.Z92A, T50.Z92D, T50.Z92S, T51.0X2A, T51.0X2D, T51.0X2S,
T51.1X2A, T51.1X2D, T51.1X2S, T51.2X2A, T51.2X2D, T51.2X2S,
T51.3X2A, T51.3X2D, T51.3X2S, T51.8X2A, T51.8X2D, T51.8X2S,
T51.92XA, T51.92XD, T51.92XS, T52.0X2A, T52.0X2D, T52.0X2S,
T52.1X2A, T52.1X2D, T52.1X2S, T52.2X2A, T52.2X2D, T52.2X2S,
T52.3X2A, T52.3X2D, T52.3X2S, T52.4X2A, T52.4X2D, T52.4X2S,
T52.8X2A, T52.8X2D, T52.8X2S, T52.92XA, T52.92XD, T52.92XS,
T53.0X2A, T53.0X2D, T53.0X2S, T53.1X2A, T53.1X2D, T53.1X2S,
T53.2X2A, T53.2X2D, T53.2X2S, T53.3X2A, T53.3X2D, T53.3X2S,
T53.4X2A, T53.4X2D, T53.4X2S, T53.5X2A, T53.5X2D, T53.5X2S,
T53.6X2A, T53.6X2D, T53.6X2S, T53.7X2A, T53.7X2D, T53.7X2S,
T53.92XA, T53.92XD, T53.92XS, T54.0X2A, T54.0X2D, T54.0X2S,
T54.1X2A, T54.1X2D, T54.1X2S, T54.2X2A, T54.2X2D, T54.2X2S,
T54.3X2A, T54.3X2D, T54.3X2S, T54.92XA, T54.92XD, T54.92XS,
T55.0X2A, T55.0X2D, T55.0X2S, T55.1X2A, T55.1X2D, T55.1X2S,
T56.0X2A, T56.0X2D, T56.0X2S, T56.1X2A, T56.1X2D, T56.1X2S,
T56.2X2A, T56.2X2D, T56.2X2S, T56.3X2A, T56.3X2D, T56.3X2S,
T56.4X2A, T56.4X2D, T56.4X2S, T56.5X2A, T56.5X2D, T56.5X2S,
T56.6X2A, T56.6X2D, T56.6X2S, T56.7X2A, T56.7X2D, T56.7X2S,
T56.812A, T56.812D, T56.812S, T56.892A, T56.892D, T56.892S,
T56.92XA, T56.92XD, T56.92XS, T57.0X2A, T57.0X2D, T57.0X2S,
T57.1X2A, T57.1X2D, T57.1X2S, T57.2X2A, T57.2X2D, T57.2X2S,
T57.3X2A, T57.3X2D, T57.3X2S, T57.8X2A, T57.8X2D, T57.8X2S,
T57.92XA, T57.92XD, T57.92XS, T58.02XA, T58.02XD, T58.02XS,
T58.12XA, T58.12XD, T58.12XS, T58.2X2A, T58.2X2D, T58.2X2S,
T58.8X2A, T58.8X2D, T58.8X2S, T58.92XA, T58.92XD, T58.92XS,
T59.0X2A, T59.0X2D, T59.0X2S, T59.1X2A, T59.1X2D, T59.1X2S,
T59.2X2A, T59.2X2D, T59.2X2S, T59.3X2A, T59.3X2D, T59.3X2S,
T59.4X2A, T59.4X2D, T59.4X2S, T59.5X2A, T59.5X2D, T59.5X2S,

		T59.6X2A, T59.6X2D, T59.6X2S, T59.7X2A, T59.7X2D, T59.7X2S,
		T59.812A, T59.812D, T59.892A, T59.892D, T59.892S,
		T59.92XA, T59.92XD, T59.92XS, T60.0X2A, T60.0X2D, T60.0X2S,
		T60.1X2A, T60.1X2D, T60.1X2S, T60.2X2A, T60.2X2D, T60.2X2S,
		T60.3X2A, T60.3X2D, T60.3X2S, T60.4X2A, T60.4X2D, T60.4X2S,
		T60.8X2A, T60.8X2D, T60.8X2S, T60.92XA, T60.92XD, T60.92XS,
		T61.02XA, T61.02XD, T61.02XS, T61.12XA, T61.12XD, T61.12XS,
		T61.772A, T61.772D, T61.772S, T61.782A, T61.782D, T61.782S,
		T61.8X2A, T61.8X2D, T61.8X2S, T61.92XA, T61.92XD, T61.92XS,
		T62.0X2A, T62.0X2D, T62.0X2S, T62.1X2A, T62.1X2D, T62.1X2S,
		T62.2X2A, T62.2X2D, T62.2X2S, T62.8X2A, T62.8X2D, T62.8X2S,
		T62.92XA, T62.92XD, T62.92XS, T63.002A, T63.002D, T63.002S,
		T63.012A, T63.012D, T63.012S, T63.022A, T63.022D, T63.022S,
		T63.032A, T63.032D, T63.032S, T63.042A, T63.042D, T63.042S,
		T63.062A, T63.062D, T63.062S, T63.072A, T63.072D, T63.072S,
		T63.082A, T63.082D, T63.082S, T63.092A, T63.092D, T63.092S,
		T63.112A, T63.112D, T63.112S, T63.122A, T63.122D, T63.122S,
		T63.192A, T63.192D, T63.192S, T63.2X2A, T63.2X2D, T63.2X2S,
		T63.302A, T63.302D, T63.312A, T63.312D, T63.312S,
		T63.322A, T63.322D, T63.332A, T63.332D, T63.332S,
		T63.392A, T63.392D, T63.392S, T63.412A, T63.412D, T63.412S,
		T63.422A, T63.422D, T63.422S, T63.432A, T63.432D, T63.432S,
		T63.442A, T63.442D, T63.442S, T63.452A, T63.452D, T63.452S,
		T63.462A, T63.462D, T63.462S, T63.482A, T63.482D, T63.482S,
		T63.512A, T63.512D, T63.512S, T63.592A, T63.592D, T63.592S,
		T63.612A, T63.612D, T63.612S, T63.622A, T63.622D, T63.622S,
		T63.632A, T63.632D, T63.632S, T63.692A, T63.692D, T63.692S,
		T63.712A, T63.712D, T63.712S, T63.792A, T63.792D, T63.792S,
		T63.812A, T63.812D, T63.812S, T63.822A, T63.822D, T63.822S,
		T63.832A, T63.832D, T63.832S, T63.892A, T63.892D, T63.892S,
		T63.92XA, T63.92XD, T63.92XS, T64.02XA, T64.02XD, T64.02XS,
		T64.82XA, T64.82XD, T64.82XS, T65.0X2A, T65.0X2D, T65.0X2S,
		T65.1X2A, T65.1X2D, T65.1X2S, T65.212A, T65.212D, T65.212S,
		T65.222A, T65.222D, T65.222S, T65.292A, T65.292D, T65.292S,
		T65.3X2A, T65.3X2D, T65.3X2S, T65.4X2A, T65.4X2D, T65.4X2S,
		T65.5X2A, T65.5X2D, T65.5X2S, T65.6X2A, T65.6X2D, T65.6X2S,
		T65.812A, T65.812D, T65.812S, T65.822A, T65.822D, T65.822S,
		T65.832A, T65.832D, T65.832S, T65.892A, T65.892D, T65.892S,
		T65.92XA, T65.92XD, T65.92XS, T71.112A, T71.112D, T71.112S,
		T71.122A, T71.122D, T71.122S, T71.132A, T71.132D, T71.132S,
		T71.152A, T71.152D, T71.152S, T71.162A, T71.162D, T71.162S,
L	I.	1

T71.192A, T71.192D, T71.192S, T71.222A, T71.222D, T71.222S, T71.232A, T71.232D, T71.232S, **Intentional Self-Harm Diagnosis:** ICD10CM: T14.91XA, T14.91XD, T14.91XS, T36.0X2A, T36.0X2D, T36.0X2S, T36.1X2A, T36.1X2D, T36.1X2S, T36.2X2A, T36.2X2D, T36.2X2S, T36.3X2A, T36.3X2D, T36.3X2S, T36.4X2A, T36.4X2D, T36.4X2S, T36.5X2A, T36.5X2D, T36.5X2S, T36.6X2A, T36.6X2D, T36.6X2S, T36.7X2A, T36.7X2D, T36.7X2S, T36.8X2A, T36.8X2D, T36.8X2S, T36.92XA, T36.92XD, T36.92XS, T37.0X2A, T37.0X2D, T37.0X2S, T37.1X2A, T37.1X2D, T37.1X2S, T37.2X2A, T37.2X2D, T37.2X2S, T37.3X2A, T37.3X2D, T37.3X2S, T37.4X2A, T37.4X2D, T37.4X2S, T37.5X2A, T37.5X2D, T37.5X2S, T37.8X2A, T37.8X2D, T37.8X2S, T37.92XA, T37.92XD, T37.92XS, T38.0X2A, T38.0X2D, T38.0X2S, T38.1X2A, T38.1X2D, T38.1X2S, T38.2X2A, T38.2X2D, T38.2X2S, T38.3X2A, T38.3X2D, T38.3X2S, T38.4X2A, T38.4X2D, T38.4X2S, T38.5X2A, T38.5X2D, T38.5X2S, T38.6X2A, T38.6X2D, T38.6X2S, T38.7X2A, T38.7X2D, T38.7X2S, T38.802A, T38.802D, T38.802S, T38.812A, T38.812D, T38.812S, T38.892A, T38.892D, T38.892S, T38.902A, T38.902D, T38.902S, T38.992A, T38.992D, T38.992S, T39.012A, T39.012D, T39.012S, T39.092A, T39.092D, T39.092S, T39.1X2A, T39.1X2D, T39.1X2S, T39.2X2A, T39.2X2D, T39.2X2S, T39.312A, T39.312D, T39.312S, T39.392A, T39.392D, T39.392S. T39.4X2A, T39.4X2D, T39.4X2S, T39.8X2A, T39.8X2D, T39.8X2S, T39.92XA, T39.92XD, T39.92XS, T40.0X2A, T40.0X2D, T40.0X2S, T40.1X2A, T40.1X2D, T40.1X2S, T40.2X2A, T40.2X2D, T40.2X2S, T40.3X2A, T40.3X2D, T40.3X2S, T40.412A, T40.412D, T40.412S, T40.422A, T40.422D, T40.422S, T40.492A, T40.492D, T40.492S, T40.5X2A, T40.5X2D, T40.5X2S, T40.602A, T40.602D, T40.602S, T40.692A, T40.692D, T40.692S, T40.712A, T40.712D, T40.722A, T40.722D, T40.722S, T40.8X2A, T40.8X2D, T40.8X2S, T40.902A, T40.902D, T40.902S, T40.992A, T40.992D, T40.992S, T41.0X2A, T41.0X2D, T41.0X2S, T41.1X2A, T41.1X2D, T41.1X2S, T41.202A, T41.202D, T41.202S, T41.292A, T41.292D, T41.292S, T41.3X2A, T41.3X2D, T41.3X2S, T41.42XA, T41.42XD, T41.42XS, T41.5X2A, T41.5X2D, T41.5X2S, T42.0X2A, T42.0X2D, T42.0X2S, T42.1X2A, T42.1X2D, T42.1X2S, T42.2X2A, T42.2X2D, T42.2X2S, T42.3X2A, T42.3X2D, T42.3X2S, T42.4X2A, T42.4X2D, T42.4X2S, T42.5X2A, T42.5X2D, T42.5X2S, T42.6X2A, T42.6X2D, T42.6X2S, T42.72XA, T42.72XD, T42.72XS, T42.8X2A, T42.8X2D, T42.8X2S, T43.012A, T43.012D, T43.012S, T43.022A, T43.022D, T43.022S, T43.1X2A,

	T43.1X2D, T43.1X2S, T43.202A, T43.202D, T43.202S, T43.212A,
	T43.212D, T43.212S, T43.222A, T43.222D, T43.222S, T43.292A,
	T43.292D, T43.292S, T43.3X2A, T43.3X2D, T43.3X2S, T43.4X2A,
	T43.4X2D, T43.4X2S, T43.502A, T43.502D, T43.502S, T43.592A,
	T43.592D, T43.592S, T43.602A, T43.602D, T43.602S, T43.622A,
	T43.622D, T43.622S, T43.632A, T43.632D, T43.632S, T43.642A,
	T43.642D, T43.642S, T43.652A, T43.652D, T43.652S, T43.692A,
	T43.692D, T43.692S, T43.8X2A, T43.8X2D, T43.8X2S, T43.92XA,
	T43.92XD, T43.92XS, T44.0X2A, T44.0X2D, T44.0X2S, T44.1X2A,
	T44.1X2D, T44.1X2S, T44.2X2A, T44.2X2D, T44.2X2S, T44.3X2A,
	T44.3X2D, T44.3X2S, T44.4X2A, T44.4X2D, T44.4X2S, T44.5X2A,
	T44.5X2D, T44.5X2S, T44.6X2A, T44.6X2D, T44.6X2S, T44.7X2A,
	T44.7X2D, T44.7X2S, T44.8X2A, T44.8X2D, T44.8X2S, T44.902A,
	T44.902D, T44.902S, T44.992A, T44.992D, T44.992S, T45.0X2A,
	T45.0X2D, T45.0X2S, T45.1X2A, T45.1X2D, T45.1X2S, T45.2X2A,
	T45.2X2D, T45.2X2S, T45.3X2A, T45.3X2D, T45.3X2S, T45.4X2A,
	T45.4X2D, T45.4X2S, T45.512A, T45.512D, T45.512S, T45.522A,
	T45.522D, T45.522S, T45.602A, T45.602D, T45.602S, T45.612A,
	T45.612D, T45.612S, T45.622A, T45.622D, T45.622S, T45.692A,
	T45.692D, T45.692S, T45.7X2D, T45.7X2D, T45.7X2S, T45.8X2A,
	T45.8X2D, T45.8X2S, T45.92XA, T45.92XD, T45.92XS, T46.0X2A,
	T46.0X2D, T46.0X2S, T46.1X2A, T46.1X2D, T46.1X2S, T46.2X2A,
	T46.2X2D, T46.2X2S, T46.3X2A, T46.3X2D, T46.3X2S, T46.4X2A,
	T46.4X2D, T46.4X2S, T46.5X2A, T46.5X2D, T46.5X2S, T46.6X2A,
	T46.6X2D, T46.6X2S, T46.7X2A, T46.7X2D, T46.7X2S, T46.8X2A,
	T46.8X2D, T46.8X2S, T46.902A, T46.902D, T46.902S, T46.992A,
	T46.992D, T46.992S, T47.0X2A, T47.0X2D, T47.0X2S, T47.1X2A,
	T47.1X2D, T47.1X2S, T47.2X2A, T47.2X2D, T47.2X2S, T47.3X2A,
	T47.3X2D, T47.3X2S, T47.4X2A, T47.4X2D, T47.4X2S, T47.5X2A,
	T47.5X2D, T47.5X2S, T47.6X2A, T47.6X2D, T47.6X2S, T47.7X2A,
	T47.7X2D, T47.7X2S, T47.8X2A, T47.8X2D, T47.8X2S, T47.92XA,
	T47.92XD, T47.92XS, T48.0X2A, T48.0X2D, T48.0X2S, T48.1X2A,
	T48.1X2D, T48.1X2S, T48.202A, T48.202D, T48.202S, T48.292A,
	T48.292D, T48.292S, T48.3X2A, T48.3X2D, T48.3X2S, T48.4X2A,
	T48.4X2D, T48.4X2S, T48.5X2A, T48.5X2D, T48.5X2S, T48.6X2A,
	T48.6X2D, T48.6X2S, T48.902A, T48.902D, T48.902S, T48.992A,
	T48.992D, T48.992S, T49.0X2A, T49.0X2D, T49.0X2S, T49.1X2A,
	T49.1X2D, T49.1X2S, T49.2X2A, T49.2X2D, T49.2X2S, T49.3X2A,
	T49.3X2D, T49.3X2S, T49.4X2A, T49.4X2D, T49.4X2S, T49.5X2A,
	T49.5X2D, T49.5X2S, T49.6X2A, T49.6X2D, T49.6X2S, T49.7X2A,
	T49.7X2D, T49.7X2S, T49.8X2A, T49.8X2D, T49.8X2S, T49.92XA,
L	1 - 1311/125 1311/125 13310/125 13310/125 13310/125 13310/125

	T49.92XD, T49.92XS, T50.0X2A, T50.0X2D, T50.0X2S, T50.1X2A,
	T50.1X2D, T50.1X2S, T50.2X2A, T50.2X2D, T50.2X2S, T50.3X2A,
	T50.3X2D, T50.3X2S, T50.4X2A, T50.4X2D, T50.4X2S, T50.5X2A,
	T50.5X2D, T50.5X2S, T50.6X2A, T50.6X2D, T50.6X2S, T50.7X2A,
	T50.7X2D, T50.7X2S, T50.8X2A, T50.8X2D, T50.8X2S, T50.902A,
	T50.902D, T50.902S, T50.912A, T50.912D, T50.912S, T50.992A,
	T50.992D, T50.992S, T50.A12A, T50.A12D, T50.A12S, T50.A22A,
	T50.A22D, T50.A22S, T50.A92A, T50.A92D, T50.A92S, T50.B12A,
	T50.B12D, T50.B12S, T50.B92A, T50.B92D, T50.B92S, T50.Z12A,
	T50.Z12D, T50.Z12S, T50.Z92A, T50.Z92D, T50.Z92S, T51.0X2A, T51.0X2D,
	T51.0X2S, T51.1X2A, T51.1X2D, T51.1X2S, T51.2X2A, T51.2X2D,
	T51.2X2S, T51.3X2A, T51.3X2D, T51.3X2S, T51.8X2A, T51.8X2D,
	T51.8X2S, T51.92XA, T51.92XD, T51.92XS, T52.0X2A, T52.0X2D,
	T52.0X2S, T52.1X2A, T52.1X2D, T52.1X2S, T52.2X2A, T52.2X2D,
	T52.2X2S, T52.3X2A, T52.3X2D, T52.3X2S, T52.4X2A, T52.4X2D,
	T52.4X2S, T52.8X2A, T52.8X2D, T52.8X2S, T52.92XA, T52.92XD,
	T52.92XS, T53.0X2A, T53.0X2D, T53.0X2S, T53.1X2A, T53.1X2D,
	T53.1X2S, T53.2X2A, T53.2X2D, T53.2X2S, T53.3X2A, T53.3X2D,
	T53.3X2S, T53.4X2A, T53.4X2D, T53.4X2S, T53.5X2A, T53.5X2D,
	T53.5X2S, T53.6X2A, T53.6X2D, T53.6X2S, T53.7X2A, T53.7X2D,
	T53.7X2S, T53.92XA, T53.92XD, T53.92XS, T54.0X2A, T54.0X2D,
	T54.0X2S, T54.1X2A, T54.1X2D, T54.1X2S, T54.2X2A, T54.2X2D,
	T54.2X2S, T54.3X2A, T54.3X2D, T54.3X2S, T54.92XA, T54.92XD,
	T54.92XS, T55.0X2A, T55.0X2D, T55.0X2S, T55.1X2A, T55.1X2D,
	T55.1X2S, T56.0X2A, T56.0X2D, T56.0X2S, T56.1X2A, T56.1X2D,
	T56.1X2S, T56.2X2A, T56.2X2D, T56.2X2S, T56.3X2A, T56.3X2D,
	T56.3X2S, T56.4X2A, T56.4X2D, T56.4X2S, T56.5X2A, T56.5X2D,
	T56.5X2S, T56.6X2A, T56.6X2D, T56.6X2S, T56.7X2A, T56.7X2D,
	T56.7X2S, T56.812A, T56.812D, T56.812S, T56.892A, T56.892D, T56.892S,
	T56.92XA, T56.92XD, T56.92XS, T57.0X2A, T57.0X2D, T57.0X2S,
	T57.1X2A, T57.1X2D, T57.1X2S, T57.2X2A, T57.2X2D, T57.2X2S,
	T57.3X2A, T57.3X2D, T57.3X2S, T57.8X2A, T57.8X2D, T57.8X2S,
	T57.92XA, T57.92XD, T57.92XS, T58.02XA, T58.02XD, T58.02XS,
	T58.12XA, T58.12XD, T58.12XS, T58.2X2A, T58.2X2D, T58.2X2S,
	T58.8X2A, T58.8X2D, T58.8X2S, T58.92XA, T58.92XD, T58.92XS,
	T59.0X2A, T59.0X2D, T59.0X2S, T59.1X2A, T59.1X2D, T59.1X2S,
	T59.2X2A, T59.2X2D, T59.2X2S, T59.3X2A, T59.3X2D, T59.3X2S,
	T59.4X2A, T59.4X2D, T59.4X2S, T59.5X2A, T59.5X2D, T59.5X2S,
	T59.6X2A, T59.6X2D, T59.6X2S, T59.7X2A, T59.7X2D, T59.7X2S,
	T59.812A, T59.812D, T59.812S, T59.892A, T59.892D, T59.892S,
	T59.92XA, T59.92XD, T59.92XS, T60.0X2A, T60.0X2D, T60.0X2S,
	ן אסטטער, וסטטער, ו

<u></u>	
	T60.1X2A, T60.1X2D, T60.1X2S, T60.2X2A, T60.2X2D, T60.2X2S,
	T60.3X2A, T60.3X2D, T60.3X2S, T60.4X2A, T60.4X2D, T60.4X2S,
	T60.8X2A, T60.8X2D, T60.8X2S, T60.92XA, T60.92XD, T60.92XS,
	T61.02XA, T61.02XD, T61.02XS, T61.12XA, T61.12XD, T61.12XS,
	T61.772A, T61.772D, T61.772S, T61.782A, T61.782D, T61.782S,
	T61.8X2A, T61.8X2D, T61.8X2S, T61.92XA, T61.92XD, T61.92XS,
	T62.0X2A, T62.0X2D, T62.0X2S, T62.1X2A, T62.1X2D, T62.1X2S,
	T62.2X2A, T62.2X2D, T62.2X2S, T62.8X2A, T62.8X2D, T62.8X2S,
	T62.92XA, T62.92XD, T62.92XS, T63.002A, T63.002D, T63.002S,
	T63.012A, T63.012D, T63.012S, T63.022A, T63.022D, T63.022S,
	T63.032A, T63.032D, T63.032S, T63.042A, T63.042D, T63.042S,
	T63.062A, T63.062D, T63.062S, T63.072A, T63.072D, T63.072S,
	T63.082A, T63.082D, T63.082S, T63.092A, T63.092D, T63.092S,
	T63.112A, T63.112D, T63.112S, T63.122A, T63.122D, T63.122S,
	T63.192A, T63.192D, T63.192S, T63.2X2A, T63.2X2D, T63.2X2S,
	T63.302A, T63.302D, T63.302S, T63.312A, T63.312D, T63.312S,
	T63.322A, T63.322D, T63.322S, T63.332A, T63.332D, T63.332S,
	T63.392A, T63.392D, T63.392S, T63.412A, T63.412D, T63.412S,
	T63.422A, T63.422D, T63.422S, T63.432A, T63.432D, T63.432S,
	T63.442A, T63.442D, T63.442S, T63.452A, T63.452D, T63.452S,
	T63.462A, T63.462D, T63.462S, T63.482A, T63.482D, T63.482S,
	T63.512A, T63.512D, T63.512S, T63.592A, T63.592D, T63.592S,
	T63.612A, T63.612D, T63.612S, T63.622A, T63.622D, T63.622S,
	T63.632A, T63.632D, T63.632S, T63.692A, T63.692D, T63.692S,
	T63.712A, T63.712D, T63.712S, T63.792A, T63.792D, T63.792S,
	T63.812A, T63.812D, T63.812S, T63.822A, T63.822D, T63.822S,
	T63.832A, T63.832D, T63.832S, T63.892A, T63.892D, T63.892S,
	T63.92XA, T63.92XD, T63.92XS, T64.02XA, T64.02XD, T64.02XS,
	T64.82XA, T64.82XD, T64.82XS, T65.0X2A, T65.0X2D, T65.0X2S,
	T65.1X2A, T65.1X2D, T65.1X2S, T65.212A, T65.212D, T65.212S,
	T65.222A, T65.222D, T65.222S, T65.292A, T65.292D, T65.292S,
	T65.3X2A, T65.3X2D, T65.3X2S, T65.4X2A, T65.4X2D, T65.4X2S, T65.5X2A, T65.5X2D, T65.5X2S, T65.6X2A, T65.6X2D, T65.6X2S,
	T65.812A, T65.812D, T65.812S, T65.822A, T65.822D, T65.822S,
	T65.832A, T65.832D, T65.832S, T65.892A, T65.892D, T65.892S,
	T65.92XA, T65.92XD, T65.92XS, T71.112A, T71.112D, T71.112S,
	T71.122A, T71.122D, T71.122S, T71.132A, T71.132D, T71.132S,
	T71.152A, T71.152D, T71.152S, T71.162A, T71.162D, T71.162S,
	T71.192A, T71.192D, T71.192S, T71.222A, T71.222D, T71.222S,
	T71.232A, T71.232D, T71.232S

			Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Follow-Up After Emergency Department Visit for Substance Use (FUA)	The percentage of emergency department (ED) visits for members 13 years of age and older with a principal diagnosis of substance use disorder (SUD), or any diagnosis of drug overdose, for which there was follow up. Two rates are reported: 1. The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days). 2. The percentage of ED visits for which the member received follow up within 7 days of the ED visit (8 total days).	A follow-up visit or a pharmacotherapy dispensing event within 30 days after the ED visit (31 total days). Includes visits that occur on the date of the ED visit. A follow-up visit or pharmacotherapy dispensing event within 7 days after the ED visit (8 total days). Include visits that occur on the date of the ED visit. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY.	Visit Setting Unspecified: (With Outpatient POS and with a Principal Diagnosis of AOD Abuse and Dependence, Substance Induced Disorders or Unintentional Drug Overdose, or with Mental Health Provider) (With Partial Hospitalization POS and with a Principal Diagnosis of AOD Abuse and Dependence, Substance Induced Disorders or Unintentional Drug Overdose, or with Mental Health Provider) (With Non-residential Substance Abuse Treatment Facility POS and with any Diagnosis of AOD Abuse and Dependence, Substance Induced Disorders or Unintentional Drug Overdose, or with Mental Health Provider) (With Community Mental Health Center POS, and with Any Diagnosis of AOD Abuse and Dependence, Substance Induced Disorders or Unintentional Drug Overdose, or with a Mental Health Provider) (With Telehealth POS, and with Any Diagnosis of AOD Abuse and Dependence, Substance Induced Disorders or Unintentional Drug Overdose, or with Mental Health Provider): CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255 BH Outpatient: (With Any Diagnosis of AOD Abuse and Dependence, Substance Induced Disorders or Unintentional Drug Overdose, or with a Mental Health Provider) CPT: 98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99214, 99214, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99387, 99384, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510 HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011,

UBREV: 0510, 0513, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0900, 0902, 0903, 0904, 0911, 0914, 0915, 0916, 0917, 0919, 0982, 0983

Partial Hospitalization or Intensive Outpatient Visit:

(With Any Diagnosis of AOD Abuse and Dependence, Substance Induced Disorders or Unintentional Drug Overdose, or with a Mental Health Provider)

HCPCS: G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484, S9485

UBREV: 0905, 0907, 0912, 0913

Peer Support Service:

(With Any Diagnosis of AOD Abuse and Dependence, Substance Induced Disorders or Unintentional Drug Overdose):

HCPCS: G0177, H0024, H0025, H0038, H0039, H0040, H0046, H2014, H2023, S9445, T1012, T1016

OUD Weekly Non-Drug Service:

(With Any Diagnosis of AOD Abuse and Dependence, Substance Induced Disorders or Unintentional Drug Overdose):

HCPCS: G2071, G2074, G2075, G2076, G2077, G2080

OUD Monthly Office-Based Treatment:

(With Any Diagnosis of AOD Abuse and Dependence, Substance Induced Disorders or Unintentional Drug Overdose, or with a Mental Health Provider):

HCPCS: G2086, G2087

Telephone Visits:

(With Any Diagnosis of AOD Abuse and Dependence, Substance Induced Disorders or Unintentional Drug Overdose, or with Mental Health Provider):

CPT: 98966, 98967, 98968, 99441, 99442, 99443

Online Assessments:

(With Any Diagnosis of AOD Abuse and Dependence, Substance Induced Disorders or Unintentional Drug Overdose, or with Mental Health Provider):

CPT: 98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457,

99458

HCPCS: G0071, G2010, G2012, G2250, G2251, G2252

Substance Abuse Counseling and Surveillance:

ICD10CM: Z71.41, Z71.51

Substance Use Disorder Services:

CPT: 99408, 99409

HCPCS: G0396, G0397, G0443, H0001, H0005, H0007, H0015, H0016,

H0022, H0047, H0050, H2035, H2036, T1006, T1012

UBREV: 0906, 0944, 0945

Behavioral Health Assessment:

CPT: 99408, 99409

HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049

Substance Use Services: HCPCS: H0006, H0028

Pharmacotherapy-Dispensing Event:

Alcohol Use Disorder Treatment Medications:

Aldehyde dehydrogenase inhibitor: Disulfiram (oral)

Antagonist: Naltrexone (oral and injectable)

Other: Acamprosate (oral and delayed-release tablet)

Opioid Use Disorder Treatment Medications: Antagonist: Naltrexone (oral and injectable)

Partial agonist: Buprenorphine (sublingual tablet, injection, implant), Buprenorphine/naloxone (sublingual tablet, buccal film, sublingual film)

AOD Medication Treatment:

HCPCS: H0020, H0033, J0570, J0571, J0572, J0573, J0574, J0575, J2315,

Q9991, Q9992, S0109

OUD Weekly Drug Treatment Service:

HCPCS: G2067, G2068, G2069, G2070, G2072, G2073

 $\textbf{Outpatient POS:}\ 03,05,07,09,11,12,13,14,15,16,17,18,19,20,22,$

33, 49, 50, 71, 72

Non-Residential Substance Abuse POS: 57, 58

Community Mental Health POS: 53

Telehealth POS: 02, 10

AOD Abuse and Dependence Diagnosis:

ICD10CM: F10.10, F10.120, F10.121, F10.129, F10.130, F10.131, F10.132, F10.139, F10.14, F10.150, F10.151, F10.159, F10.180, F10.181, F10.182, F10.188, F10.19, F10.20, F10.220, F10.221, F10.229, F10.230, F10.231, F10.232, F10.239, F10.24, F10.250, F10.251, F10.259, F10.26, F10.27, F10.280, F10.281, F10.282, F10.288, F10.29, F11.10, F11.120, F11.121, F11.122, F11.129, F11.13, F11.14, F11.150, F11.151, F11.159, F11.181, F11.182, F11.188, F11.19, F11.20, F11.220, F11.221, F11.222, F11.229, F11.23, F11.24, F11.250, F11.251, F11.259, F11.281, F11.282, F11.288, F11.29, F12.10, F12.120, F12.121, F12.122, F12.129, F12.13, F12.150, F12.151, F12.159, F12.180, F12.188, F12.19, F12.20, F12.220, F12.221, F12.222, F12.229, F12.23, F12.250, F12.251, F12.259, F12.280, F12.288, F12.29, F13.10, F13.120, F13.121, F13.129, F13.130, F13.131, F13.132, F13.139, F13.14, F13.150, F13.151, F13.159, F13.180, F13.181, F13.182, F13.188, F13.19, F13.20, F13.220, F13.221, F13.229, F13.230, F13.231, F13.232, F13.239, F13.24, F13.250, F13.251, F13.259, F13.26, F13.27, F13.280, F13.281, F13.282, F13.288, F13.29, F14.10, F14.120, F14.121, F14.122, F14.129, F14.13, F14.14, F14.150, F14.151, F14.159, F14.180, F14.181. F14.182. F14.188. F14.19. F14.20. F14.220. F14.221. F14.222. F14.229, F14.23, F14.24, F14.250, F14.251, F14.259, F14.280, F14.281, F14.282, F14.288, F14.29, F15.10, F15.120, F15.121, F15.122, F15.129, F15.13. F15.14. F15.150. F15.151. F15.159. F15.180. F15.181. F15.182. F15.188, F15.19, F15.20, F15.220, F15.221, F15.222, F15.229, F15.23, F15.24, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.29, F16.10, F16.120, F16.121, F16.122, F16.129, F16.14, F16.150, F16.151, F16.159, F16.180, F16.183, F16.188, F16.19, F16.20, F16.220, F16.221, F16.229, F16.24, F16.250, F16.251, F16.259, F16.280, F16.283, F16.288, F16.29, F18.10, F18.120, F18.121, F18.129, F18.14, F18.150, F18.151, F18.159, F18.17, F18.180, F18.188, F18.19, F18.20, F18.220, F18.221, F18.229, F18.24, F18.250, F18.251, F18.259, F18.27, F18.280, F18.288, F18.29, F19.10, F19.120, F19.121, F19.122, F19.129, F19.130, F19.131, F19.132, F19.139, F19.14, F19.150, F19.151, F19.159, F19.16, F19.17, F19.180, F19.181, F19.182, F19.188, F19.19, F19.20, F19.220, F19.221, F19.222, F19.229, F19.230, F19.231, F19.232, F19.239, F19.24, F19.250, F19.251, F19.259, F19.26, F19.27, F19.280, F19.281, F19.282, F19.288, F19.29

Substance Induced Disorders:

ICD10CM: F10.90, F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922, F11.929, F11.93, F11.94, F11.950, F11.951, F11.959, F11.981, F11.982, F11.988, F11.99, F12.90, F12.920, F12.921, F12.922, F12.929, F12.93, F12.950, F12.951, F12.959, F12.980, F12.988, F12.99, F13.90, F13.920, F13.921, F13.929, F13.930, F13.931, F13.932, F13.939, F13.94, F13.950, F13.951, F13.959, F13.96, F13.97, F13.980, F13.981, F13.982, F13.988, F13.99, F14.90, F14.920, F14.921, F14.922, F14.929, F14.93, F14.94, F14.950, F14.951, F14.959, F14.980, F14.981, F14.982, F14.988, F14.99, F15.90, F15.920, F15.921, F15.922, F15.929, F15.93, F15.94, F15.950, F15.951, F15.959, F15.980, F15.981, F15.982, F15.988, F15.99, F16.90, F16.920, F16.921, F16.929, F16.94, F16.950, F16.951, F16.959, F16.980, F16.983, F16.988, F16.99, F18.90, F18.920, F18.921, F18.929, F18.94, F18.950, F18.951, F18.959, F18.97, F18.980, F18.988, F18.99, F19.90, F19.920, F19.921, F19.922, F19.929, F19.930, F19.931, F19.932, F19.939, F19.94, F19.950, F19.951, F19.959, F19.96, F19.97, F19.980, F19.981, F19.982, F19.988, F19.99

Unintentional Drug Overdose:

ICD10CM: T40.0X1A, T40.0X1D, T40.0X1S, T40.0X4A, T40.0X4D, T40.0X4S. T40.1X1A. T40.1X1D. T40.1X1S. T40.1X4A. T40.1X4D. T40.1X4S, T40.2X1A, T40.2X1D, T40.2X1S, T40.2X4A, T40.2X4D, T40.2X4S, T40.3X1A, T40.3X1D, T40.3X1S, T40.3X4A, T40.3X4D, T40.3X4S, T40.411A, T40.411D, T40.411S, T40.414A, T40.414D, T40.414S. T40.421A, T40.421D, T40.421S, T40.424A, T40.424D, T40.424S, T40.491A, T40.491D, T40.491S, T40.494A, T40.494D, T40.494S, T40.5X1A, T40.5X1D, T40.5X1S, T40.5X4A, T40.5X4D, T40.5X4S, T40.601A, T40.601D, T40.601S, T40.604A, T40.604D, T40.604S, T40.691A, T40.691D, T40.691S, T40.694A, T40.694D, T40.694S, T40.711A, T40.711D, T40.711S, T40.714A, T40.714D, T40.721A, T40.721S, T40.724A, T40.724D, T40.724S, T40.8X1A, T40.8X1D, T40.8X1S, T40.8X4A, T40.8X4D, T40.8X4S, T40.901A, T40.901D, T40.901S, T40.904A, T40.904D, T40.904S, T40.991A, T40.991D, T40.991S, T40.994A, T40.994D, T40.994S, T41.0X1A, T41.0X1D, T41.0X1S, T41.0X4A, T41.0X4D, T41.0X4S, T41.1X1A, T41.1X1D, T41.1X1S, T41.1X4A, T41.1X4D, T41.1X4S, T41.201A, T41.201D, T41.201S, T41.204A, T41.204D, T41.204S, T41.291A, T41.291D, T41.291S, T41.294A, T41.294D, T41.294S, T41.3X1A, T41.3X1D, T41.3X1S, T41.3X4A. T41.3X4D. T41.3X4S. T41.41XA. T41.41XD. T41.41XS.

			T41.44XA, T41.44XD, T41.44XS, T41.5X1A, T41.5X1D, T41.5X1S, T41.5X4A, T41.5X4D, T41.5X4S, T42.3X1A, T42.3X1D, T42.3X1S, T42.3X4A, T42.3X4D, T42.3X4S, T42.4X1A, T42.4X1D, T42.4X1S, T42.4X4A, T42.4X4D, T42.4X4S, T43.601A, T43.601D, T43.601S, T43.604A, T43.604D, T43.604S, T43.621A, T43.621D, T43.621S, T43.624A, T43.624D, T43.624S, T43.631A, T43.631D, T43.631S, T43.634A, T43.634D, T43.634S, T43.641D, T43.641S, T43.644A, T43.644D, T43.644S, T43.651A, T43.651D, T53.651S, T43.654A, T43.654D, T43.654S, T43.691A, T43.691D, T43.691S, T43.694A, T43.694D, T43.694S, T51.0X1A, T51.0X1D, T51.0X1S, T51.0X4A, T51.0X4D, T51.0X4S
			Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Follow-Up After High- Intensity Care for Substance Use Disorder (FUI)	Members 13 years of age or older who had an acute inpatient hospitalization, residential treatment or detoxification visit for a diagnosis of substance use disorder that resulted in a follow-up visit or service for substance use disorder.	The percentage of acute inpatient hospitalizations, residential treatment, or withdrawal management visits for a diagnosis of substance use disorder among members 13 years of age and older that result in a follow-up visit or service for substance use disorder: 7-Day Follow-Up: A follow-up visit or event with any practitioner for a principal diagnosis of substance use disorder within the 7 days after an episode for substance use disorder. 30-Day Follow-Up: A follow-up visit or event with any practitioner for a principal diagnosis of substance use disorder within the 30 days after an episode for substance use disorder. Note:	Visit Setting Unspecified: (with Outpatient POS and with a Principal Diagnosis of AOD Abuse and Dependence): (with BH Outpatient Visit and with a Principal Diagnosis of AOD Abuse and Dependence): (with Partial Hospitalization POS and with a Principal Diagnosis of AOD Abuse and Dependence): (with Non-Residential Substance Abuse Treatment Facility POS and with a Principal Diagnosis of AOD Abuse and Dependence): (with Community Mental Health Center POS and with a Principal Diagnosis of AOD Abuse and Dependence): (with Telehealth POS and with a Principal Diagnosis of AOD Abuse and Dependence): CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255 BH Outpatient: (with Principal Diagnosis of AOD Abuse and Dependence): CPT: 98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382,

 Methadone is not included in the medication lists for the measure.

Follow-up does not include withdrawal management.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

- In hospice or using hospice services any time in the MY.
- Deceased at any time in the MY.

99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510

HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, T1015 **UBREV**: 0510, 0513, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0900, 0902, 0903, 0904, 0911, 0914, 0915, 0916, 0917, 0919, 0982, 0983

Partial Hospitalization or Intensive Outpatient Visit:

(with a Principal Diagnosis of AOD Abuse and Dependence):

 $\textbf{HCPCS:}\ G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484,$

S9485

UBREV: 0905, 0907, 0912, 0913

Substance Use Disorder Services:

(with a Principal Diagnosis of AOD Abuse and Dependence):

CPT: 99408, 99409

HCPCS: G0396, G0397, G0443, H0001, H0005, H0007, H0015, H0016,

H0022, H0047, H0050, H2035, H2036, T1006, T1002

UBREV: 0906, 0944, 0945

Substance Abuse Counseling and Surveillance:

ICD10CM: Z71.41, Z71.51

Residential Behavioral Health Treatment:

(with a Principal Diagnosis of AOD Abuse and Dependence):

HCPCS: H0017, H0018, H0019, T2048

Telephone Visit (with a Principal Diagnosis of AOD Abuse and Dependence):

CPT: 98966, 98967, 98968, 99441, 99442, 99443

Online Assessments:

(with a Principal Diagnosis of AOD Abuse and Dependence):

 $\textbf{CPT:}\ 98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457,$

99458

HCPCS: G0071, G2010, G2012, G2250, G2251, G2252

OUD Monthly Office-Based Treatment: (with a Principal Diagnosis of AOD Abuse and Dependence): HCPCS: G2086, G2087 **OUD Weekly Non-Drug Service:** (with a Principal Diagnosis of AOD Abuse and Dependence): HCPCS: G2071, G2074, G2075, G2076, G2077, G2080 **Pharmacotherapy-Dispensing Event: Alcohol Use Disorder Treatment Medications:** Aldehyde dehydrogenase inhibitor: Disulfiram (oral) **Antagonist:** Naltrexone (oral and injectable) Other: Acamprosate (oral and delayed-release tablet) **Opioid Use Disorder Treatment Medications: Antagonist:** Naltrexone (oral and injectable) Partial agonist: Buprenorphine (sublingual tablet, injection, implant), Buprenorphine/naloxone (sublingual tablet, buccal film, sublingual film) **AOD Medication Treatment: HCPCS:** H0020, H0033, J0570, J0571, J0572, J0573, J0574, J0575, J2315, Q9991, Q9992, S0109 **OUD Weekly Drug Treatment Service: HCPCS**: G2067, G2068, G2069, G2070, G2072, G2073 Outpatient POS: 03, 05, 07, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 33, 49, 50, 71, 72 Non-Residential Substance Abuse POS: 57, 58 **Community Mental Health POS: 53** Telehealth POS: 02 **AOD Abuse and Dependence Diagnosis:** ICD10CM: F10.10, F10.120, F10.121, F10.129, F10.130, F10.131, F10.132, F10.139, F10.14, F10.150, F10.151, F10.159, F10.180, F10.181, F10.182, F10.188, F10.19, F10.20, F10.220, F10.221, F10.229, F10.230, F10.231, F10.232, F10.239, F10.24, F10.250, F10.251, F10.259, F10.26, F10.27, F10.280, F10.281, F10.282, F10.288, F10.29, F11.10, F11.120, F11.121,

Measure Pharmacotherapy for	Measure Description The percentage of new	Measure Information/Documentation Required Intake period: 12-month period that begins	information. Coding Members are identified through administrative and pharmacy claims.
			F15.29, F16.10, F16.120, F16.121, F16.122, F16.129, F16.14, F16.150, F16.151, F16.159, F16.180, F16.183, F16.188, F16.19, F16.20, F16.220, F16.221, F16.229, F16.24, F16.250, F16.251, F16.259, F16.280, F16.283, F16.288, F16.29, F18.10, F18.120, F18.121, F18.129, F18.14, F18.150, F18.151, F18.159, F18.17, F18.180, F18.188, F18.19, F18.20, F18.220, F18.221, F18.229, F18.24, F18.250, F18.251, F18.259, F18.27, F18.280, F18.288, F18.29, F19.10, F19.120, F19.121, F19.122, F19.129, F19.130, F19.131, F19.132, F19.139, F19.14, F19.150, F19.151, F19.159, F19.16, F19.17, F19.180, F19.181, F19.182, F19.188, F19.19, F19.20, F19.220, F19.221, F19.222, F19.229, F19.230, F19.231, F19.232, F19.239, F19.24, F19.250, F19.251, F19.259, F19.26, F19.27, F19.280, F19.281, F19.282, F19.288, F19.29 Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more
			F11.122, F11.129, F11.13, F11.14, F11.150, F11.151, F11.159, F11.181, F11.182, F11.188, F11.19, F11.20, F11.220, F11.221, F11.222, F11.229, F11.23, F11.24, F11.250, F11.251, F11.259, F11.281, F11.282, F11.288, F11.29, F12.10, F12.120, F12.121, F12.122, F12.129, F12.13, F12.150, F12.151, F12.159, F12.180, F12.188, F12.19, F12.20, F12.20, F12.221, F12.222, F12.229, F12.23, F12.250, F12.251, F12.259, F12.280, F12.288, F12.29, F13.10, F13.120, F13.121, F13.129, F13.130, F13.131, F13.132, F13.139, F13.14, F13.150, F13.151, F13.159, F13.180, F13.181, F13.182, F13.188, F13.19, F13.20, F13.220, F13.221, F13.229, F13.230, F13.231, F13.232, F13.239, F13.24, F13.250, F13.251, F13.259, F13.26, F13.27, F13.280, F13.281, F13.282, F13.288, F13.29, F14.10, F14.120, F14.121, F14.122, F14.129, F14.13, F14.14, F14.150, F14.151, F14.159, F14.180, F14.181, F14.182, F14.188, F14.19, F14.20, F14.220, F14.221, F14.222, F14.229, F14.23, F14.24, F14.250, F14.251, F14.259, F14.280, F14.281, F15.14, F15.150, F15.151, F15.159, F15.120, F15.121, F15.122, F15.129, F15.13, F15.14, F15.150, F15.251, F15.250, F15.222, F15.229, F15.23, F15.24, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.284, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.284, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.24, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.24, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.24, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.284, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.24, F15.251, F15.259, F15.280, F15.281, F15.282, F15.288, F15.281, F15.282, F15.282, F15.281, F15.282, F15.282, F15.281, F15.282, F15.281,

events with OUD pharmacotherapy for 180 or more days among members age 16 and older with a diagnosis of OUD.

The Treatment Period (TP) is the date of an OUD dispensing event or OUD medication administration event during the IP. No more than an 8-day gap is allowed during the TP.

Note:

 Methadone is not included in the medication lists for the measure.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

- In hospice or using hospice services any time in the MY.
- Deceased at any time in the MY.

ICD10CM: F11.10, F11.120, F11.121, F11.122, F11.129, F11.13, F11.14, F11.150, F11.151, F11.159, F11.181, F11.182, F11.188, F11.19, F11.20, F11.220, F11.221, F11.222, F11.229, F11.23, F11.24, F11.250, F11.251, F11.259, F11.281, F11.282, F11.288, F11.29

Opioid Use Disorder Treatment Medications:

Antagonist: Naltrexone (oral)
Antagonist: Naltrexone (injectable)

Partial agonist: Buprenorphine (sublingual tablet), Buprenorphine (injection), Buprenorphine (implant), Buprenorphine/naloxone

(sublingual tablet, buccal film, sublingual film)

Agonist: Methadone (oral) is only acceptable when billed on a medical claim. A pharmacy claim would be indicative of treatment for pain rather than OUD.

Buprenorphine Implant:

HCPCS: G2070, G2072, J0570

Buprenorphine Injection: HCPCS: G2069, Q9991, Q9992

Buprenorphine Naloxone:

HCPCS: J0572, J0573, J0574, J0575

Buprenorphine Oral: HCPCS: H0033, J0571

Buprenorphine Oral Weekly:

HCPCS: G2068, G2079

Methadone Oral: HCPCS: H0020, S0109

Methadone Oral Weekly: HCPCS: G2067, G2078

Naltrexone Injection: HCPCS: G2073, J2315

EFFECTIVENESS OF CARE: Measure	CARE COORDINATION Measure Description	Measure Information/Documentation Required	Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information. Coding
Advance Care Planning (ACP) 1st Year Measure (MY2022)	Adults 66 – 80 years of age with advanced illness, frailty, or receiving palliative care, and adults 81 years of age or older, who had advance care planning during the MY.	Advance Care Plan or discussion of Advance Care Planning documented in the medical record on or before 12/31 of the MY. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services in the MY. Deceased at any time in the MY.	CPT: 99483, 99497 CPT-CAT-II: 1123F, 1124F, 1157F, 1158F HCPCS: S0257 ICD10CM: Z66
Measure	Measure Description	Measure Information/Documentation Required	Coding
Transition of Care (TRC)	Members 18 years of age and older who had an inpatient discharge for which each of the following occurred: 1. Notification of Inpatient Admission. 2. Receipt of Discharge Information. 3. Patient Engagement After Inpatient Discharge. 4. Medication Reconciliation Post-	Notification of Inpatient Admission (NIA): Documentation must include evidence of receipt of notification of inpatient admission on the day of admission through the 2 days following admission. Admission refers to the date of inpatient admission or date of admission for an observation stay that turns into an inpatient admission. Documentation must include evidence of receipt of notification of inpatient admission that includes evidence of the date when the documentation was received. Any of the following examples meet criteria: Communication between inpatient providers or staff and the member's PCP	99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458, 99483 HCPCS: G0071, G0402, G0438, G0439, G0463, G2010, G2012, G2250, G2251, G2252, T1015 Transitional Care Management Services: CPT: 99495, 99496
	Discharge. Each qualifying discharge in the MY is measured.	 or ongoing care provider (e.g., phone call, email, fax). Communication about admission between emergency department and 	Online Assessments: CPT: 98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458 HCPCS: G0071, G2010, G2012, G2250, G2251, G2252

the member's PCP or ongoing care provider (e.g., phone call, email, fax).

- Communication about admission to the member's PCP or ongoing care provider through a health information exchange; an automated admission, discharge, and transfer (ADT) alert system; or a shared electronic medical record system.
- Communication about admission to the member's PCP or ongoing care provider from the member's health plan.
- Indication that the member's PCP or ongoing care provider admitted the member to the hospital.
- Indication that a specialist admitted the member to the hospital and notified the member's PCP or ongoing care provider.
- Indication that the PCP or ongoing care provider placed orders for tests and treatments any time during the member's inpatient stay.
- Documentation that the PCP or ongoing care provider performed a preadmission exam or received communication about a planned inpatient admission. The time frame that the planned inpatient admission must be communicated is not limited to the day of admission or the 2 days following; documentation that the PCP or ongoing care provider performed a preadmission exam or received notification of a planned admission prior to the admit date also meets criteria. The planned admission documentation or preadmission exam must clearly pertain to the admission.

Receipt of Discharge Information (RDI):
Documentation must include evidence of receipt of discharge information on the day

Medication Reconciliation Post-Discharge Indicator:

Medication Reconciliation Encounter:

CPT: 99483, 99495, 99496

Medication Reconciliation Intervention:

CPT-CAT-II: 1111F

The Notification of Inpatient Admission and Receipt of Discharge Information has no administrative reporting option. They are based on medical record review only.

Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

of discharge through the 2 days following discharge.

Discharge information may be included in, but not limited to, a discharge summary or summary of care record or be located in structured fields in an Electronic Health Record (EHR). At a minimum, the discharge information must include all of the following:

- The practitioner responsible for the member's care during the inpatient stay.
- Procedures or treatment provided.
- Diagnoses at discharge.
- Current medication list.
- Testing results, or documentation of pending tests or no tests pending.
- Instructions for patient care postdischarge.

Patient Engagement After Inpatient Discharge (PE):

Documentation must include evidence of patient engagement within 30 days following discharge. Any of the following meets criteria:

- An outpatient visit, including office visits and home visits.
- A telephone visit.
- A synchronous telehealth visit where real-time interaction occurred between the member and provider via telephone or video conferencing. Do not include patient engagement that occurs on the date of discharge.
- An e-visit or virtual check-in.

Medication Reconciliation Post-Discharge (Med Rec):

Documentation in the outpatient medical record must include evidence of medication

reconciliation and the date it was performed by a prescribing practitioner (including physician assistant), clinical pharmacist, or registered nurse, as documented on the date of discharge through 30 days after discharge (31 total days). Any of the following meet criteria:

Documentation of the current medications with a notation that the provider reconciled the current and discharge medications.

- Documentation of the current medications with a notation that references the discharge medications (e.g., no changes in medications since discharge, same medications at discharge, discontinue all discharge medications).
- Documentation of the member's current medications with a notation that the discharge medications were reviewed.
- Documentation of a current medication list, a discharge medication list, and notation that both lists were reviewed on the same date of service.
- Documentation of the current medications with evidence that the member was seen for post-discharge hospital follow-up with evidence of medication reconciliation or review.
- Documentation in the discharge summary that the discharge medications were reconciled with the most recent medication list in the outpatient medical record. There must be evidence that the discharge summary was filed in the outpatient chart on the date of discharge through 30 days after discharge (31 total days).

- Notation that no medications were prescribed or ordered upon discharge.
- Only documentation in the outpatient chart meets the intent of the rate, but an outpatient visit is not required, and the member does not have to be present.

The following notations or examples of documentation do not count as numerator compliant for Notification of Inpatient Admission and Notification of Inpatient Discharge:

 Documentation that the member or the member's family notified the member's PCP or ongoing care provider of the admission or discharge.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

- In hospice or using hospice services any time in the MY.
- Deceased at any time in the MY.
- Remained in an acute or nonacute facility from discharge through 12/1 of the MY.

Common Chart Deficiencies:

- Inpatient records cannot be used for TRC.
- NIA: Documentation that a provider sent the member to the ED does not meet criteria.
- NIA: Documentation that the member or the member's family member notified the PCP or ongoing care provider of the admission does not meet criteria.
- NIA: Documentation of notification that does not include a time frame or date

		when the documentation was received does not meet criteria. NIA: Documentation that communication was sent to the PCP does not meet criteria — documentation of receipt is required. RDI: Discharge Summary not included in outpatient record or missing one or more of the 6 required elements. RDI: Documentation on Discharge Summary that communication was sent to the PCP does not meet criteria — documentation of receipt is required. PE: Patient engagement that occurs on the date of discharge, or more than 30 days after discharge, does not meet criteria. Med Rec: Completed by incorrect provider type. Med Rec: Documentation of current medications reviewed without reference to the hospitalization. Med Rec: Medication list found in both the discharge summary and outpatient record but no evidence the two were reconciled.	
B4a aassaa	Manage Paradiation	Manager Information / Danier autation	Coding
Measure	Measure Description	Measure Information/Documentation Required	Coding
Follow-Up After	Members 18 years and	The MP is 1/1 through 12/24.	COPD Diagnosis:
Emergency Department Visit for People With	older who have multiple high-risk chronic	ED visits that result in an inpatient stay or	ICD10CM: J41.0, J41.1, J41.8, J42, J43.0, J43.1, J43.2, J43.8, J43.9, J44.0, J44.1, J44.9, J47.0, J47.1, J47.9
Multiple High-Risk	conditions who had a	that are followed by admission to acute or	J++.1, J++.3, J+1.0, J+1.1, J+1.3
Chronic Conditions (FMC)	follow-up service within	nonacute inpatient care within 7 days are	Asthma Diagnosis:
	7 days of the ED visit.	excluded.	ICD10CM: J45.21, J45.22, J45.31, J45.32, J45.41, J45.42, J45.51, J45.52, J45.901, J45.902, J45.990, J45.991, J45.998
	Each qualifying ED in the	Chronic conditions include:	
	Measurement Period (MP) is measured.	COPD and asthma.	Domontics
	(MP) is measured.		Dementia:

- Alzheimer's disease and related disorders (dementia, frontotemporal dementia).
- Chronic kidney disease.
- Major depression.
- Dysthymic disorder.
- Heart failure and chronic heart failure.
- Acute myocardial infarction.
- Atrial fibrillation.
- Stroke and transient ischemic attack.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

- In hospice or using hospice services any time in the MY.
- Deceased at any time in the MY.

ICD10CM: F01.50, F01.51, F01.511, F01.518, F01.52, F01.53, F01.54, F01.A0, F01.A11, F01.A18, F01.A2, F01.A3, F01.A4, F01.B0, F01.B11, F01.B2, F01.B3, F01.B4, F01.C0, F01.C11, F01.C18, F01.C2, F01.C3, F01.C4, F02.80, F02.81, F02.811, F02.818, F02.82, F02.83, F02.84, F02.A0, F02.A11, F02.A18, F02.A2, F02.A3, F02.A4, F02.B0, F02.B11, F02.B18, F02.B2, F02.B3, F02.B4, F02.C11, F02.C18, F02.C2, F02.C3, F02.C4, F03.90, F03.91, F03.911, F03.918, F03.92, F03.93, F03.94, F03.A0, F03.A11, F03.A18, F03.A2, F03.A3, F03.A4, F03.B0, F03.B0, F03.B11, F03.B18, F03.B2, F03.B3, F03.B4, F03.C0, F03.C11, F03.C18, F03.C2, F03.C3, F03.C4, F04, F10.27, F10.97, F13.27, F13.97, F18.17, F18.27, F18.97, F19.17, F19.27, F19.97, G30.0, G30.1, G30.8, G30.9, G31.83

Frontotemporal Dementia:

ICD10CM: G31.01, G31.09

Chronic Kidney Disease:

ICD10CM: A18.11, A52.75, B52.0, C64.1, C64.2, C64.9, C68.9, D30.00, D30.01, D30.02, D41.00, D41.01, D41.02, D41.10, D41.11, D41.12, D41.20, D41.21, D41.22, D59.30, D59.31, D59.32, D59.39, E08.21, E08.22, E08.29, E08.65, E09.21, E09.22, E09.29, E10.21, E10.22, E10.29, E10.65, E11.21, E11.22, E11.29, E11.65, E13.21, E13.22, E13.29, E74.8, E74.810, E74.818, E74.819, E74.89, I12.0, I13.11, I13.2, I70.1, I72.2, K76.7, M10.30, M10.311, M10.312, M10.319, M10.321, M10.322, M10.329, M10.331, M10.332, M10.339, M10.341, M10.342, M10.349, M10.351, M10.352, M10.359, M10.361, M10.362, M10.369, M10.371, M10.372, M10.379, M10.38, M10.39, M32.14, M32.15, M35.04, N00.0, NOO.1, NOO.2, NOO.3, NOO.4, NOO.5, NOO.6, NOO.7, NOO.8, NOO.9, NOO.A, NO1.0, NO1.1, NO1.2, NO1.3, NO1.4, NO1.5, NO1.6, NO1.7, NO1.8, NO1.9, NO1.A, NO2.0, NO2.1, NO2.2, NO2.3, NO2.4, NO2.5, NO2.6, NO2.7, NO2.8, NO2.9, NO2.A, NO3.0, NO3.1, NO3.2, NO3.3, NO3.4, NO3.5, NO3.6, NO3.7, N03.8, N03.9, N03.A, N04.0, N04.1, N04.2, N04.3, N04.4, N04.5, N04.6, NO4.7, NO4.8, NO4.9, NO4.A, NO5.0, NO5.1, NO5.2, NO5.3, NO5.4, NO5.5, N05.6, N05.7, N05.8, N05.9, N05.A, N06.0, N06.1, N06.2, N06.3, N06.4, N06.5, N06.6, N06.7, N06.8, N06.9, N06.A, N07.0, N07.1, N07.2, N07.3, N07.4, N07.5, N07.6, N07.7, N07.8, N07.9, N07.A, N08, N13.1, N13.2, N13.30, N13.39, N14.0, N14.1, N14.11, N14.19, N14.2, N14.3, N14.4, N15.0, N15.8, N15.9, N16, N17.0, N17.1, N17.2, N17.8, N17.9, N18.1, N18.2, N18.3, N18.30, N18.31, N18.32, N18.4, N18.5, N18.6, N18.9, N19, N25.0, N25.1, N25.81, N25.89, N25.9, N26.1, N26.9, Q61.02, Q61.11,

Q61.19, Q61.2, Q61.3, Q61.4, Q61.5, Q61.8, Q62.0, Q62.10, Q62.11, Q62.12, Q62.2, Q62.31, Q62.32, Q62.39, R94.4

Major Depression:

ICD10CM: F32.0, F32.1, F32.2, F32.3, F32.4, F32.9, F33.0, F33.1, F33.2, F33.3, F33.41, F33.9

Dysthymic Disorder: ICD10CM: F34.1

Chronic Heart Failure:

ICD10CM: I42.0, I42.1, I42.2, I42.3, I42.4, I42.5, I42.6, I42.7, I42.8, I42.9, I43, I50.1, I50.20, I50.21, I50.22, I50.23, I50.30, I50.31, I50.32, I50.33, I50.40, I50.41, I50.42, I50.43, I50.810, I50.811, I50.812, I50.813, I50.814, I50.82, I50.83, I50.84, I50.89, I50.9

Heart Failure Diagnosis:

ICD10CM: I09.81, I11.0, I13.0, I13.2, I50.1, I50.20, I50.21, I50.22, I50.23, I50.30, I50.31, I50.32, I50.33, I50.40, I50.41, I50.42, I50.43, I50.810, I50.811, I50.812, I50.813, I50.814, I50.82, I50.83, I50.84, I50.89, I50.9

MI:

ICD10CM: I21.01, I21.02, I21.09, I21.11, I21.19, I21.21, I21.29, I21.3, I21.4, I21.9, I21.A1, I21.A9, I22.0, I22.1, I22.2, I22.8, I22.9, I23.0, I23.1, I23.2, I23.3, I23.4, I23.5, I23.6, I23.7, I23.8

Atrial Fibrillation:

ICD10CM: I48.0, I48.21, I48.91

Stroke:

ICD10CM: G45.0, G45.1, G45.2, G45.8, G45.9, G46.0, G46.1, G46.2, G97.31, G97.32, I60.00, I60.01, I60.02, I61.0, I61.1, I61.2, I61.3, I61.4, I61.5, I61.6, I61.8, I61.9, I63.00, I63.011, I63.012, I63.019, I63.02, I63.031, I63.032, I63.039, I63.09, I63.10, I63.111, I63.112, I63.113, I63.119, I63.12, I63.131, I63.132, I63.133, I63.139, I63.19, I63.20, I63.211, I63.212, I63.213, I63.219, I63.22, I63.231, I63.232, I63.233, I63.239, I63.29, I63.30, I63.311, I63.312, I63.313, I63.319, I63.321, I63.322, I63.323, I63.329, I63.329, I63.331, I63.332, I63.333, I63.339, I63.341, I63.342, I63.343, I63.349, I63.340, I63.411, I63.412, I63.413, I63.419, I63.421, I63.422, I63.423, I63.429, I63.431, I63.432, I63.433, I63.431, I63.432, I63.433, I63.431, I63.432, I63.433, I63.431, I63.432, I63.421, I63.422, I63.423, I63.429, I63.431, I63.432, I63.433, I63.433, I63.431, I63.432, I63.433, I63.433, I63.431, I63.432, I63.433, I63.433, I63.433, I63.433, I63.431, I63.432, I63.433, I63.433

I63.439, I63.441, I63.442, I63.443, I63.449, I63.49, I63.50, I63.511, I63.512, I63.513, I63.519, I63.521, I63.522, I63.523, I63.529, I63.531, I63.532, I63.533, I63.539, I63.541, I63.542, I63.543, I63.549, I63.59, I63.6, I63.81, I63.89, I63.9, I66.01, I66.02, I66.03, I66.09, I66.11, I66.12, I66.13, I66.19, I66.21, I66.22, I66.23, I66.29, I66.3, I66.8, I66.9, I67.841, I67.848, I67.89, I97.810, I97.811, I97.820, I97.821

Follow-Up Service:

Outpatient Visit:

CPT: 99201, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99429, 99455, 99456, 99483

HCPCS: G0402, G0438, G0439, G0463, T1015

UBREV: 0510, 0511, 0512, 0513, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0982, 0983

Outpatient and Telehealth:

CPT: 98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99241, 99242, 99243, 99244, 99245, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458, 99483 **HCPCS:** G0071, G0402, G0438, G0439, G0463, G2010, G2012, G2250, G2251, G2252, T1015

Transitional Care Management:

CPT: 99495, 99496

Case Management Encounter:

CPT: 99366

HCPCS: T1016, T1017, T2022, T2023

Complex Care Management Services:

CPT: 99487, 99489, 99490, 99491

HCPCS: G0506

Visit Setting Unspecified:

(with Outpatient POS, Partial Hospitalization POS, Community Mental Health Center POS, or Telehealth POS):

CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255

BH Outpatient:

CPT: 98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510

HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, T1015 UBREV: 0510, 0513, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0900, 0902, 0903, 0904, 0911, 0914, 0915, 0916, 0917, 0919, 0982, 0983

Partial Hospitalization or Intensive Outpatient:

HCPCS: G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484,

S9485

UBREV: 0905, 0907, 0912, 0913

Electroconvulsive Therapy:

(with Ambulatory Surgical Center POS, Community Mental Health Center POS, Outpatient POS, or Partial Hospitalization POS):

CPT: 90870

ICD10PCS: GZB0ZZZ, GZB1ZZZ, GZB2ZZZ, GZB3ZZZ, GZB4ZZZ

Substance Abuse Counseling and Surveillance:

ICD10CM: Z71.41, Z71.51

Substance Use Disorder Services:

CPT: 99408, 99409

HCPCS: G0396, G0397, G0443, H0001, H0005, H0007, H0015, H0016,

H0022, H0047, H0050, H2035, H2036, T1006, T1012

UBREV: 0906. 0944. 0945

			Online Assessments: CPT: 98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458 HCPCS: G0071, G2010, G2012, G2250, G2251, G2252 Domiciliary/Rest Home Visit: CPT: 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337 Outpatient POS: 03, 05, 07, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 33, 49, 50, 71, 72 Telehealth POS: 02 Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
EFFECTIVENESS OF CARE: (OVERLICE / A DODO DRI A TENI	ECC	
			Coding
Measure	Measure Description	Measure Information/Documentation Required	Coding
Avoidance of Antibiotic Treatment for Acute Bronchitis (AAB)	The percentage of episodes for members ages 3 months and older with a diagnosis of acute	The Intake Period (IP) is the 12-month window that begins 7/1 of the year prior to the MY and ends 6/30 of the MY.	Acute Bronchitis Diagnosis: ICD10CM: J20.3, J20.4, J20.5, J20.6, J20.7, J20.8, J20.9, J21.0, J21.1, J21.8, J21.9
This is also a measure (AAB-E) collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can improve provider quality performance and reduce the burden of medical record requests.	bronchitis/bronchiolitis that did not result in an antibiotic dispensing event. Higher rate indicates appropriate treatment of adults with Acute Bronchitis (i.e., the proportion for whom antibiotics were not prescribed).	The Episode Date (EP) is the date of service for any outpatient, telephone, observation, or ED visit, e-visit or virtual check-in during the IP, with a diagnosis of acute bronchitis/bronchiolitis. Dispensed prescription for an antibiotic medication (AAB Antibiotic Medications List) on or three days after the EP. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY.	AAB Antibiotic Medications: Aminoglycosides: Amikacin, Gentamicin, Streptomycin, Tobramycin Aminopenicillins: Amoxicillin, Ampicillin Beta-lactamase inhibitors: Amoxicillin-clavulanate, Ampicillin-sulbactam, Piperacillin-tazobactam First-generation cephalosporins: Cefadroxil, Cefazolin, Cephalexin Fourth-generation cephalosporins: Cefepime Lincomycin derivatives: Clindamycin, Lincomycin Macrolides: Azithromycin, Clarithromycin, Erythromycin Miscellaneous antibiotics: Aztreonam, Chloramphenicol, Dalfopristin- quinupristin, Daptomycin, Linezolid, Metronidazole, Vancomycin Natural penicillins: Penicillin G benzathine-procaine, Penicillin G potassium, Penicillin G procaine, Penicillin G sodium, Penicillin V potassium, Penicillin G benzathine Penicillinase-resistant penicillins: Dicloxacillin, Nafcillin, Oxacillin

		Common Chart Deficiencies: Additional/competing diagnosis requiring antibiotics not documented in visit or coded on claim.	Quinolones: Ciprofloxacin, Gemifloxacin, Levofloxacin, Moxifloxacin, Ofloxacin Rifamycin derivatives: Rifampin Second-generation cephalosporin: Cefaclor, Cefotetan, Cefoxitin, Cefprozil, Cefuroxime Sulfonamides: Sulfadiazine, Sulfamethoxazole-trimethoprim Tetracyclines: Doxycycline, Minocycline, Tetracycline Third-generation cephalosporins: Cefdinir, Cefixime, Cefotaxime, Cefpodoxime, Ceftazidime, Ceftriaxone Urinary anti-infectives: Fosfomycin, Nitrofurantoin, Nitrofurantoin macrocrystals-monohydrate, Trimethoprim Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Non-Recommended PSA-	Male members 70 years	Required Exclusions:	PSA Lab Test:
Based Screening in Older Men (PSA)	and older who were screened unnecessarily	Members who meet any of the following criteria are excluded from the measure:	CPT: 84152, 84153, 84154 HCPCS: G0103
Well (1 3A)	for prostate cancer	 In hospice or using hospice services any 	Her es. 30103
This is also a measure	using prostate-specific	time in the MY.	
(PSA-E) collected through	antigen (PSA)-based	Deceased at any time in the MY.	Note: LOINC and SNOMED codes can be captured through electronic data
claims and Electronic Clinical Data Systems.	screening.	 Prostate cancer diagnosis any time during the member's history through 	submissions. Please contact your Account Executive for more information.
Please discuss options for		December 31 of the MY.	mjonnadon.
a direct data feed with	A lower rate indicates	Dysplasia of the prostate during the MY	
your Account Executive.	better performance.	or the year prior.	
Direct data feeds can improve provider quality		 A PSA test during the year prior to the MY where lab data indicate an elevated 	
performance and reduce		result (>4.0 nanograms/ milliliter) or an	
the burden of medical		abnormal result.	
record requests.		 Dispensed prescription for a 5-alpha reductase inhibitor during the MY. 	

Measure	Measure Description	Measure Information/Documentation	Coding
		Required	
Appropriate Treatment	The percentage of	The Intake Period (IP) is the 12-month	URI Diagnosis:
for Upper Respiratory	episodes for members 3	window that begins July 1 of the year prior	ICD10CM: J00, J06.0, J06.9
Infection (URI)	months of age and older	to the MY and ends on June 30 of the MY.	
	with a diagnosis of		Antibiotic Medications:
This is also a measure	upper respiratory	The Episode Date (EP) is the Date of Service	Aminoglycosides: Amikacin, Gentamicin, Streptomycin, Tobramycin
(URI-E) collected through	infection (URI) that did	(DOS) for any outpatient, telephone,	Aminopenicillins: Amoxicillin, Ampicillin
claims and Electronic	not result in an	observation or ED visit, e-visit, or virtual	Beta-lactamase inhibitors: Amoxicillin-clavulanate, Ampicillin-sulbactam,
Clinical Data Systems.	antibiotic dispensing	check-in during the IP with a diagnosis or	Piperacillin-tazobactam
Please discuss options for	event.	URI.	First-generation cephalosporins: Cefadroxil, Cefazolin, Cephalexin
a direct data feed with			Fourth-generation cephalosporins: Cefepime
your Account Executive.	This is an episode-based	If a member has more than one EP in a 31-	Lincomycin derivatives: Clindamycin, Lincomycin
Direct data feeds can	event so a member may	day period, only the first EP will be used.	Macrolides: Azithromycin, Clarithromycin, Erythromycin
improve provider quality	be included multiple		Miscellaneous antibiotics: Aztreonam, Chloramphenicol, Dalfopristin-
performance and reduce	times.	Members with a comorbid condition during	quinupristin, Daptomycin, Linezolid, Metronidazole, Vancomycin
the burden of medical		the 12 months prior to the EP will be	Natural penicillins: Penicillin G benzathine, Penicillin G benzathine-
record requests.	Higher rate indicates	excluded. These include:	procaine, Penicillin G potassium, Penicillin G procaine, Penicillin G
	appropriate treatment	HIV, HIV Type 2.	sodium, Penicillin V potassium
	(i.e., the proportion for	 Malignant neoplasm. 	Penicillinase-resistant penicillins: Dicloxacillin, Nafcillin, Oxacillin
	whom antibiotics were	Emphysema.	Quinolones: Ciprofloxacin, Gemifloxacin, Levofloxacin, Moxifloxacin,
	NOT prescribed).	COPD.	Ofloxacin
		Disorders of the immune system.	Rifamycin derivatives: Rifampin
		Other comorbid conditions.	Second-generation cephalosporins: Cefaclor, Cefotetan, Cefoxitin,
			Cefprozil, Cefuroxime
		Required Exclusions:	Sulfonamides: Sulfadiazine, Sulfamethoxazole-trimethoprim
		Members who meet any of the following	Tetracyclines: Doxycycline, Minocycline, Tetracycline
		criteria are excluded from the measure:	Third-generation cephalosporins: Cefdinir, Cefixime, Cefotaxime,
		• In hospice or using hospice services any	Cefpodoxime, Ceftazidime, Ceftriaxone
		time in the MY.	Urinary anti-infectives: Fosfomycin, Nitrofurantoin, Nitrofurantoin
		Deceased at any time in the MY.	macrocrystals-monohydrate, Trimethoprim
		Common Chart Deficiencies:	
		Additional/Competing diagnosis	Note: LOINC and SNOMED codes can be captured through electronic data
		requiring antibiotics not documented in	submissions. Please contact your Account Executive for more
		visit or coded on claim.	information.

Disease Interactions in Older Adults (DDE)	Medicare members 65 ears of age and older who have evidence of n underlying disease, ondition, or health	Required Required Exclusions: Members who meet any of the following criteria are excluded from the measure:	HEDIS rates are based on Diagnosis and Medications/Pharmacy Claims.
Disease Interactions in Older Adults (DDE)	ears of age and older tho have evidence of n underlying disease,	Members who meet any of the following criteria are excluded from the measure:	
Older Adults (DDE) wi	ho have evidence of nunderlying disease,	criteria are excluded from the measure:	D
` '	n underlying disease,		Potentially Harmful Drugs — History of Falls Medications:
	, ,	 In hospice or using hospice services any 	Antiepileptics: Carbamazepine, Clobazam, Divalproex sodium,
co		time in the MY.	Ethosuximide, Ethotoin, Felbamate, Fosphenytoin, Gabapentin,
	oncern and who were	 Deceased at any time in the MY. 	Lacosamide, Lamotrigine, Levetiracetam, Methsuximide, Oxcarbazepine,
	ispensed an	Receiving palliative care any time in the	Phenobarbital, Phenytoin, Pregabalin, Primidone, Rufinamide, Tiagabine
	mbulatory prescription	MY.	HCL, Topiramate, Valproic acid, Vigabatrin, Zonisamide
	or a potentially harmful	History of falls and dementia rates only:	SNRIs: Desvenlafaxine, Duloxetine, Levomilnacipran, Venlafaxine,
me	nedication concurrent	A diagnosis of psychosis, schizophrenia,	SSRIs: Citalopram, Escitalopram, Fluoxetine, Fluvoxamine, Paroxetine,
wi	vith or after the	schizoaffective disorder, or bipolar	Sertraline
di	iagnosis.	disorder on or between 1/1 of the year	
		prior to the MY and 12/1 of the MY.	Potentially Harmful Drugs—History of Falls and Dementia Medications:
Th	hree rates are	History of falls rate only: A diagnosis of	Antipsychotics: Aripiprazole, Asenapine, Brexpiprazole, Cariprazine,
re	eported:	major depressive disorder or seizure	Chlorpromazine, Clozapine, Fluphenazine, Haloperidol, Iloperidone,
1.	. A history of falls	disorder on or between 1/1 of the year	Loxapine, Lurasidone, Molindone, Olanzapine, Paliperidone,
	and a prescription	prior to the MY and 12/1 of the MY.	Perphenazine, Pimozide, Quetiapine, Risperidone, Thioridazine,
	for anticonvulsants,		Thiothixene, Trifluoperazine, Ziprasidone
	SSRIs,		Benzodiazepines: Alprazolam, Chlordiazepoxide, Clonazepam,
	antipsychotics,		Clorazepate, Diazepam, Estazolam, Flurazepam, Lorazepam, Midazolam,
	benzodiazepines,		Oxazepam, Quazepam, Temazepam, Triazolam
	non-benzodiazepine		Nonbenzodiazepine hypnotics: Eszopiclone, Zaleplon, Zolpidem
	hypnotics, or		Tricyclic antidepressants: Amitriptyline, Amoxapine, Clomipramine,
	tricyclic		Desipramine, Doxepin (>6 mg), Imipramine, Nortriptyline, Protriptyline,
	antidepressants.		Trimipramine
2.	. Dementia and		Domontis Madications
	prescription for		Dementia Medications:
	antipsychotics,		Cholinesterase inhibitors: Donepezil, Galantamine, Rivastigmine
	benzodiazepines, non-benzodiazepine		Miscellaneous central nervous system agents: Memantine Dementia combinations: Donepezil-Memantine
	hypnotics, tricyclic		Dementia combinations. Donepezii-ivieniantine
	antidepressants, H2		Potentially Harmful Drugs—Dementia Medications:
	receptor		Anticholinergic agents, antiemetics: Prochlorperazine, Promethazine
	antagonists, or		Anticholinergic agents, antiemetics: Prochlorperazine, Promethazine Anticholinergic agents, antihistamines: Brompheniramine,
	anticholinergic		Carbinoxamine, Chlorpheniramine, Clemastine, Cyproheptadine,
	agents.		Dexbrompheniramine, Dexchlorpheniramine, Dimenhydrinate,
3	. Chronic kidney		Diphenhydramine, Doxylamine, Pyrilamine, Triprolidine, Hydroxyzine,
3.	disease and		Meclizine
	prescription for		

Cox-2 selective NSAIDs or non-aspirin NSAIDs.

Members with more than one disease or condition may appear in the measure multiple times.

A lower rate indicates better performance.

Anticholinergic agents, antispasmodics: Atropine, Belladonna alkaloids, Clidinium-chlordiazepoxide, Dicyclomine, Homatropine, Hyoscyamine, Mothespalamine, Proportheline, Scandomine

Methscopolamine, Propantheline, Scopolamine

Anticholinergic agents, antimuscarinics (oral): Darifenacin, Fesoterodine, Flavoxate, Oxybutynin, Solifenacin, Tolterodine, Trospium Anticholinergic agents, anti-Parkinson agents: Benztropine,

Trihexyphenidyl

Anticholinergic agents, skeletal muscle relaxants: Cyclobenzaprine, Orphenadrine

Anticholinergic agents, SSRIs: Paroxetine

Anticholinergic agents, antiarrhythmic: Disopyramide

Cox-2 Selective NSAIDs and Nonaspirin NSAIDs:

Cox-2 Selective NSAIDS: Celecoxib

Nonaspirin NSAIDs: Diclofenac, Etodolac, Fenoprofen, Flurbiprofen, Ibuprofen, Indomethacin, Ketoprofen, Ketorolac, Meclofenamate, Mefenamic acid, Meloxicam, Nabumetone, Naproxen, Naproxen sodium, Oxaprozin, Piroxicam, Sulindac, Tolmetin

Dementia:

ICD10CM: F01.50, F01.51, F02.80, F02.81, F03.90, F03.91, F04, F10.27, F10.97, F13.27, F13.97, F18.17, F18.27, F18.97, F19.17, F19.27, F19.97, G30.0, G30.1, G30.8, G30.9, G31.83

Diagnosis of ESRD:

ICD10CM: N18.5, N18.6, Z99.2

Dialysis Procedure:

CPT: 90935, 90937, 90945, 90947, 90997, 90999, 99512

HCPCS: G0257, S9339

ICD10PCS: 3E1M39Z, 5A1D00Z, 5A1D60Z, 5A1D70Z, 5A1D80Z, 5A1D90Z

CKD Stage 4 Diagnosis:

ICD10CM: N18.4

Total Nephrectomy:

CPT: 50220, 50225, 50230, 50234, 50236, 50240, 50340, 50370, 50543,

50545, 50546, 50548

ICD10: OTB00ZZ, OTB03ZZ, OTB04ZZ, OTB07ZZ, OTB08ZZ, OTB10ZZ, OTB13ZZ, OTB14ZZ, OTB17ZZ, OTB18ZZ, OTT00ZZ, OTT04ZZ, OTT10ZZ,

OTT14ZZ, OTT20ZZ, OTT24ZZ

			Kidney Transplant: CPT: 50360, 50365, 50380
			HCPCS: S2065
			ICD10PCS: 0TY00Z0, 0TY00Z1, 0TY00Z2, 0TY10Z0, 0TY10Z1, 0TY10Z2
			Note: LOINC and SNOMED codes can be captured through electronic data
			submissions. Please contact your Account Executive for more
			information.
Measure	Measure Description	Measure Information/Documentation	Coding
	·	Required	g
Risk of Continued Opioid	Members 18 years of	The MY is 1/1/-12/31.	Opioid Medications:
Use (COU)	age and older who have	The Index Prescription Start Date (ISPD) is	Benzhydrocodone, Buprenorphine (transdermal patch and buccal film),
	a new episode of opioid	the earliest prescription dispensing date	Butorphanol, Codeine, Dihydrocodeine, Fentanyl, Hydrocodone,
	use that puts them at	during the IP.	Hydromorphone, Levorphanol, Meperidine, Methadone, Morphine,
	risk for continued opioid	45 4-	Opium, Oxycodone, Oxymorphone, Pentazocine, Tapentadol, Tramadol
	use.	15-day:	The Onicid Medications List evaluates
	Two rates are reported:	Prescriptions covering more than 15 calendar days during the 30-day period	The Opioid Medications List excludes: Injectables.
	1. Members whose	beginning on the ISPD through 29 days after	Opioid-containing cough and cold products.
	new episode of	the ISPD.	Single-agent and combination buprenorphine products used to treat
	opioid use lasts at	W. C. C. C.	opioid use disorder for medication-assisted treatment
	least 15 days in a	62-day:	(buprenorphine sublingual tablets, buprenorphine subcutaneous
	30-day period.	Prescriptions covering more than 31	implant, and all buprenorphine/naloxone combination products).
	2. Members whose	calendar days during the 62-day period	lonsys® (fentanyl transdermal patch).
	new episode of	beginning on the ISPD through 61 days after	 This is for inpatient use only and is available only through a
	opioid use lasts at	the ISPD.	restricted program under a Risk Evaluation and Mitigation
	least 31 days in a		Strategy (REMS).
	62-day period.	Required Exclusions:	 Methadone when prescribed for the treatment of opioid use disorder.
		Members who meet any of the following criteria are excluded from the measure:	disorder.
	A lower rate indicates	 In hospice or using hospice services any 	
	better performance.	time in the MY.	Note: LOINC and SNOMED codes can be captured through electronic data
		 Deceased at any time in the MY. 	submissions. Please contact your Account Executive for more
		Receiving palliative care during 12	information.
		months prior to the IPSD through 61	
		days after the IPSD.	

Measure	Measure Description	 Cancer (Malignant Neoplasm) during 12 months prior to the IPSD through 61 days after the IPSD. Sickle Cell Anemia or HB S Disease during 12 months prior to the IPSD through 61 days after the IPSD. Measure Information/Documentation	Coding
Wicasarc	ivicusure Bescription	Required	County
Use of High-Risk	The percentage of	Required Exclusions:	HEDIS rates are based on Diagnosis + Medications/Pharmacy Claims
Medication in Older	Medicare members 67	Members who meet any of the following	
Adults (DAE)	years of age and older	criteria are excluded from the measure:	High-Risk Medications:
	who had at least two	 In hospice or using hospice services any 	Anticholinergics, first-generation antihistamines: Brompheniramine,
	dispensing events for	time in the MY.	Carbinoxamine, Chlorpheniramine, Clemastine. Cyproheptadine,
	high-risk medications.	Deceased at any time in the MY. Provided and all the MY. ANY ANY ANY ANY ANY ANY ANY A	Dexbrompheniramine, Dexchlorpheniramine, Diphenhydramine (oral),
	Tive vetes are reported.	Receiving palliative care in the MY.	Dimenhydrinate, Doxylamine, Hydroxyzine, Meclizine, Promethazine,
	Two rates are reported: 1. At least 2	Common Chart Deficiencies:	Pyrilamine, Triprolidine Anticholinergics, anti-Parkinson agents: Benztropine (oral),
	dispensing events	No documentation of review of	Trihexyphenidyl
	for high-risk medications to	medications at every visit.	Antispasmodics: Atropine (exclude ophthalmic), Belladonna alkaloids, Chlordiazepoxide-clidinium, Dicyclomine, Hyoscyamine, Methscopolamine, Propantheline, Scopolamine
	avoid from the		Antithrombotic: Dipyridamole (oral excluding extended release)
	same drug class. 2. At least 2		Cardiovascular, alpha agonists, central: Guanfacine, Methyldopa
	dispensing events for high-risk		Cardiovascular, other: Disopyramide, Nifedipine, excluding extended release
	medications to		Central nervous system, antidepressants: Amitriptyline, Amoxapine,
	avoid from the		Clomipramine, Desipramine, Imipramine, Nortriptyline, Paroxetine, Protriptyline, Trimipramine
	same drug class,		Central nervous system, barbiturates: Amobarbital, Butabarbital,
	except for		Butalbital, Pentobarbital, Phenobarbital, Secobarbital
	appropriate diagnoses.		Central nervous system, vasodilators: Ergoloid mesylates, Isoxsuprine Central nervous system, other: Meprobamate
			Endocrine system, estrogens with or without progestins; include only
	A lower rate indicates		oral and topical patch products: Conjugated estrogen, Esterified
	better performance.		estrogen, Estradiol, Estropipate
	zette. perjormanee		Endocrine system, sulfonylureas, long-duration: Chlorpropamide,
			Glimepiride, Glyburide
			Endocrine system, other: Desiccated thyroid, Megestrol
			Nonbenzodiazepine hypnotics: Eszopiclone, Zaleplon, Zolpidem Pain medications, skeletal muscle relaxants: Carisoprodol,
			Chlorzoxazone, Cyclobenzaprine, Metaxalone, Methocarbamol,

			Orphenadrine Pain medications, other: Indomethacin, Ketorolac, includes parenteral, Meperidine High-Risk Medications with Days-Supply Criteria (<90 days): Anti-Infectives, other: Nitrofurantoin, Nitrofurantoin macrocrystals monohydrate High-Risk Medications with Average Daily Dose Criteria: Alpha agonists, central: Reserpine >0.1 mg/day Cardiovascular, other: Digoxin >0.125 mg/day Tertiary TCAs (as single agent or as part of combination products): Doxepin >6 mg/day High-Risk Medications Based on Prescription and Diagnosis Data: Antipsychotics, first (conventional) and second (atypical) generation: Aripiprazole, Aripiprazole lauroxil, Asenapine, Brexpiprazole, Cariprazine, Chlorpromazine, Clozapine, Fluphenazine, Haloperidol, Iloperidone, Loxapine, Lurasidone, Molindone, Olanzapine, Paliperidone, Perphenazine, Pimavanserin, Pimozide, Quetiapine, Risperidone, Thioridazine, Thiothixene, Trifluoperazine, Ziprasidone Benzodiazepines, long, short, and intermediate acting: Alprazolam, Chlordiazepoxide, Clonazepam, Clorazepate, Diazepam, Estazolam, Flurazepam, Lorazepam, Midazolam, Oxazepam, Quazepam, Temazepam, Triazolam Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation	Coding
IVICASUI C	ivicasure Description	Required	County
Deprescribing of	Members 67 years of	The Measurement Year (MY) is $1/1 - 12/31$.	HEDIS rates are based on medications/pharmacy claims.
Benzodiazepines in Older	age and older who were	The landou Transfer and Esteed of (ITEV to U.S. C.)	Out Barradia anima Madiastiana
Adults (DBO)	dispensed benzodiazepines and	The Index Treatment Episode (ITE) is the first 30 days of a benzodiazepine prescription	Oral Benzodiazepine Medications: Alprazolam: 0.25 MG, 0.5 mg, 1 mg, 1 MGPML, 2 mg, 3 mg
1 st Year Measure	achieved a 20%	occurring during January 1 and September 1	Chlordiazepoxide: 5 mg, 10 mg, 25 mg
(MY2023)	decrease or greater in	of the MY. The ITE start date is the date of	Clonazepam: 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg
(14112023)	decrease or greater in dose (diazepam	the earliest benzodiazepine prescription	Clorazepam: 0.125 mg, 0.25 mg, 0.5 mg, 1 mg, 2 mg Clorazepate: 3.75 mg, 7.5 mg, 15 mg
	· •		
	milligram equivalent	dispense date between January 1 and	Diazepam: 1 MGPML, 2 mg, 5 mg, 5 MGPML, 10 mg

	[DME] dose) during the	September 1 of the MY that is followed by at	Estazolam: 1 mg, 2 mg
	measurement year	least 29 consecutive days with no gaps.	Flurazepam: 15 mg, 30 mg
	(MY).		Lorazepam: 1 mg, 2 MGPML
		The Treatment Period begins the day after	Midazolam: 2 MGPML
	Two rates are reported:	the ITE and ends on the last covered day in	Oxazepam: 10 mg, 30 mg
	1. Members with a	the MY.	Quazepam: 15 mg
	diagnosis of		Temazepam: 7.5 mg, 15 mg, 22.5 mg, 30 mg
	generalized anxiety	Required Exclusions:	Triazolam: 0.125 mg, 0.25 mg
	disorder on or	Members who meet any of the following	g. G
	between January 1	criteria are excluded from the measure:	
	of the year prior to	 In hospice or using hospice services any 	
	the MY and the	time in the MY.	
	Index Treatment	Deceased at any time in the MY.	
	Episode (ITE) start	Receiving palliative care anytime in the	
	date.	MY.	
	2. Members without a	A diagnosis between January 1 of the	
	diagnosis of	MY and the ITE of:	
	generalized anxiety	Seizure disorder.	
	disorder on or	 Rapid eye movement. 	
	between January 1	 Rapid cyc movement. Benzodiazepine withdrawal. 	
	or the year prior to	Ethanol withdrawal.	
	the MR and the ITE	Cultarior withdrawar.	
	start date.		
	start date.		
Measure	Measure Description	Measure Information/Documentation	Coding
	·	Required	ŭ
Use of Imaging Studies	Members 18 – 75 years	An imaging study with a diagnosis of	Imaging Study:
for Low Back Pain (LBP)	of age with a primary	uncomplicated low back pain on the IESD or	CPT: 72020, 72052, 72100, 72110, 72114, 72120, 72131, 72132, 72133,
, ,	diagnosis of low back	in the 28 days following the IESD.	72141, 72142, 72146, 72147, 72148, 72149, 72156, 72158, 72200,
	pain who did not have	g : : : : ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	72202,72220
	an imaging study (plain	Do not include outpatient, ED, or	
	X-ray, MRI, CT scan)	observation visits that result in an inpatient	Uncomplicated Low Back Pain:
	within 28 days of the	stay.	ICD10CM: M47.26, M47.27, M47.28, M47.816, M47.817, M47.818,
	diagnosis.	,	M47.896, M47.897, M47.898, M48.061, M48.07, M48.08, M51.16,
		Required Exclusions:	M51.17, M51.26, M51.27, M51.36, M51.37, M51.86, M51.87, M53.2X6,
		Members who meet any of the following	M53.2X7, M53.2X8, M53.3, M53.86, M53.87, M53.88, M54.16, M54.17,
		criteria are excluded from the measure:	M54.18, M54.30, M54.31, M54.32, M54.40, M54.41, M54.42, M54.5,
		 In hospice or using hospice services any 	M54.50, M54.51, M54.59, M54.89, M54.9, M99.03, M99.04, M99.23,
		time in the MY.	M99.33, M99.43, M99.53, M99.63, M99.73, M99.83, M99.84, S33.100A,
		 Deceased at any time in the MY. 	S33.100D, S33.100S, S33.110A, S33.110D, S33.110S, S33.120A, S33.120D,
		- Deceased at any time in the ivit.	333.1200, 333.1200, 333.110n, 333.110b, 333.1103, 333.120n, 333.120b,

		 Receiving palliative care any time in the MY. 66 years of age and older with frailty 	\$33.120\$, \$33.130A, \$33.130D, \$33.130\$, \$33.140A, \$33.140D, \$33.140\$, \$33.5XXA, \$33.6XXA, \$33.8XXA, \$33.9XXA, \$39.002A, \$39.002D, \$39.002\$, \$39.012A, \$39.012D, \$39.012\$, \$39.092A, \$39.092D, \$39.092\$,
		 and advanced illness during the MY. Any of the following anytime in the member's historythrough 28 days after the IESD: 	S39.82XA, S39.82XD, S39.82XS, S39.92XA, S39.92XD, S39.92XS Note: LOINC and SNOMED codes can be captured through electronic data
		 Cancer. HIV. Major organ transplant. Osteoporosis therapy. Lumbar surgery. Spondylopathy. Any of the following during 12 months (1 year) prior to the IESD through 28 days after the IESD: IV drug abuse. Neurologic impairment. Spinal infection. Any of the following during the 3 months (90 days) prior to the IESD through 28 days after the IESD: Trauma. Fragility fracture. 90 consecutive days of corticosteroid treatment any time during the 366-day period that begins 365 days prior to the IESD and ends on the IESD. 	submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Use of Opioids at High	The proportion of	Required Exclusions:	Opioid Medications:
Dosage (HDO)	members 18 years and older who received	Members who meet any of the following criteria are excluded from the measure:	Benzhydrocodone: Acetaminophen Benzhydrocodone (4.08 mg, 6.12
	prescription opioids at a	 In hospice or using hospice services any 	mg, 8.16 mg) Butorphanol: Butorphanol (10 MGPML)
	high dosage (average	time in the MY.	Codeine: Codeine Sulfate (15 mg, 30 mg, 60 mg), Acetaminophen
	morphine milligram	Deceased at any time in the MY.	Codeine (2.4 MGPML, 15 mg, 30 mg, 60 mg), Acetaminophen Butalbital
	equivalent dose [MME] ≥90) for ≥15 days during	 Receiving palliative care any time in the MY. 	Caffeine Codeine (30 mg), Aspirin Butalbital Caffeine Codeine (30 mg),
	the MY.	 Members with cancer (malignant neoplasm) in the MY. 	Aspirin Carisoprodol Codeine (16 mg) Dihydrocodeine: Acetaminophen Caffeine Dihydrocodeine (16 mg), Aspirin Caffeine Dihydrocodeine (16 mg)

Members with sickle cell anemia, or HB Fentanyl buccal or sublingual tablet, transmucosal lozenge (mcg): A lower rate indicates S Disease, in the MY. Fentanyl (100 mcg, 200 mcg, 300 mcg, 400 mcg, 600 mcg, 800 mcg, 1200 better performance. mcg, 1600 mcg) Fentanyl oral spray (mcg): Fentanyl (100 MCGPS, 200 MCGPS, 400 MCGPS, 600 MCGPS, 800 MCGPS) Fentanyl nasal spray (mcg): Fentanyl (100 MCGPS, 300 MCGPS, 400 MCGPS) Fentanyl transdermal film/patch (mcg/hr): Fentanyl (12 MCGPH, 25 MCGPH, 37.5 MCGPH, 50 MCGPH, 62.5 MCGPH, 75 MCGPH, 87.5 MCGPH, 100 MCGPH) Hydrocodone: Hydrocodone (10 mg, 15 mg, 20 mg, 30 mg, 40 mg, 50 mg, 60 mg, 80 mg, 100 mg, 120 mg), Acetaminophen Hydrocodone (.5 MGPML, .67 MGPML, 2.5 mg, 5 mg, 7.5 MGPML, 10 mg), Hydrocodone Ibuprofen (2.5 mg, 5 mg, 7.5 mg, 10 mg) Hydromorphone: Hydromorphone (1 MGPML, 2 mg, 3 mg, 4 mg, 8 mg, 12 mg, 16 mg, 32 mg) Levorphanol: Levorphanol (2 mg, 3 mg) Meperidine: Meperidine (10 MGPML, 50 mg, 75mg, 100 mg, 150 mg), Methadone: Methadone (1 MGPML, 2 MGPML, 5 mg, 10 mg, 10 MGPML, 40 mg) Morphine: Morphine (2 MGPML, 4 MGPML, 5 mg, 10 mg, 15 mg, 20 MGPML, 20 mg, 30 mg, 40 mg, 45 mg, 50 mg, 60 mg, 75 mg, 80 mg, 90 mg, 100 mg, 120 mg, 200 mg), Morphine Naltrexone (20 mg, 30 mg, 50 mg, 60 mg, 80 mg, 100 mg) Opium: Belladonna Opium (30 mg, 60 mg) Oxycodone: Oxycodone (1 MGPML, 5 mg, 7.5 mg, 9 mg, 10 mg, 13.5 mg, 15 mg, 18 mg, 20 mg, 20 MGPML, 27 mg, 30 mg, 36 mg, 40 mg, 60 mg, 80 mg), Acetaminophen Oxycodone (1 MGPML, 2 MGPML, 2.5 mg, 5 mg, 7.5 mg, 10 mg), Aspirin Oxycodone (4.84 mg), Ibuprofen Oxycodone (5 **Oxymorphone:** Oxymorphone (5 mg, 7.5 mg, 10 mg, 15 mg, 20 mg, 30 mg. 40 mg) **Pentazocine:** Naloxone Pentazocine (50 mg) **Tapentadol:** Tapentadol (50 mg, 75 mg, 100 mg, 150 mg, 200 mg, 250 mg) **Tramadol:** Tramadol (50 mg, 100 mg, 150 mg, 200 mg, 300 mg), Acetaminophen Tramadol (37.5 mg)

			 The HDO Opioid Medications List excludes: Injectables. Opioid cough and cold products. Ionsys® (fentanyl transdermal patch). This is for inpatient use only and is available only through a restricted program under a Risk Evaluation and Mitigation Strategy (REMS). Methadone for the treatment of opioid use disorder. Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation	Coding
Use of Opioids From	The percentage of	Required Required Exclusions:	Opioid Medications:
Multiple Providers (UOP)	ne percentage of members 18 years and older receiving prescription opioids for ≥15 days during the MY who received opioids from multiple providers. Three rates are reported: 1. Multiple Prescribers: The proportion of members receiving prescriptions for opioids from four or more different prescribers during the MY. 2. Multiple Pharmacies: The proportion of members receiving prescriptions for opioids from four or of members receiving prescriptions for opioids from four or opioids from four or opioids from four or opioids from four or	Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MY. Deceased at any time in the MY.	 Opioid Medications: Benzhydrocodone, Buprenorphine (transdermal patch and buccal film), Butorphanol, Codeine, Dihydrocodeine, Fentanyl, Hydrocodone, Hydromorphone, Levorphanol, Meperidine, Methadone, Morphine, Opium, Oxycodone, Oxymorphone, Pentazocine, Tapentadol, Tramadol The UOP Opioid Medications List excludes: Injectables. Opioid cough and cold products. Single-agent and combination buprenorphine products used as part of medication-assisted treatment of opioid use (buprenorphine sublingual tablets, buprenorphine subcutaneous implant, and all buprenorphine/naloxone combination products). Ionsys® (fentanyl transdermal patch), because:

	more different		
	pharmacies during		
	the MY.		
	3. Multiple		
	Prescribers and		
	Multiple		
	Pharmacies: The		
	proportion of		
	members receiving		
	prescriptions for		
	opioids from four or		
	more different		
	prescribers and four		
	or more different		
	pharmacies during		
	the MY (i.e., the		
	proportion of		
	members who are		
	numerator		
	compliant for both		
	the Multiple		
	Prescribers and		
	Multiple		
	Pharmacies rates).		
	A lower rate indicates		
	better performance for		
	all three rates.		
UTILIZATION			
Measure	Measure Description	Measure Information/Documentation Required	Coding
Well-Child Visits in the	The percentage of	Documentation from the medical record	Use age-appropriate preventive E&M.
First 30 Months of Life	members 15 months –	must include a note indicating a well visit	
(W30)	30 months of age who	with a PCP and the date the well-child visit	Encounter for Well Care:
	had the recommended	occurred.	ICD10CM: Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2,
	well-child visits with a		Z00.3, Z01.411, Z01.419, Z02.5, Z76.1, Z76.2
	PCP.	Well-child/EPSDT visit criteria is based on	
		American Academy of Pediatrics Bright	Well Care Visit:
	Two rates are reported:	Futures: Guidelines for Health Supervision of	CPT: 99381, 99382, 99383, 99384, 99385, 99391, 99392, 99393, 99394,
		Infants, Children and Adolescents.	99395, 99461
		https://www.aap.org/en/practice-	HCPCS: G0438, G0439, S0302, S0610, S0612, S0613

	1. 6 or more visits on	management/bright-futures/bright-futures-	
	or before the 15-	materials-and-tools/	Note: LOINC and SNOMED codes can be captured through electronic data
	month birthday.		submissions. Please contact your Account Executive for more
	2. 2 or more visits	Note : Preventive services may be rendered	information.
	between the 15-	on visits other than well-child visits. Medical	
	month birthday	records must include documentation of	
	plus 1 day and the	preventive services. Chronic or acute	
	30-month birthday.	condition assessment and treatment are	
	,	excluded from this provision.	
		Required Exclusions:	
		Members who meet any of the following	
		criteria are excluded from the measure:	
		 In hospice or using hospice services any 	
		time in the MY.	
		 Deceased at any time in the MY. 	
		Deceased at any time in the iviv.	
		Common Chart Deficiencies:	
		Children being seen for sick visits only	
		and no	
		documentation/claims/encounter data	
		related to well visit services provided.	
Measure	Measure Description	Measure Information/Documentation	Coding
	· ·	Required	, and the second se
Child and Adolescent	The percentage of	Documentation from the medical record	Use age-appropriate preventive E&M.
Well-Care Visits (WCV)	members 3 – 21 years of	must include a note indicating a visit with a	
, ,	age who had at least	PCP or OB/GYN, the date when the well-	Encounter for Well Care:
	one comprehensive	child visit occurred.	ICD10CM: Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2,
	well-care visit with a		Z00.3, Z01.411, Z01.419, Z02.5, Z76.1, Z76.2
	PCP or OB/GYN	Well-child/EPSDT visit criteria is based on	
	practitioner during the	American Academy of Pediatrics Bright	Well Care Visit:
	I MY.	Futures: Guidelines for Health Supervision of	CPT: 99381, 99382, 99383, 99384, 99385, 99391, 99392, 99393, 99394,
		Infants, Children and Adolescents.	99395, 99461
		https://www.aap.org/en/practice-	HCPCS: G0438, G0439, S0302, S0610, S0612, S0613
		management/bright-futures/bright-futures-	
		materials-and-tools/	Note: LOINC and SNOMED codes can be captured through electronic data
			submissions. Please contact your Account Executive for more
		Note: Preventive services may be rendered	information.
		on visits other than well-child visits. Medical	- myonnaaoni
		records must include documentation of	
	•	i records musi miciade aocumentation of	

		preventive services. Chronic or acute	
		condition assessment and treatment are	
		excluded from this provision.	
		·	
		Required Exclusions:	
		Members who meet any of the following	
		criteria are excluded from the measure:	
		 In hospice or using hospice services any 	
		time in the MY.	
		 Deceased at any time in the MY. 	
		beceased deality time in the ivit.	
		Common Chart Deficiencies:	
		 Children or adolescents being seen for 	
		sick visits only and no	
		documentation/claims/encounter data	
		related to well-visit services provided.	
		·	
Measure	Measure Description	Measure Information/Documentation	Coding
	·	Required	
Annual Dental Visit (ADV)			Requires state-specific measure codes.
Retired by NCQA in MY23			
but may still apply in state			
quality reporting. Consult			
with your Account			
Executive.			
Executive.			
MEASURES COLLECTED US	ING ELECTRONIC CLINICA	L DATA SYSTEMS	
Measure	Measure Description	Measure Information/Documentation	Coding
		Required	
Follow-Up Care for	The percentage of	The Intake Period (IP) is the 12-month	Members are identified through administrative and pharmacy claims.
Children Prescribed	children 6 – 12 years of	window starting 3/1 of the year prior to the	
ADHD Medication (ADD-	age who had a newly	MY and ending the last calendar day of	ADHD Medications:
E) .	prescribed ADHD	2/MY.	CNS Stimulants: Dexmethylphenidate, Dextroamphetamine,
[]	medication and who had		Lisdexamfetamine, Methylphenidate, Methamphetamine.
This is a measure	at least three follow-up	The Index Prescription Start Date (ISPD) is	Alpha-2 receptor agonists: Clonidine, Guanfacine
collected through claims	care visits within a 10-	the earliest prescription dispensing date for	Miscellaneous ADHD Medications: Atomoxetine
and Electronic Clinical	month period, one of	an ADHD medication in the IP and where	The state of the s
Data Systems. Please	which was within 30	there is a negative medication history.	Visit Setting Unspecified (with Outpatient POS, Partial Hospitalization
discuss options for a	days of when the first	and the date incultation instally.	POS, Community Mental Health Center POS, or Telehealth POS):
uiscuss upiliulis jui u	adys of which the 1113t		1 03, Community Mental Health Center 1 03, or Teleffealth 103).

direct data feed with your Account Executive. Direct data feeds can improve provider quality performance and reduce the burden of medical record requests.

ADHD medication was dispensed.

Two rates are reported:

1. Initiation Phase: Members who had one follow-up visit with practitioner with prescribing authority during the 30 days following the IPSD.

2. Continuation Phase:

Members who remained on the medication for at least 210 days, had a visit in the Initiation Phase, and had at least two follow-up visits within 270 days after the Initiation Phase ended.

Telephone, telehealth visits are acceptable in both the Initiation and Continuation Phases.

Only one of the 2 Continuation Phase visits can be e-visit or virtual check-in.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

- In hospice or using hospice services any time in the MY.
- Deceased in the MY.
- Acute inpatient encounter or discharge with principal diagnosis of mental, behavioral, or neurodevelopmental disorder.
- Diagnosis of narcolepsy.

Common Chart Deficiencies:

- Follow-up visit more than 30 days after initial medication dispensed date.
- 2 additional visits within 9 months of starting medication are not documented.

CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255

Outpatient POS: 03, 05, 07, 09, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22, 33, 49, 50, 71, 72

Telehealth POS: 02

BH Outpatient:

CPT: 98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510

HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002, H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010, H2011, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, T1015 UBREV: 0510, 0513, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0900, 0902, 0903, 0904, 0911, 0914, 0915, 0916, 0917, 0919, 0982, 0983

Health and Behavior Assessment or Intervention:

CPT: 96156, 96158, 96159, 96164, 96165, 96167, 96168, 96170, 96171

Partial Hospitalization or Intensive Outpatient:

HCPCS: G0410, G0411, H0035, H2001, H2012, S0201, S9480, S9484, S9485

UBREV: 0905, 0907, 0912, 0913

Telephone Visit:

CPT: 98966, 98967, 98968, 99441, 99442, 99443

Online Assessments: (Continuation Phase One of Two Visits):

CPT: 98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457,

99458

HCPCS: G0071, G2010, G2012, G2250, G2251, G2252

			Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Adult Immunization Status (AIS-E) This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can improve provider quality	Members 19 years of age and older who are up to date on recommended routine vaccines for influenza; tetanus and diphtheria (Td) or tetanus, diphtheria, and acellular pertussis (Tdap); zoster; and pneumococcal.	The Measurement Period (MP) is 1/1 through 12/31. Influenza: Members who received an influenza vaccine on or between 7/1 of the year prior to the MP and 6/30 of the MP, or with prior influenza virus vaccine-adverse reaction any time during or before the MP. Td/Tdap: Members who received at least one Td	Immunization Administered: Adult Influenza Immunization: CVX: 88, 135, 140, 141, 144, 150, 153, 155, 158, 166, 168, 171, 185, 186, 197, 205 Influenza Virus LAIV Immunization: CVX: 111, 149 Adult Pneumococcal Immunization: Herpes Zoster Recombinant Immunization: CVX: 187
performance and reduce the burden of medical record requests.		vaccine or one Tdap vaccine between nine years prior to the start of the MP and the end of the MP, or with history of at least one of the following contraindications any time during or before the MP: • Anaphylaxis due to Tdap vaccine, anaphylaxis due to Td vaccine or its components. • Encephalopathy due to Tdap or Td vaccination (post tetanus vaccination encephalitis, post diphtheria vaccination encephalitis, or post pertussis vaccination encephalitis).	Td Immunization: CVX: 09, 113, 115, 138, 139 Tdap Immunization: CVX: 115 Vaccine Procedure: Adult Influenza Vaccine Procedure: CPT: 90630, 90653, 90654, 90656, 90658, 90661, 90662, 90673, 90674, 90682, 90686, 90688, 90689, 90694, 90756 Herpes Zoster Live Vaccine Procedure: CPT: 90736 Herpes Zoster Recombinant Vaccine Procedure: CPT: 90750
		Zoster: Members who received at least one dose of the herpes zoster live vaccine or two doses of the herpes zoster recombinant vaccine (at least 28 days apart) anytime on or after the member's 50th birthday, or with prior adverse reaction caused by zoster vaccine or its components any time during or before the MP.	Influenza Virus LAIV Vaccine Procedure: CPT: 90660, 90672 Adult Pneumococcal Vaccine Procedure: CPT: 90670, 90671, 90677, 90732 HCPCS: G0009 Td Vaccine Procedure: CPT: 90714

Pneumococcal: **Tdap Vaccine Procedure:** Members who were administered the 23-**CPT**: 90715 valent pneumococcal polysaccharide vaccine on or after the member's 60th birthday before or during the MP, or prior Note: LOINC and SNOMED codes can be captured through electronic data pneumococcal vaccine-adverse reaction any submissions. Please contact your Account Executive for more time during or before the MP. information. **Required Exclusions:** Members who meet any of the following criteria are excluded from the measure: • In hospice or using hospice services any time in the MP. Deceased at any time in the MP. Children and Both of the following during the MY. Members are identified through administrative and pharmacy claims. **Metabolic Monitoring for** At least one test for blood glucose or **Children and Adolescents** adolescents 1 – 17 years on Antipsychotics (APMof age who had two or HbA1c. and Glucose Lab Test: E) more antipsychotic At least one test for LDL-C or cholesterol **CPT:** 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951 prescriptions and had This is a measure collected metabolic testing. **HbA1C Lab Test: Required Exclusions:** through claims and Members who meet any of the following **CPT**: 83036, 83037 Electronic Clinical Data criteria are excluded from the measure: Systems. Please discuss In hospice or using hospice services any **HbA1C Test Result or Finding:** time in the MY. CPT-CAT-II: 3044F, 3046F, 3051F, 3052F options for a direct data feed with your Account · Deceased in the MY. Executive. Direct data Cholesterol Lab Test: feeds can improve **Common Chart Deficiencies:** CPT: 82465, 83718, 83722, 84478 A1C, LDL-C ordered but not completed. provider quality performance and reduce LDL-C Lab Test: the burden of medical CPT: 80061, 83700, 83701, 83704, 83721 record requests. **LDL-C Test Result or Finding:** CPT-CAT-II: 3048F, 3049F, 3050F Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

Measure	Measure Description	Measure Information/Documentation Required	Coding
Breast Cancer Screening	Members 50 – 74 years	All types and methods of mammograms	Mammography:
(BCS-E) This is a measure	of age who were recommended for a routine breast cancer	(screening, diagnostic, film, digital, or digital breast tomosynthesis) qualify for numerator compliance.	CPT : 77061, 77062, 77063, 77065, 77066, 77067
collected through claims	screening and had a		Note: LOINC and SNOMED codes can be captured through electronic data
and Electronic Clinical	mammogram to screen	Note: Biopsies, breast ultrasounds, and MRIs	submissions. Please contact your Account Executive for more
Data Systems. Please discuss options for a direct	for breast cancer.	do not count toward this measure.	information.
data feed with your		Required Exclusions:	
Account Executive. Direct		Members who meet any of the following	
data feeds can improve		criteria are excluded from the measure:	
provider quality performance and reduce		• In hospice or using hospice services in the MP.	
the burden of medical		 Deceased at any time in the MP. 	
record requests		Receiving palliative care any time in the MP.	
		 66 years of age and older with frailty 	
		and advanced illness during the MY.	
		Had gender-affirming chest surgery (CPT)	
		code 19318) with a diagnosis of gender	
		dysphoria (Gender Dysphoria Value Set)	
		any time during the member's history	
		through the end of the MP.	
		Bilateral mastectomy or both right and	
		left unilateral mastectomy with bilateral	
		modifier from same procedure any time during the member's history through	
		the end of the MY.	
		the end of the Wif.	
Measure	Measure Description	Measure Information/Documentation	Coding
		Required	
Colorectal Cancer	The percentage of	The MY is 1/1 – 12/31.	Colonoscopy:
Screening (COL-E)	members 45 – 75 years		CPT: 44388, 44389, 44390, 44391, 44392, 44394, 44401, 44402, 44403,
	of age who had	Documentation in the medical record must	44404, 44405, 44406, 44407, 44408, 45378, 45379, 45380, 45381,
This is a measure	appropriate screening	include a note indicating the date when the	45382, 45384, 45385, 45386, 45388, 45389, 45390, 45391, 45392,
collected through claims	for colorectal cancer.	colorectal cancer screening was performed.	45393, 45398
and Electronic Clinical		A result is not required if the documentation	HCPCS : G0105, G0121
Data Systems. Please		is clearly part of the "medical history"	Flavible Signs side seems
discuss options for a direct		section of the record; if this is not clear, the	Flexible Sigmoidoscopy:

data feed with your Account Executive. Direct data feeds can improve provider quality performance and reduce the burden of medical record requests result or finding must also be present. (This ensures that the screening was performed and not merely ordered.)

- Colonoscopy in past 10 years (the MY and 9 years prior).
- Flexible Sigmoidoscopy in past 5 years (the MY and 4 years prior).
- CT Colonography in past 5 years (the MY and 4 years prior).
- Stool DNA (sDNA) with FIT test in past 3 years (the MY and 2 years prior).
- Fecal Occult Blood Test (FOBT) in the MY.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

- In hospice or using hospice services any time in the MY.
- Deceased in the MY.
- Receiving palliative care any time in the MY.
- 66 years of age and older with frailty and advanced illness during the MY.
- Colorectal cancer any time in member history through 12/31 of the MY.
- Total colectomy any time in member history through 12/31 of the MY.

Common Chart Deficiencies:

- Member-reported data not documented with sufficient information to show the screening was completed in the measure time frame.
- Documentation not clear on type of screening (e.g., only "Col" or "Colon").
- Documentation not clear on location to which scope advanced in situations of incomplete colonoscopy (must advance to the cecum) or flexible sigmoidoscopy (must advance into the sigmoid colon).

 $\textbf{CPT:}\ 45330, 45331, 45332, 45333, 45334, 45335, 45337, 45338, 45340,$

45341, 45342, 45346, 45347, 45349, 45350

HCPCS: G0104

CT Colonography:

CPT: 74261, 74262, 74263

Stool DNA (sDNA) with Fit Lab Test:

CPT: 81528 FOBT Lab test: CPT: 82270, 82274 HCPCS: G0328

Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

Most recent screening dates not documented in the record/updated in patient history.

- Documentation of only "up to date."
- Documentation of only "next due" dates.
- FOBTs performed in an office setting.
- FOBTs performed on a sample collected via Digital Rectal Exam (DRE).
- Fewer than 3 samples documented for gFOBT.
- Documentation not clear if Stool-DNA with FIT or FIT FOBT.

Depression Screening and Follow-Up for Adolescents and Adults (DSF-E)

This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can improve provider quality performance and reduce the burden of medical record requests.

The percentage of members 12 years of age and older who were screened for clinical depression using a standardized instrument and, if screened positive, received follow-up care.

Two rates are reported:

1. Depression Screening:

The percentage of members who were screened for clinical depression using a standardized instrument.

2. Follow Up on Positive Screen:

The percentage of members who received follow-up care on or up to 30 days after the date of the first positive screen.

The MP is 1/1 through 12/31.

This measure requires the use of an ageappropriate screening instrument. The member's age is used to select the appropriate depression screening instrument.

- Acceptable tools for the Adolescent 12-17 population include PHQ-9; PHQ-9M; PHQ-2; BDI-FS; CESD-R; EPDS; PROMIS Depression.
- Acceptable tools for the Adult 18+ population include PHQ-9; PHQ-2; BDI-FS; BDI-II; CESD-R; DADS; GDS; EPDS; M-3; PROMIS Depression, CUDOS.

Follow up which meets criteria:

- Outpatient, telephone, or virtual check-in visit.
- Depression case management encounter.
- A behavioral health encounter.
- Dispensed antidepressant medication.
- Additional depression screening on a full-length instrument indicating

Encounter Performed:

Behavioral Health Encounter:

CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 **HCPCS:** G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485 **UBREV:** 0900, 0901, 0902, 0903, 0904, 0905, 0907, 0911, 0912, 0913, 0914, 0915, 0916, 0917, 0919

Depression Case Management Encounter:

CPT: 99366, 99492, 99493, 99494 **HCPCS:** G0512, T1016, T1017, T2022, T2023

Follow-Up Visit:

CPT: 98960, 98961, 98962, 98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99441, 99442, 99443, 99457, 99458, 99483 **HCPCS:** G0071, G0463, G2010, G2012, G2250, G2251, G2252, T1015

		no depression or no symptoms that require follow up on the same day as a positive screen on a brief screening instrument. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MP. Deceased at any time in the MP. Bipolar disorder in the year prior to the MP. Depression that starts during the year prior to the MP.	UBREV: 0510, 0513, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0982, 0983 Dispensed Antidepressant Medication: Miscellaneous antidepressants: Bupropion, Vilazodone, Vortioxetine Monoamine oxidase inhibitors: Isocarboxazid, Phenelzine, Selegiline, Tranylcypromine Phenylpiperazine antidepressants: Nefazodone, Trazodone Psychotherapeutic combinations: Amitriptyline-chlordiazepoxide, Amitriptyline-perphenazine, Fluoxetine-olanzapine SNRI antidepressants: Desvenlafaxine, Duloxetine, Levomilnacipran, Venlafaxine SSRI antidepressants: Citalopram, Escitalopram, Fluoxetine, Fluvoxamine, Paroxetine, Sertraline Tetracyclic antidepressants: Maprotiline, Mirtazapine Tricyclic antidepressants: Amitriptyline, Amoxapine, Clomipramine, Desipramine, Doxepin (>6mg), Imipramine, Nortriptyline, Protriptyline, Trimipramine Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation	Coding
	·	Required	
Utilization of the PHQ-9	The percentage of	The Measurement Periods (MP) are:	Diagnosis:
to Monitor Depression	members 12 years of	 January 1 through April 30. 	Major Depression or Dysthymia:
Symptoms for	age and older with a	 May 1 through August 31. 	ICD10CM F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1,
Adolescents and Adults	diagnosis of major	 September 1 through December 31. 	F33.2, F33.3, F33.40, F33.41, F33.42, F33.9, F34.1
(DMS-E)	depression or dysthymia		
This is a second	who had an outpatient	The PHQ-9 assessment does not need to	Encounter Performed:
This is a measure	encounter with a PHQ-9	occur during a face-to-face encounter;	Interactive Outpatient Encounter:
collected through claims	score present in their	phone-based, e-visit, virtual check-in, or	CPT: 90791, 90792, 90832, 90834, 90837, 98960, 98961, 98962, 98966,
and Electronic Clinical Data Systems. Please	record in the same assessment period as	electronic secure messaging is acceptable.	98967, 98968, 98970, 98971, 98972, 98980, 98981, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242,
discuss options for a direct	the encounter.	Note:	99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348,
data feed with your	are encounter.	Standardized instruments are useful in	99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387,
Account Executive. Direct		identifying meaningful change in clinical	99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402,
ACCOUNT LXCCULIVE, DITELL			
data feeds can improve		outcomes over time. Guidelines for adults	99403, 99404, 99411, 99412, 99421, 99422, 99423, 99441, 99442,

performance and reduce		maintain regular follow-up with patients	HCPCS: G0071, G0155, G0176, G0177, G0409, G0410, G0411, G0463,
the burden of medical		diagnosed with depression and use a	G0512, G2010, G2012, G2250, G2251, G2252, H0002, H0004, H0031,
record requests.		standardized tool to track symptoms.	H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010,
		 For adolescents, guidelines 	H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019,
		recommend systematic and regular	H2020, S0201, S9480, S9484, S9485, T1015
		tracking of treatment goals and	UBREV: 0510, 0513, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526,
		outcomes, including assessing	0527, 0528, 0529, 0900, 0901, 0902, 0903, 0904, 0905, 0907, 0911, 0912,
		depressive symptoms.	0913, 0914, 0915, 0916, 0917, 0919, 0982, 0983
		 The PHQ-9 tool assesses the nine 	
		DSM, Fourth Edition, Text Revision	
		(DSM-IV-TR) criterion symptoms	Note: LOINC and SNOMED codes can be captured through electronic data
		and effects on functioning and has	submissions. Please contact your Account Executive for more
		been shown to be highly accurate in	information.
		diagnosing patients with persistent	
		major depression, partial remission,	
		and full remission.	
		Required Exclusions:	
		Members who meet any of the following	
		criteria are excluded from the measure:	
		 In hospice or using hospice services 	
		any time in the MP.	
		 Deceased at any time in the MP. 	
		 Bipolar disorder in the MP. 	
		 Personality disorder in the MP. 	
		 Psychotic disorder in the MP. 	
		 Pervasive development disorder in 	
		the MP.	
Measure	Measure Description	Measure Information/Documentation Required	Coding
Depression Remission or	The percentage of	The Measurement Period (MP) is 1/1	Diagnosis:
Response for Adolescents	members 12 years of	through 12/31.	Major Depression or Dysthymia:
and Adults (DRR-E)	age and older with a		ICD10CM: F32.0, F32.1, F32.2, F32.3, F32.4, F32.5, F32.9, F33.0, F33.1,
	diagnosis of depression	The Intake Period (IP) is 5/1 of the year prior	F33.2, F33.3, F33.40, F33.41, F33.42, F33.9, F34.1
This is a measure	and an elevated PHQ-9	to the MP through 4/30 of the MP.	, , , , , , , , , , , , , , , , , , , ,
collected through claims	score who had evidence	, , , , , , , , , , , , , , , , , , , ,	Encounter Performed:
and Electronic Clinical	of response or remission	The Episode Intake Start Date (EISD) is the	Interactive Outpatient Encounter:
Data Systems. Please	within 4 – 8 months of	earliest date in the IP where a member has a	CPT : 90791, 90792, 90832, 90834, 90837, 98960, 98961, 98962, 98966,
discuss options for a direct	the elevated score.	diagnosis of major depression or dysthymia	98967, 98968, 98970, 98971, 98972, 98980, 98981, 99078, 99202,
data feed with your		and a PHQ-9 total score >9 documented.	99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242,

Account Executive. Direct Three rates are 99243.99244.99245.99341.99342.99344.99345.99347.99348. reported: 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, data feeds can improve **Required Exclusions:** Members who meet any of the following 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, provider quality 1. Follow-Up PHQ-9: performance and reduce The percentage of criteria during the IP or during the MP are 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99441, 99442, the burden of medical 99443, 99457, 99458, 99483, 99492, 99493, 99494, 99510 members who have a excluded from the measure: record requests. follow-up PHQ-9 score In hospice or using hospice services any HCPCS: G0071, G0155, G0176, G0177, G0409, G0410, G0411, G0463, documented within 4 -G0512, G2010, G2012, G2250, G2251, G2252, H0002, H0004, H0031, time in the MP. 8 months after the Deceased at any time in the MP. H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, initial elevated PHO-9 Bipolar disorder. H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485, T1015 score. Personality disorder. 2. Depression **UBREV:** 0510, 0513, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526. Psychotic disorder. Remission: 0527, 0528, 0529, 0900, 0901, 0902, 0903, 0904, 0905, 0907, 0911, 0912, Pervasive development disorder. 0913, 0914, 0915, 0916, 0917, 0919, 0982, 0983 The percentage of members who achieved remission within 4 – 8 months after the initial Note: LOINC and SNOMED codes can be captured through electronic data elevated PHQ-9 score. submissions. Please contact your Account Executive for more 3. Depression information. Response: The percentage of members who showed response within 4 – 8 months after the initial elevated PHQ-9 score. Measure Information/Documentation Measure **Measure Description** Coding Required **Unhealthy Alcohol Use** The percentage of The Measurement Period (MP) is 1/1 Diagnosis **Screening and Follow-Up** members 18 years of through 12/31. Alcohol Use Disorder: (ASF-E) age and older who were ICD10CM: F10.10, F10.120, F10.121, F10.129, F10.130, F10.131, F10.132, screened for unhealthy Follow-up is an encounter on, or up to 60 F10.139, F10.14, F10.150, F10.151, F10.159, F10.180, F10.181, F10.182, This is a measure alcohol use using a days after, the date of the first positive F10.188, F10.19, F10.20, F10.220, F10.221, F10.229, F10.230, F10.231, collected through claims standardized instrument screening that includes at least one of the F10.232, F10.239, F10.24, F10.250, F10.251, F10.259, F10.26, F10.27, and Electronic Clinical and, if screened following: F10.280, F10.281, F10.282, F10.288, F10.29, F10.90, F10.920, F10.921, positive, received Feedback on alcohol use and harms. Data Systems. Please F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, discuss options for a direct Identification of high-risk situations for F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, appropriate follow-up data feed with your drinking and coping strategies. K29.20, K29.21, K70.10, K70.11 care. • Increase the motivation to reduce Account Executive. Direct data feeds can improve drinking. **Intervention Performed:** Two rates are reported: provider auality 1. Unhealthy Alcohol Development of a personal plan to **Alcohol Counseling or Other Follow-Up Care:** performance and reduce **Use Screening:** reduce drinking. **CPT**: 99408, 99409

the burden of medical record requests.	The percentage of members who had a systematic screening for unhealthy alcohol use. 2. Alcohol Counseling or Other Follow-up Care: The percentage of members receiving brief counseling or other follow-up care within 2 months of screening positive for unhealthy alcohol use.	 Documentation of receiving alcohol misuse treatment. Required Exclusions: Members who meet any of the following criteria during the MP are excluded from the measure: In hospice or using hospice services any time in the MP. Deceased at any time in the MP. Alcohol use disorder that starts during the year prior to the MP. History of dementia any time during the member's history through the end of the MP. 	HCPCS: G0396, G0397, G0443, G2011, H0005, H0007, H0015, H0016, H0022, H0050, H2035, H2036, T1006, T1012 Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Prenatal Immunization Status (PRS-E) This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can improve provider quality performance and reduce the burden of medical record requests.	The percentage of deliveries in which the member received influenza and tetanus, diphtheria toxoids, and acellular pertussis (Tdap) vaccinations.	 The Measurement Period (MP) is 1/1 through 12/31. Influenza: Deliveries where members received an adult influenza vaccine on or between July 1 of the year prior to the MP and the delivery date; or Deliveries where members had an influenza virus vaccine-adverse reaction any time during or before the MP. Tdap: Deliveries where the members had any of the following: At least one Tdap vaccine during the pregnancy (including the delivery date). Anaphylactic reaction to Tdap or Td vaccine or its components any time during or before the MP. Encephalopathy due to Td or Tdap vaccination any time during or before the MP. 	Immunization Administered: Adult Influenza Immunization: CVX: 88, 135, 140, 141, 144, 150, 153, 155, 158, 166, 168, 171, 185, 186, 197, 205 Tdap Immunization: CVX: 115 Vaccine Procedure: Adult Influenza Vaccine Procedure: CPT: 90630, 90653, 90654, 90656, 90658, 90661, 90662, 90673, 90674, 90682, 90686, 90688, 90689, 90694, 90756 Tdap Vaccine Procedure: CPT: 90715 Deliveries: CPT: 59400, 59409, 59410, 59510, 59514, 59515, 59610, 59612, 59614, 59618, 59620, 59622 HCPCS: 10D00Z0, 10D00Z1, 10D00Z2, 10D07Z3, 10D07Z4, 10D07Z5, 10D07Z6, 10D07Z7, 10D07Z8, 10E0XZZ

		A note indicating the specific antigen name and the immunization date, or an immunization certificate prepared by a healthcare provider that has the dates of administration. Documented history of specific disease, anaphylactic reactions, or contraindications for a specific vaccine. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MP. Deceased at any time in the MP. Delivered at less than 37 weeks gestation.	Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation Required	Coding
Prenatal Depression	The percentage of	The Measurement Period (MP) is 1/1 –	Encounter Performed:
Screening and Follow-Up	deliveries in which	12/31.	
			l Behavioral Health Encounter:
(PND-E)	members were screened	12/31.	Behavioral Health Encounter: CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839.
(PND-E)	members were screened		CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839,
(PND-E) This is a measure	members were screened for clinical depression	This measure requires the use of an age-	CPT : 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869,
	members were screened		CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839,
This is a measure	members were screened for clinical depression while pregnant and, if	This measure requires the use of an ageappropriate screening instrument. The	CPT : 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493
This is a measure collected through claims and Electronic Clinical Data Systems. Please	members were screened for clinical depression while pregnant and, if screened positive, received follow-up care.	This measure requires the use of an age- appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument.	CPT : 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS : G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2011, H2012, H2013, H2014, H2015, H2016,
This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct	members were screened for clinical depression while pregnant and, if screened positive, received follow-up care. Two rates are reported:	This measure requires the use of an age-appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument. • Acceptable tools for the Adolescent 12-	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485
This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your	members were screened for clinical depression while pregnant and, if screened positive, received follow-up care. Two rates are reported: 1. Depression	This measure requires the use of an age-appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument. • Acceptable tools for the Adolescent 12-17 population include PHQ-9; PHQ-9M;	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485 UBREV: 0900, 0901, 0902, 0903, 0904, 0905, 0907, 0911, 0912, 0913,
This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct	members were screened for clinical depression while pregnant and, if screened positive, received follow-up care. Two rates are reported: 1. Depression Screening:	This measure requires the use of an age-appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument. • Acceptable tools for the Adolescent 12-17 population include PHQ-9; PHQ-9M; PHQ-2; BDI-FS; CESD-R; EPDS; PROMIS	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485
This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can improve	members were screened for clinical depression while pregnant and, if screened positive, received follow-up care. Two rates are reported: 1. Depression	This measure requires the use of an age-appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument. • Acceptable tools for the Adolescent 12-17 population include PHQ-9; PHQ-9M; PHQ-2; BDI-FS; CESD-R; EPDS; PROMIS Depression.	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485 UBREV: 0900, 0901, 0902, 0903, 0904, 0905, 0907, 0911, 0912, 0913, 0914, 0915, 0916, 0917, 0919
This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can improve provider quality	members were screened for clinical depression while pregnant and, if screened positive, received follow-up care. Two rates are reported: 1. Depression	This measure requires the use of an age-appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument. • Acceptable tools for the Adolescent 12-17 population include PHQ-9; PHQ-9M; PHQ-2; BDI-FS; CESD-R; EPDS; PROMIS Depression. • Acceptable tools for the Adult 18+	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485 UBREV: 0900, 0901, 0902, 0903, 0904, 0905, 0907, 0911, 0912, 0913, 0914, 0915, 0916, 0917, 0919 Depression Case Management Encounter:
This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can improve provider quality performance and reduce	members were screened for clinical depression while pregnant and, if screened positive, received follow-up care. Two rates are reported: 1. Depression Screening: The percentage of deliveries in which members were screened	This measure requires the use of an age-appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument. • Acceptable tools for the Adolescent 12-17 population include PHQ-9; PHQ-9M; PHQ-2; BDI-FS; CESD-R; EPDS; PROMIS Depression. • Acceptable tools for the Adult 18+ population include PHQ-9; PHQ-2; BDI-	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485 UBREV: 0900, 0901, 0902, 0903, 0904, 0905, 0907, 0911, 0912, 0913, 0914, 0915, 0916, 0917, 0919 Depression Case Management Encounter: CPT: 99366, 99492, 99493, 99494
This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can improve provider quality	members were screened for clinical depression while pregnant and, if screened positive, received follow-up care. Two rates are reported: 1. Depression Screening: The percentage of deliveries in which members were screened for clinical depression using a standardized	This measure requires the use of an age-appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument. • Acceptable tools for the Adolescent 12-17 population include PHQ-9; PHQ-9M; PHQ-2; BDI-FS; CESD-R; EPDS; PROMIS Depression. • Acceptable tools for the Adult 18+	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485 UBREV: 0900, 0901, 0902, 0903, 0904, 0905, 0907, 0911, 0912, 0913, 0914, 0915, 0916, 0917, 0919 Depression Case Management Encounter:
This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can improve provider quality performance and reduce the burden of medical	members were screened for clinical depression while pregnant and, if screened positive, received follow-up care. Two rates are reported: 1. Depression Screening: The percentage of deliveries in which members were screened for clinical depression using a standardized instrument during the	This measure requires the use of an age-appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument. • Acceptable tools for the Adolescent 12-17 population include PHQ-9; PHQ-9M; PHQ-2; BDI-FS; CESD-R; EPDS; PROMIS Depression. • Acceptable tools for the Adult 18+ population include PHQ-9; PHQ-2; BDI-FS; BDI-II; CESD-R; DADS; EPDS; M-3; PROMIS Depression, CUDOS.	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485 UBREV: 0900, 0901, 0902, 0903, 0904, 0905, 0907, 0911, 0912, 0913, 0914, 0915, 0916, 0917, 0919 Depression Case Management Encounter: CPT: 99366, 99492, 99493, 99494
This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can improve provider quality performance and reduce the burden of medical	members were screened for clinical depression while pregnant and, if screened positive, received follow-up care. Two rates are reported: 1. Depression Screening: The percentage of deliveries in which members were screened for clinical depression using a standardized	This measure requires the use of an age-appropriate screening instrument. The member's age is used to select the appropriate depression screening instrument. • Acceptable tools for the Adolescent 12-17 population include PHQ-9; PHQ-9M; PHQ-2; BDI-FS; CESD-R; EPDS; PROMIS Depression. • Acceptable tools for the Adult 18+ population include PHQ-9; PHQ-2; BDI-FS; BDI-II; CESD-R; DADS; EPDS; M-3;	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869, 90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493 HCPCS: G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512, H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040, H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016, H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485 UBREV: 0900, 0901, 0902, 0903, 0904, 0905, 0907, 0911, 0912, 0913, 0914, 0915, 0916, 0917, 0919 Depression Case Management Encounter: CPT: 99366, 99492, 99493, 99494 HCPCS: G0512, T1016, T1017, T2022, T2023

	2. Follow up on Positive Screen: The percentage of deliveries in which members received follow-up care within 30 days of screening positive for depression.	 Outpatient, telephone, or virtual checkin visit. Depression case management encounter. A behavioral health encounter. Dispensed antidepressant medication. Additional depression screening on a full-length instrument indicating no depression or no symptoms that require follow up on the same day as a positive screen on a brief screening instrument. Required Exclusions: Members who meet any of the following criteria are excluded from the measure: In hospice or using hospice services any time in the MP. Deceased at any time in the MP. Delivered at less than 37 weeks gestation. 	99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99441, 99442, 99443, 99457, 99458, 99483 HCPCS: G0071, G0463, G2010, G2012, G2250, G2251, G2252, T1015 UBREV: 0510, 0513, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0982, 0983 Dispensed Antidepressant Medication: Miscellaneous antidepressants: Bupropion, Vilazodone, Vortioxetine Monoamine oxidase inhibitors: Isocarboxazid, Phenelzine, Selegiline, Tranylcypromine Phenylpiperazine antidepressants: Nefazodone, Trazodone Psychotherapeutic combinations: Amitriptyline-chlordiazepoxide, Amitriptyline-perphenazine, Fluoxetine-olanzapine SNRI antidepressants: Desvenlafaxine, Duloxetine, Levomilnacipran, Venlafaxine SSRI antidepressants: Citalopram, Escitalopram, Fluoxetine, Fluoxamine, Paroxetine, Sertraline Tetracyclic antidepressants: Maprotiline, Mirtazapine Tricyclic antidepressants: Amitriptyline, Amoxapine, Clomipramine, Desipramine, Doxepin (>6mg), Imipramine, Nortriptyline, Protriptyline, Trimipramine
			Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
Measure	Measure Description	Measure Information/Documentation	Coding
Postpartum Depression	The percentage of	Required The Measurement Period (MP) is 1/1 –	Encounter Performed:
Screening and Follow-Up	deliveries in which	12/31.	Behavioral Health Encounter:
(PDS-E)	members were screened	,	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839,
	for clinical depression	This measure requires the use of an age-	90845, 90846, 90847, 90849, 90853, 90865, 90867, 90868, 90869,
This is a measure	during the postpartum	appropriate screening instrument. The	90870, 90875, 90876, 90880, 90887, 99484, 99492, 99493
collected through claims	period, and if screened	member's age is used to select the	HCPCS: G0155, G0176, G0177, G0409, G0410, G0411, G0511, G0512,
and Electronic Clinical	positive, received	appropriate depression screening	H0002, H0004, H0031, H0034, H0035, H0036, H0037, H0039, H0040,
Data Systems. Please	follow-up care.	instrument.	H2000, H2001, H2010, H2011, H2012, H2013, H2014, H2015, H2016,
discuss options for a direct			H2017, H2018, H2019, H2020, S0201, S9480, S9484, S9485

data feed with your Account Executive. Direct data feeds can improve provider quality performance and reduce the burden of medical record requests. Two rates are reported.

1. Depression Screening:

The percentage of deliveries in which members were screened for clinical depression using a standardized instrument during the postpartum period.

2. Follow up on Positive Screen:

The percentage of deliveries in which members received follow-up care within 30 days of screening positive for depression.

- Acceptable tools for the Adolescent 12-17 population include PHQ-9; PHQ-9M; PHQ-2; BDI-FS; CESD-R; EPDS; PROMIS Depression.
- Acceptable tools for the Adult 18+ population include PHQ-9; PHQ-2; BDI-FS; BDI-II; CESD-R; DADS; EPDS; M-3; PROMIS Depression, CUDOS.

Follow up which meets criteria:

- Outpatient, telephone, or virtual checkin visit.
- Depression case management encounter.
- A behavioral health encounter.
- Dispensed antidepressant medication.
- Additional depression screening on a full-length instrument indicating no depression or no symptoms that require follow up on the same day as a positive screen on a brief screening instrument.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

- In hospice or using hospice services any time in the MP.
- Deceased at any time in the MP.

UBREV: 0900, 0901, 0902, 0903, 0904, 0905, 0907, 0911, 0912, 0913, 0914, 0915, 0916, 0917, 0919

Depression Case Management Encounter:

CPT: 99366, 99492, 99493, 99494

HCPCS: G0512, T1016, T1017, T2022, T2023

Follow-Up Visit:

CPT: 98960, 98961, 98962, 98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99441, 99442, 99443, 99457, 99458, 99483

HCPCS: G0071, G0463, G2010, G2012, G2250, G2251, G2252, T1015 **UBREV:** 0510, 0513, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0527, 0528, 0529, 0982, 0983

Dispensed Antidepressant Medication:

Miscellaneous antidepressants: Bupropion, Vilazodone, Vortioxetine **Monoamine oxidase inhibitors:** Isocarboxazid, Phenelzine, Selegiline, Tranylcypromine

Phenylpiperazine antidepressants: Nefazodone, Trazodone **Psychotherapeutic combinations**: Amitriptyline-chlordiazepoxide, Amitriptyline-perphenazine, Fluoxetine-olanzapine

SNRI antidepressants: Desvenlafaxine, Duloxetine, Levomilnacipran, Venlafaxine

SSRI antidepressants: Citalopram, Escitalopram, Fluoxetine, Fluoxamine, Paroxetine, Sertraline

Tetracyclic antidepressants: Maprotiline, Mirtazapine

Tricyclic antidepressants: Amitriptyline, Amoxapine, Clomipramine, Desipramine, Doxepin (>6mg), Imipramine, Nortriptyline, Protriptyline, Trimipramine

Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.

Measure	Measure Description	Measure Information/Documentation	Coding
Social Need Screening and Intervention (SNS-E) This is a measure collected through claims and Electronic Clinical Data Systems. Please discuss options for a direct data feed with your Account Executive. Direct data feeds can improve provider quality performance and reduce the burden of medical record requests.	The percentage of members who were screened, using prespecified instruments, at least once in the measurement period (MP) for unmet food, housing, and transportation needs and received a corresponding intervention within 30 days of screening positive. The measurement period (MP) is 1/1 – 12/31.	Required Screenings documented on pre-specified instruments: Food Insecurity: Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool. American Academy of Family Physicians (AAFP) Social Needs Screening Tool. Health Leads Screening Panel. Hunger Vital Sign (HVS). Protocol for Responding to and Assessing Patients' Assets, Risks & Experiences (PRAPARE). Safe Environment for Every Kid (SEEK). U.S. Household Food Security Survey.	Food Intervention: CPT: 96156, 96160, 96161, 97802, 97803, 97804 HCPCS: S5170, S9470 Homelessness/Housing Intervention: CPT: 96156, 96160, 96161 Transportation Interventions: CPT: 96156, 96160, 96161 Note: LOINC and SNOMED codes can be captured through electronic data submissions. Please contact your Account Executive for more information.
		 U.S. Adult Food Security Survey. U.S. Child Food Security Survey. U.S. Household Food Security Survey – Six-Item Short Form. We Care Survey. WellRx Questionnaire. Housing Instability, homelessness, and housing inadequacy: Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool. American Academy of Family Physicians (AAFP) Social Needs Screening Tool. Children's HealthWatch Housing Stability Vital Signs. Health Leads Screening Panel 	

- Protocol for Responding to and Assessing Patients' Assets, Risks & Experiences (PRAPARE).
- We Care Survey.
- WellRx Questionnaire.

Transportation insecurity:

- Accountable Health Communities (AHC) Health-Related Social Needs (HRSN) Screening Tool.
- American Academy of Family Physicians (AAFP) Social Needs Screening Tool.
- Comprehensive Universal Behavior Screen (CUBS).
- Health Leads Screening Panel.
- Protocol for Responding to and Assessing Patients' Assets, Risks & Experiences (PRAPARE).
- PROMIS
- WellRx Questionnaire

Interventions are required for any element (food, housing, and transportation) found positive upon screening. Interventions must correspond to the positive screening and must be within 30 days of positive screen (day of screen and 30 days following for a total of 31 days. Interventions include:

- Assistance.
- Assessment.
- Counseling.
- Coordination.
- Education.
- Evaluation of Eligibility.
- Provision.
- Referral.

Required Exclusions:

Members who meet any of the following criteria are excluded from the measure:

 In hospice or using hospice services are time in the MP. Deceased at any time in the MP. 	У
---	---







All images are used under license for illustrative purposes only. Any individual depicted is a model.